

施工データ

現場：唐津1現場A
担当：唐津太郎

	号棟	杭番	日付	時間	深度 (m)	フィード 速度 (cm/min)	瞬時 流量 (L/min)	積算 流量 (L)	回転数 (min ⁻¹)	積算 回転数 (Rev)	羽根 切回転数 (min ⁻¹)	羽根 切回数 (Rev)	回転 トルク (kN・m)	圧入力 (kN)
361	1	7	2009/12/14	00:17:21	3.10	230	0	688	63	926	109.57	3704	3.15	0.00
362	1	7	2009/12/14	00:17:23	3.00	230	0	688	63	929	109.57	3716	3.15	0.00
363	1	7	2009/12/14	00:17:26	2.90	230	0	688	59	931	102.61	3724	3.60	0.00
364	1	7	2009/12/14	00:17:29	2.80	230	0	688	58	934	100.87	3736	3.72	0.00
365	1	7	2009/12/14	00:17:31	2.70	230	0	688	54	936	93.91	3744	4.17	0.00
366	1	7	2009/12/14	00:17:34	2.60	230	0	688	52	939	90.43	3756	4.40	0.00
367	1	7	2009/12/14	00:17:36	2.50	230	0	688	52	941	90.43	3764	4.40	0.00
368	1	7	2009/12/14	00:17:39	2.40	230	0	688	56	943	97.39	3772	3.94	0.00
369	1	7	2009/12/14	00:17:42	2.30	224	0	688	56	946	100.00	3784	3.83	0.00
370	1	7	2009/12/14	00:17:44	2.20	230	0	688	59	948	102.61	3792	3.60	0.00
371	1	7	2009/12/14	00:17:47	2.10	230	0	688	60	951	104.35	3804	3.49	0.00
372	1	7	2009/12/14	00:17:50	2.00	230	0	688	58	954	100.87	3816	3.72	0.00
373	1	7	2009/12/14	00:17:52	1.90	224	0	688	57	956	101.79	3824	3.83	0.00
374	1	7	2009/12/14	00:17:55	1.80	230	0	688	59	959	102.61	3836	3.72	0.00
375	1	7	2009/12/14	00:17:57	1.70	230	0	688	61	961	106.09	3844	3.37	0.00
376	1	7	2009/12/14	00:18:00	1.60	224	0	688	61	964	108.93	3856	2.42	0.00
377	1	7	2009/12/14	00:18:03	1.50	230	0	688	62	967	107.83	3868	2.29	0.00
378	1	7	2009/12/14	00:18:05	1.40	230	0	688	61	969	106.09	3876	2.45	0.00
379	1	7	2009/12/14	00:18:08	1.30	230	0	688	65	972	113.04	3888	2.06	0.00
380	1	7	2009/12/14	00:18:10	1.20	230	0	688	68	975	118.26	3900	2.17	0.00
381	1	7	2009/12/14	00:18:13	1.10	230	0	688	67	978	116.52	3912	2.09	0.00
382	1	7	2009/12/14	00:18:16	1.00	230	0	688	68	981	118.26	3924	2.07	0.00
383	1	7	2009/12/14	00:18:18	0.90	230	0	688	68	984	118.26	3936	2.04	0.00
384	1	7	2009/12/14	00:18:21	0.80	237	0	688	69	987	116.46	3948	2.07	0.00
385	1	7	2009/12/14	00:18:23	0.70	230	0	688	70	990	121.74	3960	1.87	0.00
386	1	7	2009/12/14	00:18:26	0.60	230	0	688	72	993	125.22	3972	1.65	0.00
387	1	7	2009/12/14	00:18:29	0.50	230	0	688	71	996	123.48	3984	1.61	0.00
388	1	7	2009/12/14	00:18:31	0.40	230	0	688	73	1000	126.96	4000	1.64	0.00
389	1	7	2009/12/14	00:18:34	0.30	230	0	688	72	1003	125.22	4012	1.54	0.00
390	1	7	2009/12/14	00:18:36	0.20	237	0	688	40	1005	67.51	4020	2.78	0.00
391	1	7	2009/12/14	00:18:39	0.10	230	0	688	25	1006	43.48	4024	2.62	0.00
392	1	7	2009/12/14	00:18:45	0.10	403	0	688	25	1008	24.81	4032	2.64	12.76
393	1	7	2009/12/14	00:18:46	0.20	500	0	688	26	1009	20.80	4036	0.91	12.87
394	1	7	2009/12/14	00:18:47	0.30	500	0	688	31	1010	24.80	4040	1.08	12.87
395	1	7	2009/12/14	00:18:48	0.40	500	0	688	39	1011	31.20	4044	1.36	12.87
396	1	7	2009/12/14	00:18:50	0.50	488	0	688	70	1012	57.38	4048	2.12	12.87
397	1	7	2009/12/14	00:18:51	0.60	493	0	688	72	1013	58.42	4052	1.66	13.09
398	1	7	2009/12/14	00:18:52	0.70	500	0	688	73	1015	58.40	4060	2.12	12.87
399	1	7	2009/12/14	00:18:53	0.80	488	0	688	71	1016	58.20	4064	1.98	12.76
400	1	7	2009/12/14	00:18:55	0.90	500	0	688	72	1018	57.60	4072	2.19	12.87
401	1	7	2009/12/14	00:18:56	1.00	500	0	688	71	1019	56.80	4076	2.10	12.87
402	1	7	2009/12/14	00:18:59	0.90	510	0	688	65	1023	50.98	4092	1.99	0.00
403	1	7	2009/12/14	00:19:00	0.80	528	0	688	66	1024	50.00	4096	1.89	0.00
404	1	7	2009/12/14	00:19:01	0.70	500	0	688	68	1026	54.40	4104	1.73	0.00
405	1	7	2009/12/14	00:19:02	0.60	500	0	688	70	1027	56.00	4108	1.67	0.00
406	1	7	2009/12/14	00:19:04	0.50	493	0	688	72	1028	58.42	4112	1.68	0.00
407	1	7	2009/12/14	00:19:05	0.40	493	0	688	71	1030	57.61	4120	1.67	0.00
408	1	7	2009/12/14	00:19:06	0.30	515	0	688	73	1031	56.70	4124	1.60	0.00
409	1	7	2009/12/14	00:19:07	0.20	506	0	688	72	1033	56.92	4132	1.50	0.00
410	1	7	2009/12/14	00:19:08	0.10	515	0	688	73	1034	56.70	4136	1.44	0.00
411	1	7	2009/12/14	00:19:15	-0.33	596	0	688	0	1040	0.00	4160	0.00	0.00

施工データ

現場：唐津T1現場A
担当：唐津太郎

	号棟	杭番	日付	時間	深度 (m)	フィード 速度 (cm/min)	瞬時 流量 (L/min)	積算 流量 (L)	回転数 (min ⁻¹)	積算 回転数 (Rev)	羽根 切回転数 (min ⁻¹)	羽根 切回数 (Rev)	回転 トルク (kN・m)	圧入力 (kN)
271	1	8	2009/12/14	00:13:08	1.40	210	75	633	53	728	100.95	2912	9.30	0.00
272	1	8	2009/12/14	00:13:11	1.30	210	75	637	63	731	120.00	2924	2.38	0.00
273	1	8	2009/12/14	00:13:14	1.20	210	77	641	64	734	121.90	2936	2.37	0.00
274	1	8	2009/12/14	00:13:16	1.10	210	74	644	62	737	118.10	2948	3.26	0.00
275	1	8	2009/12/14	00:13:19	1.00	210	76	648	60	739	114.29	2956	2.24	0.00
276	1	8	2009/12/14	00:13:22	0.90	210	75	651	60	742	114.29	2968	2.47	0.00
277	1	8	2009/12/14	00:13:25	0.80	210	73	655	60	745	114.29	2980	2.44	0.00
278	1	8	2009/12/14	00:13:28	0.70	210	77	658	61	748	116.19	2992	2.33	0.00
279	1	8	2009/12/14	00:13:31	0.60	210	74	662	65	751	123.81	3004	2.27	0.00
280	1	8	2009/12/14	00:13:34	0.50	210	76	666	66	754	125.71	3016	2.19	0.00
281	1	8	2009/12/14	00:13:36	0.40	210	76	669	68	758	129.52	3032	2.07	0.00
282	1	8	2009/12/14	00:13:39	0.30	210	74	673	70	761	133.33	3044	1.80	0.00
283	1	8	2009/12/14	00:13:42	0.20	210	78	676	72	764	137.14	3056	3.81	0.00
284	1	8	2009/12/14	00:13:45	0.10	219	77	680	26	766	47.49	3064	2.64	0.00
285	1	8	2009/12/14	00:13:47	0.10	13	77	683	25	767	769.23	3068	0.63	12.76
286	1	8	2009/12/14	00:13:50	0.20	230	50	686	25	768	43.48	3072	2.78	12.76
287	1	8	2009/12/14	00:13:52	0.30	230	19	687	25	769	43.48	3076	1.02	12.65
288	1	8	2009/12/14	00:13:55	0.40	219	7	688	45	771	82.19	3084	1.47	12.98
289	1	8	2009/12/14	00:13:58	0.50	230	0	688	74	774	128.70	3096	1.35	12.98
290	1	8	2009/12/14	00:14:00	0.60	230	0	688	73	777	126.96	3108	1.47	12.98
291	1	8	2009/12/14	00:14:03	0.70	230	0	688	72	781	125.22	3124	1.48	13.09
292	1	8	2009/12/14	00:14:06	0.80	230	0	688	73	784	126.96	3136	1.46	12.76
293	1	8	2009/12/14	00:14:08	0.90	230	0	688	73	787	126.96	3148	2.13	12.98
294	1	8	2009/12/14	00:14:11	1.00	230	0	688	73	790	126.96	3160	1.99	12.76
295	1	8	2009/12/14	00:14:13	1.10	230	0	688	72	793	125.22	3172	2.13	12.54
296	1	8	2009/12/14	00:14:16	1.20	224	0	688	70	797	125.00	3188	2.08	12.76
297	1	8	2009/12/14	00:14:19	1.30	224	0	688	70	800	125.00	3200	2.42	12.76
298	1	8	2009/12/14	00:14:21	1.40	230	0	688	70	803	121.74	3212	2.35	12.76
299	1	8	2009/12/14	00:14:24	1.50	230	0	688	68	806	118.26	3224	2.39	12.76
300	1	8	2009/12/14	00:14:27	1.60	224	0	688	69	809	123.21	3236	2.47	12.87
301	1	8	2009/12/14	00:14:29	1.70	224	0	688	68	812	121.43	3248	2.58	12.98
302	1	8	2009/12/14	00:14:32	1.80	237	0	688	71	815	119.83	3260	2.33	12.65
303	1	8	2009/12/14	00:14:34	1.90	230	0	688	72	818	125.22	3272	2.19	12.87
304	1	8	2009/12/14	00:14:37	2.00	230	0	688	70	821	121.74	3284	2.00	12.76
305	1	8	2009/12/14	00:14:40	2.10	224	0	688	68	824	121.43	3296	2.46	12.87
306	1	8	2009/12/14	00:14:42	2.20	230	0	688	69	827	120.00	3308	2.43	12.87
307	1	8	2009/12/14	00:14:45	2.30	224	0	688	67	830	119.64	3320	2.69	12.65
308	1	8	2009/12/14	00:14:48	2.40	230	0	688	66	833	114.78	3332	2.80	12.65
309	1	8	2009/12/14	00:14:50	2.50	224	0	688	65	836	116.07	3344	2.92	12.54
310	1	8	2009/12/14	00:14:53	2.60	230	0	688	63	839	109.57	3356	3.15	12.87
311	1	8	2009/12/14	00:14:55	2.70	230	0	688	65	841	113.04	3364	2.92	12.65
312	1	8	2009/12/14	00:14:58	2.80	224	0	688	67	844	119.64	3376	2.69	12.65
313	1	8	2009/12/14	00:15:01	2.90	230	0	688	70	847	121.74	3388	2.46	12.54
314	1	8	2009/12/14	00:15:03	3.00	237	0	688	71	850	119.83	3400	2.26	12.65
315	1	8	2009/12/14	00:15:06	3.10	237	0	688	71	853	119.83	3412	1.96	12.87
316	1	8	2009/12/14	00:15:08	3.20	224	0	688	71	857	126.79	3428	2.28	12.76
317	1	8	2009/12/14	00:15:11	3.30	224	0	688	69	860	123.21	3440	2.39	12.65
318	1	8	2009/12/14	00:15:13	3.40	224	0	688	69	863	123.21	3452	2.46	12.87
319	1	8	2009/12/14	00:15:16	3.50	230	0	688	70	866	121.74	3464	2.35	12.76
320	1	8	2009/12/14	00:15:19	3.60	230	0	688	69	869	120.00	3476	2.50	12.76
321	1	8	2009/12/14	00:15:21	3.70	230	0	688	70	872	121.74	3488	2.16	12.76
322	1	8	2009/12/14	00:15:24	3.80	230	0	688	71	875	123.48	3500	2.22	12.76
323	1	8	2009/12/14	00:15:27	3.90	230	0	688	70	878	121.74	3512	2.19	12.76
324	1	8	2009/12/14	00:15:29	4.00	230	0	688	72	881	125.22	3524	2.05	12.76
325	1	8	2009/12/14	00:15:32	4.10	224	0	688	70	884	125.00	3536	2.21	12.87
326	1	8	2009/12/14	00:15:34	4.20	230	0	688	70	887	121.74	3548	2.26	12.87
327	1	8	2009/12/14	00:15:37	4.30	230	0	688	71	890	123.48	3560	2.22	12.87
328	1	8	2009/12/14	00:15:40	4.40	230	0	688	71	894	123.48	3576	2.00	12.87
329	1	8	2009/12/14	00:15:42	4.50	230	0	688	72	897	125.22	3588	2.12	12.87
330	1	8	2009/12/14	00:15:45	4.60	230	0	688	70	900	121.74	3600	2.00	12.98
331	1	8	2009/12/14	00:15:47	4.70	230	0	688	71	903	123.48	3612	2.11	12.98
332	1	8	2009/12/14	00:15:50	4.80	230	0	688	71	906	123.48	3624	2.18	12.76
333	1	8	2009/12/14	00:15:53	4.90	230	0	688	71	909	123.48	3636	1.94	13.09
334	1	8	2009/12/14	00:15:55	5.00	230	0	688	71	912	123.48	3648	2.04	12.65
335	1	8	2009/12/14	00:15:58	5.10	230	0	688	70	915	121.74	3660	2.04	12.65
336	1	8	2009/12/14	00:16:00	5.20	230	0	688	70	918	121.74	3672	2.11	12.87
337	1	8	2009/12/14	00:16:03	5.30	230	0	688	71	922	123.48	3688	2.10	12.76
338	1	8	2009/12/14	00:16:06	5.40	230	0	688	70	925	121.74	3700	2.24	12.76
339	1	8	2009/12/14	00:16:18	5.30	230	0	688	69	938	120.00	3752	2.25	0.00
340	1	8	2009/12/14	00:16:20	5.20	230	0	688	67	941	116.52	3764	2.28	0.00
341	1	8	2009/12/14	00:16:23	5.10	237	0	688	68	944	114.77	3776	2.29	0.00
342	1	8	2009/12/14	00:16:25	5.00	224	0	688	67	947	119.64	3788	2.28	0.00
343	1	8	2009/12/14	00:16:28	4.90	230	0	688	68	950	118.26	3800	2.25	0.00
344	1	8	2009/12/14	00:16:31	4.80	230	0	688	68	953	118.26	3812	2.23	0.00
345	1	8	2009/12/14	00:16:33	4.70	230	0	688	67	956	116.52	3824	2.24	0.00
346	1	8	2009/12/14	00:16:36	4.60	230	0	688	68	959	118.26	3836	2.21	0.00
347	1	8	2009/12/14	00:16:38	4.50	230	0	688	68	962	118.26	3848	2.16	0.00
348	1	8	2009/12/14	00:16:41	4.40	230	0	688	67	965	116.52	3860	2.37	0.00
349	1	8	2009/12/14	00:16:44	4.30	230	0	688	66	968	114.78	3872	2.34	0.00
350	1	8	2009/12/14	00:16:46	4.20	230	0	688	66	971	114.78	3884	2.38	0.00
351	1	8	2009/12/14	00:16:49	4.10	230	0	688	67	974	116.52	3896	2.38	0.00
352	1	8	2009/12/14	00:16:51	4.00	230	0	688	67	977	116.52	3908	2.32	0.00
353	1	8	2009/12/14	00:16:54	3.90	230	0	688	67	979	116.52	3916	2.29	0.00
354	1	8	2009/12/14	00:16:57	3.80	230	0	688	67	982	116.52	3928	2.19	0.00
355	1	8	2009/12/14	00:16:59	3.70	230	0	688	68	985	118.26	3940	2.12	0.00
356	1	8	2009/12/14	00:17:02	3.60	230	0	688	69	988	120.00	3952	2.20	0.00
357	1	8	2009/12/14	00:17:04	3.50	230	0	688	68	991	118.26	3964	2.39	0.00
358	1	8	2009/12											

施工データ

現場：唐津1現場A
担当：唐津太郎

	号棟	杭番	日付	時間	深度 (m)	フィード 速度 (cm/min)	瞬時 流量 (L/min)	積算 流量 (L)	回転数 (min ⁻¹)	積算 回転数 (Rev)	羽根 切回転数 (min ⁻¹)	羽根 切回数 (Rev)	回転 トルク (kN・m)	圧入力 (kN)
361	1	8	2009/12/14	00:17:15	3.10	230	0	688	63	1003	109.57	4012	3.15	0.00
362	1	8	2009/12/14	00:17:17	3.00	230	0	688	63	1005	109.57	4020	2.42	0.00
363	1	8	2009/12/14	00:17:20	2.90	230	0	688	63	1008	109.57	4032	2.43	0.00
364	1	8	2009/12/14	00:17:23	2.80	230	0	688	63	1011	109.57	4044	2.37	0.00
365	1	8	2009/12/14	00:17:25	2.70	230	0	688	62	1014	107.83	4056	2.34	0.00
366	1	8	2009/12/14	00:17:28	2.60	230	0	688	61	1016	106.09	4064	3.37	0.00
367	1	8	2009/12/14	00:17:30	2.50	230	0	688	60	1019	104.35	4076	3.49	0.00
368	1	8	2009/12/14	00:17:33	2.40	230	0	688	60	1022	104.35	4088	3.49	0.00
369	1	8	2009/12/14	00:17:36	2.30	230	0	688	58	1024	100.87	4096	3.49	0.00
370	1	8	2009/12/14	00:17:38	2.20	224	0	688	58	1027	103.57	4108	3.72	0.00
371	1	8	2009/12/14	00:17:41	2.10	230	0	688	58	1029	100.87	4116	3.72	0.00
372	1	8	2009/12/14	00:17:44	2.00	230	0	688	55	1032	95.65	4128	3.94	0.00
373	1	8	2009/12/14	00:17:46	1.90	230	0	688	55	1034	95.65	4136	4.06	0.00
374	1	8	2009/12/14	00:17:49	1.80	230	0	688	58	1037	100.87	4148	3.72	0.00
375	1	8	2009/12/14	00:17:51	1.70	230	0	688	61	1039	106.09	4156	3.37	0.00
376	1	8	2009/12/14	00:17:54	1.60	230	0	688	64	1042	111.30	4168	2.18	0.00
377	1	8	2009/12/14	00:17:57	1.50	224	0	688	66	1045	117.86	4180	2.16	0.00
378	1	8	2009/12/14	00:17:59	1.40	224	0	688	65	1048	116.07	4192	2.92	0.00
379	1	8	2009/12/14	00:18:02	1.30	230	0	688	62	1050	107.83	4200	3.26	0.00
380	1	8	2009/12/14	00:18:04	1.20	230	0	688	63	1053	109.57	4212	3.15	0.00
381	1	8	2009/12/14	00:18:07	1.10	230	0	688	56	1056	97.39	4224	3.94	0.00
382	1	8	2009/12/14	00:18:10	1.00	230	0	688	60	1058	104.35	4232	2.39	0.00
383	1	8	2009/12/14	00:18:12	0.90	224	0	688	65	1061	116.07	4244	1.98	0.00
384	1	8	2009/12/14	00:18:15	0.80	237	0	688	72	1064	121.52	4256	1.58	0.00
385	1	8	2009/12/14	00:18:17	0.70	237	0	688	73	1067	123.21	4268	1.75	0.00
386	1	8	2009/12/14	00:18:20	0.60	230	0	688	73	1070	126.96	4280	1.42	0.00
387	1	8	2009/12/14	00:18:23	0.50	230	0	688	73	1074	126.96	4296	1.34	0.00
388	1	8	2009/12/14	00:18:25	0.40	224	0	688	72	1077	128.57	4308	1.37	0.00
389	1	8	2009/12/14	00:18:28	0.30	230	0	688	73	1080	126.96	4320	1.38	0.00
390	1	8	2009/12/14	00:18:30	0.20	230	0	688	73	1083	126.96	4332	1.36	0.00
391	1	8	2009/12/14	00:18:33	0.10	230	0	688	73	1086	126.96	4344	1.33	0.00
392	1	8	2009/12/14	00:18:39	0.10	255	0	688	74	1094	116.08	4376	1.30	12.65
393	1	8	2009/12/14	00:18:41	0.20	470	0	688	73	1096	62.13	4384	1.31	12.43
394	1	8	2009/12/14	00:18:42	0.30	500	0	688	73	1097	58.40	4388	1.43	12.65
395	1	8	2009/12/14	00:18:43	0.40	510	0	688	74	1098	58.04	4392	1.43	13.09
396	1	8	2009/12/14	00:18:44	0.50	500	0	688	73	1100	58.40	4400	1.37	12.54
397	1	8	2009/12/14	00:18:45	0.60	506	0	688	74	1101	58.50	4404	1.72	13.09
398	1	8	2009/12/14	00:18:46	0.70	493	0	688	72	1103	58.42	4412	1.60	12.65
399	1	8	2009/12/14	00:18:48	0.80	500	0	688	72	1104	57.60	4416	1.56	12.65
400	1	8	2009/12/14	00:18:49	0.90	500	0	688	73	1106	58.40	4424	1.72	12.65
401	1	8	2009/12/14	00:18:50	1.00	500	0	688	72	1107	57.60	4428	2.21	12.87
402	1	8	2009/12/14	00:18:53	0.90	515	0	688	67	1111	52.04	4444	1.98	0.00
403	1	8	2009/12/14	00:18:54	0.80	519	0	688	70	1112	53.95	4448	1.69	0.00
404	1	8	2009/12/14	00:18:55	0.70	500	0	688	70	1113	56.00	4452	1.50	0.00
405	1	8	2009/12/14	00:18:57	0.60	506	0	688	72	1115	56.92	4460	1.37	0.00
406	1	8	2009/12/14	00:18:58	0.50	515	0	688	73	1116	56.70	4464	1.35	0.00
407	1	8	2009/12/14	00:18:59	0.40	500	0	688	72	1118	57.60	4472	1.39	0.00
408	1	8	2009/12/14	00:19:00	0.30	506	0	688	73	1119	57.71	4476	1.39	0.00
409	1	8	2009/12/14	00:19:03	0.10	506	0	688	73	1122	57.71	4488	1.30	0.00
410	1	8	2009/12/14	00:19:10	-0.36	600	0	688	38	1129	25.33	4516	0.00	0.00

施工データ

現場：唐津社現場A
担当：唐津太郎

号棟	杭番	日付	時間	深度 (m)	フィード 速度 (cm/min)	瞬時 流量 (L/min)	積算 流量 (L)	回転数 (min ⁻¹)	積算 回転数 (Rev)	羽根 切回転数 (min ⁻¹)	羽根 切回数 (Rev)	回転 トルク (kN・m)	圧入力 (kN)
1	1	34	2009/12/11	08:28:35	0.00	0	0	0	0	0.00	0	0.00	12.87
2	1	34	2009/12/11	00:00:00	0.10	788	0	0	0	0.00	0	0.00	12.87
3	1	34	2009/12/11	00:00:01	0.20	977	0	0	0	0.00	0	0.00	12.87
4	1	34	2009/12/11	00:00:01	0.30	977	0	0	0	0.00	0	0.00	12.87
5	1	34	2009/12/11	00:00:02	0.40	1012	0	0	0	0.00	0	0.00	12.87
6	1	34	2009/12/11	00:00:03	0.50	1012	0	0	0	0.00	0	0.00	12.87
7	1	34	2009/12/11	00:00:13	0.60	8	67	4	0	1	0.00	4	12.87
8	1	34	2009/12/11	00:00:16	0.70	192	73	8	24	2	50.00	8	12.87
9	1	34	2009/12/11	00:00:19	0.80	228	76	11	25	3	43.86	12	12.98
10	1	34	2009/12/11	00:00:22	0.90	220	76	14	32	4	58.18	16	12.87
11	1	34	2009/12/11	00:00:24	1.00	201	74	18	67	7	133.33	28	12.87
12	1	34	2009/12/11	00:00:27	1.10	220	77	22	64	10	116.36	40	12.87
13	1	34	2009/12/11	00:00:30	1.20	220	77	25	64	13	116.36	52	13.09
14	1	34	2009/12/11	00:00:33	1.30	220	76	29	63	16	114.55	64	12.76
15	1	34	2009/12/11	00:00:35	1.40	220	74	32	61	19	110.91	76	12.76
16	1	34	2009/12/11	00:00:38	1.50	220	75	35	60	22	109.09	88	12.87
17	1	34	2009/12/11	00:00:41	1.60	220	76	39	55	24	100.00	96	12.76
18	1	34	2009/12/11	00:00:44	1.70	220	75	42	52	27	94.55	108	12.98
19	1	34	2009/12/11	00:00:46	1.80	220	74	46	53	29	96.36	116	12.87
20	1	34	2009/12/11	00:00:49	1.90	220	76	49	56	32	101.82	128	12.87
21	1	34	2009/12/11	00:00:52	2.00	220	77	53	51	34	92.73	136	12.87
22	1	34	2009/12/11	00:00:55	2.10	220	76	56	49	36	89.09	144	12.87
23	1	34	2009/12/11	00:00:57	2.20	220	75	60	46	39	83.64	156	12.98
24	1	34	2009/12/11	00:01:00	2.30	220	77	63	41	40	74.55	160	12.98
25	1	34	2009/12/11	00:01:03	2.40	220	78	67	37	42	67.27	168	13.09
26	1	34	2009/12/11	00:01:05	2.50	220	76	70	35	44	63.64	176	12.87
27	1	34	2009/12/11	00:01:08	2.60	220	75	74	34	45	61.82	180	12.87
28	1	34	2009/12/11	00:01:11	2.70	220	76	77	34	47	61.82	188	12.98
29	1	34	2009/12/11	00:01:14	2.80	220	77	81	35	49	63.64	196	12.87
30	1	34	2009/12/11	00:01:16	2.90	220	75	84	37	50	67.27	200	12.87
31	1	34	2009/12/11	00:01:19	3.00	220	74	88	43	52	78.18	208	12.87
32	1	34	2009/12/11	00:01:19	3.00	220	74	88	43	52	78.18	208	12.87
33	1	34	2009/12/11	00:01:22	3.10	220	76	91	42	54	76.36	216	12.87
34	1	34	2009/12/11	00:01:25	3.20	220	77	94	41	56	74.55	224	12.76
35	1	34	2009/12/11	00:01:27	3.30	220	76	98	42	58	76.36	232	12.76
36	1	34	2009/12/11	00:01:30	3.40	220	75	101	48	60	87.27	240	12.98
37	1	34	2009/12/11	00:01:33	3.50	220	76	105	51	63	92.73	252	12.54
38	1	34	2009/12/11	00:01:36	3.60	220	78	108	53	65	96.36	260	12.87
39	1	34	2009/12/11	00:01:38	3.70	220	76	112	56	68	101.82	272	12.87
40	1	34	2009/12/11	00:01:41	3.80	220	75	115	58	70	105.45	280	13.20
41	1	34	2009/12/11	00:01:44	3.90	220	76	119	58	73	105.45	292	12.87
42	1	34	2009/12/11	00:01:47	4.00	220	77	122	60	76	109.09	304	12.98
43	1	34	2009/12/11	00:01:49	4.10	220	75	126	61	78	110.91	312	12.87
44	1	34	2009/12/11	00:01:52	4.20	220	74	129	61	81	110.91	324	12.87
45	1	34	2009/12/11	00:01:55	4.30	220	76	133	60	84	109.09	336	12.98
46	1	34	2009/12/11	00:01:57	4.40	220	76	136	60	87	109.09	348	12.87
47	1	34	2009/12/11	00:02:00	4.50	220	75	140	60	90	109.09	360	12.87
48	1	34	2009/12/11	00:02:03	4.60	220	74	143	61	92	110.91	368	12.76
49	1	34	2009/12/11	00:02:06	4.70	220	76	147	60	95	109.09	380	12.87
50	1	34	2009/12/11	00:02:08	4.80	220	77	150	60	98	109.09	392	12.98
51	1	34	2009/12/11	00:02:11	4.90	220	76	154	58	101	105.45	404	12.98
52	1	34	2009/12/11	00:02:14	5.00	220	75	157	58	103	105.45	412	12.76
53	1	34	2009/12/11	00:02:17	5.10	220	77	161	59	106	107.27	424	12.76
54	1	34	2009/12/11	00:02:19	5.20	220	78	164	60	109	109.09	436	12.76
55	1	34	2009/12/11	00:02:22	5.30	220	76	168	60	111	109.09	444	12.87
56	1	34	2009/12/11	00:02:25	5.40	220	75	171	59	114	107.27	456	12.87
57	1	34	2009/12/11	00:02:28	5.50	220	76	175	60	117	109.09	468	12.87
58	1	34	2009/12/11	00:02:30	5.60	220	77	178	60	120	109.09	480	12.76
59	1	34	2009/12/11	00:02:33	5.70	220	75	182	61	123	110.91	492	12.87
60	1	34	2009/12/11	00:02:36	5.80	220	74	185	61	125	110.91	500	12.76
61	1	34	2009/12/11	00:03:24	5.90	152	67	198	40	131	105.26	524	12.76
62	1	34	2009/12/11	00:03:27	6.00	220	73	201	57	134	103.64	536	12.87
63	1	34	2009/12/11	00:03:30	6.10	220	76	205	58	136	105.45	544	13.09
64	1	34	2009/12/11	00:03:32	6.20	220	74	208	57	139	103.64	556	12.54
65	1	34	2009/12/11	00:03:35	6.30	220	73	211	58	142	105.45	568	12.98
66	1	34	2009/12/11	00:03:38	6.40	220	76	215	56	144	101.82	576	12.76
67	1	34	2009/12/11	00:03:40	6.50	220	77	218	57	147	103.64	588	12.87
68	1	34	2009/12/11	00:03:43	6.60	220	75	222	56	150	101.82	600	12.98
69	1	34	2009/12/11	00:03:46	6.70	220	75	225	57	152	103.64	608	12.76
70	1	34	2009/12/11	00:03:49	6.80	220	77	229	57	155	103.64	620	12.76
71	1	34	2009/12/11	00:03:51	6.90	220	78	232	57	157	103.64	628	12.98
72	1	34	2009/12/11	00:03:54	7.00	220	76	236	59	160	107.27	640	12.87
73	1	34	2009/12/11	00:03:57	7.10	220	75	239	59	163	107.27	652	12.76
74	1	34	2009/12/11	00:04:00	7.20	220	77	243	59	165	107.27	660	12.87
75	1	34	2009/12/11	00:04:02	7.30	220	78	246	59	168	107.27	672	12.65
76	1	34	2009/12/11	00:04:05	7.40	220	75	250	56	171	101.82	684	12.76
77	1	34	2009/12/11	00:04:08	7.50	220	74	253	56	173	101.82	692	13.09
78	1	34	2009/12/11	00:04:10	7.60	220	76	257	57	176	103.64	704	12.87
79	1	34	2009/12/11	00:04:13	7.70	220	77	260	57	179	103.64	716	13.09
80	1	34	2009/12/11	00:04:16	7.80	220	75	264	58	181	105.45	724	13.09
81	1	34	2009/12/11	00:04:19	7.90	220	74	267	57	184	103.64	736	12.76
82	1	34	2009/12/11	00:04:21	8.00	220	77	271	57	186	103.64	744	12.87
83	1	34	2009/12/11	00:04:24	8.10	220	78	274	56	189	101.82	756	12.98
84	1	34	2009/12/11	00:04:27	8.20	220	76	278	56	192	101.82	768	12.87
85	1	34	2009/12/11	00:04:30	8.30	220	75	281	55	194	100.00	776	12.87
86	1	34	2009/12/11	00:04:32	8.40	220	77	284	54	197	98.18	788	13.09
87	1	34	2009/12/11	00:04:35	8.50	220	78	288	48	199	87.27	796	12.54
88	1	34	2009/12/11	00:04:38	8.60	220	76	292	52	201	94.55	804	12.76
89	1	34	2009/12/11	00:04:40	8.70	220	75	295	51	204	92.73	816	13.09
90	1	34	2009/12/11	00:04:43	8.80	220	76	299	51	206	92.73	824	12.87

施工データ

現場：唐津1現場A
担当：唐津太郎

	号棟	杭番	日付	時間	深度 (m)	フィード 速度 (cm/min)	瞬時 流量 (L/min)	積算 流量 (L)	回転数 (min ⁻¹)	積算 回転数 (Rev)	羽根 切回転数 (min ⁻¹)	羽根 切回数 (Rev)	回転 トルク (kN・m)	圧入力 (kN)
91	1	34	2009/12/11	00:04:46	8.90	220	76	302	44	208	80.00	832	5.31	12.76
92	1	34	2009/12/11	00:04:49	9.00	220	76	305	53	210	96.36	840	4.63	12.98
93	1	34	2009/12/11	00:04:49	9.01	220	73	306	53	211	96.36	844	4.29	12.76
94	1	34	2009/12/11	00:04:57	9.00	0	74	315	67	218	999.99	872	2.42	0.00
95	1	34	2009/12/11	00:05:00	8.90	242	77	319	61	221	100.83	884	3.37	0.00
96	1	34	2009/12/11	00:05:02	8.80	220	76	323	60	224	109.09	896	3.49	0.00
97	1	34	2009/12/11	00:05:05	8.70	220	74	326	58	227	105.45	908	3.72	0.00
98	1	34	2009/12/11	00:05:08	8.60	220	77	330	57	229	103.64	916	3.94	0.00
99	1	34	2009/12/11	00:05:10	8.50	220	79	333	56	232	101.82	928	3.94	0.00
100	1	34	2009/12/11	00:05:13	8.40	220	76	337	57	235	103.64	940	3.83	0.00
101	1	34	2009/12/11	00:05:16	8.30	220	75	340	57	237	103.64	948	3.83	0.00
102	1	34	2009/12/11	00:05:19	8.20	220	77	344	56	240	101.82	960	3.83	0.00
103	1	34	2009/12/11	00:05:21	8.10	220	77	347	57	242	103.64	968	3.83	0.00
104	1	34	2009/12/11	00:05:24	8.00	220	74	351	56	245	101.82	980	3.94	0.00
105	1	34	2009/12/11	00:05:27	7.90	220	73	354	55	248	100.00	992	3.94	0.00
106	1	34	2009/12/11	00:05:30	7.80	220	77	357	55	250	100.00	1000	4.06	0.00
107	1	34	2009/12/11	00:05:32	7.70	220	76	361	55	253	100.00	1012	4.06	0.00
108	1	34	2009/12/11	00:05:35	7.60	220	75	364	54	255	98.18	1020	4.17	0.00
109	1	34	2009/12/11	00:05:38	7.50	220	75	368	56	258	101.82	1032	4.06	0.00
110	1	34	2009/12/11	00:05:41	7.40	220	78	371	55	260	100.00	1040	4.06	0.00
111	1	34	2009/12/11	00:05:43	7.30	220	78	375	57	263	103.64	1052	3.83	0.00
112	1	34	2009/12/11	00:05:46	7.20	220	75	378	57	265	103.64	1060	3.83	0.00
113	1	34	2009/12/11	00:05:49	7.10	220	75	382	57	268	103.64	1072	3.83	0.00
114	1	34	2009/12/11	00:05:52	7.00	220	78	385	57	271	103.64	1084	3.83	0.00
115	1	34	2009/12/11	00:05:54	6.90	220	76	389	57	273	103.64	1092	3.83	0.00
116	1	34	2009/12/11	00:05:57	6.80	220	74	392	58	276	105.45	1104	3.72	0.00
117	1	34	2009/12/11	00:06:00	6.70	220	73	396	59	279	107.27	1116	3.72	0.00
118	1	34	2009/12/11	00:06:02	6.60	220	77	399	59	281	107.27	1124	3.60	0.00
119	1	34	2009/12/11	00:06:05	6.50	220	76	403	59	284	107.27	1136	3.60	0.00
120	1	34	2009/12/11	00:06:08	6.40	220	74	406	59	287	107.27	1148	3.60	0.00
121	1	34	2009/12/11	00:06:11	6.30	220	75	410	59	290	107.27	1160	3.60	0.00
122	1	34	2009/12/11	00:06:13	6.20	220	77	413	60	292	109.09	1168	3.49	0.00
123	1	34	2009/12/11	00:06:16	6.10	220	77	417	60	295	109.09	1180	3.49	0.00
124	1	34	2009/12/11	00:06:19	6.00	220	75	420	61	298	110.91	1192	3.26	0.00
125	1	34	2009/12/11	00:06:22	5.90	220	75	423	61	301	110.91	1204	3.37	0.00
126	1	34	2009/12/11	00:06:24	5.80	220	78	427	61	303	110.91	1212	3.37	0.00
127	1	34	2009/12/11	00:06:27	5.70	220	78	431	61	306	110.91	1224	3.37	0.00
128	1	34	2009/12/11	00:06:27	5.69	220	75	431	61	307	110.91	1228	3.37	0.00
129	1	34	2009/12/11	00:06:30	5.70	0	77	434	70	309	999.99	1236	2.12	12.87
130	1	34	2009/12/11	00:06:32	5.80	201	74	437	54	311	107.46	1244	2.41	12.87
131	1	34	2009/12/11	00:06:35	5.90	230	29	439	69	314	120.00	1256	2.46	12.87
132	1	34	2009/12/11	00:06:37	6.00	230	12	440	71	317	123.48	1268	2.28	12.76
133	1	34	2009/12/11	00:06:40	6.10	230	0	440	72	320	125.22	1280	2.50	12.87
134	1	34	2009/12/11	00:06:42	6.20	230	0	440	71	324	123.48	1296	2.30	12.87
135	1	34	2009/12/11	00:06:45	6.30	224	0	440	70	327	125.00	1308	2.35	12.98
136	1	34	2009/12/11	00:06:48	6.40	230	0	440	67	330	116.52	1320	2.69	12.87
137	1	34	2009/12/11	00:06:50	6.50	230	0	440	67	333	116.52	1332	2.69	12.98
138	1	34	2009/12/11	00:06:53	6.60	230	0	440	64	336	111.30	1344	3.03	13.09
139	1	34	2009/12/11	00:06:55	6.70	230	0	440	67	338	116.52	1352	2.69	12.87
140	1	34	2009/12/11	00:06:58	6.80	230	0	440	68	341	118.26	1364	2.58	12.87
141	1	34	2009/12/11	00:07:01	6.90	230	0	440	69	344	120.00	1376	2.35	12.87
142	1	34	2009/12/11	00:07:03	7.00	230	0	440	70	347	121.74	1388	2.35	12.54
143	1	34	2009/12/11	00:07:06	7.10	230	0	440	70	351	121.74	1404	2.37	12.76
144	1	34	2009/12/11	00:07:09	7.20	230	0	440	70	354	121.74	1416	2.49	12.87
145	1	34	2009/12/11	00:07:11	7.30	230	0	440	70	357	121.74	1428	2.35	12.87
146	1	34	2009/12/11	00:07:14	7.40	230	0	440	69	360	120.00	1440	2.58	12.76
147	1	34	2009/12/11	00:07:16	7.50	230	0	440	70	363	121.74	1452	2.35	12.87
148	1	34	2009/12/11	00:07:19	7.60	230	0	440	71	366	123.48	1464	2.44	12.87
149	1	34	2009/12/11	00:07:22	7.70	230	0	440	71	369	123.48	1476	2.23	13.09
150	1	34	2009/12/11	00:07:24	7.80	230	0	440	70	372	121.74	1488	2.31	12.87
151	1	34	2009/12/11	00:07:27	7.90	230	0	440	71	375	123.48	1500	2.35	12.98
152	1	34	2009/12/11	00:07:29	8.00	230	0	440	71	378	123.48	1512	2.43	12.98
153	1	34	2009/12/11	00:07:32	8.10	230	0	440	71	381	123.48	1524	2.48	12.87
154	1	34	2009/12/11	00:07:35	8.20	230	0	440	71	384	123.48	1536	2.23	12.87
155	1	34	2009/12/11	00:07:37	8.30	230	0	440	68	387	118.26	1548	2.58	12.87
156	1	34	2009/12/11	00:07:40	8.40	230	0	440	70	390	121.74	1560	2.46	12.87
157	1	34	2009/12/11	00:07:42	8.50	230	0	440	67	393	116.52	1572	2.69	12.87
158	1	34	2009/12/11	00:07:45	8.60	230	0	440	66	396	114.78	1584	2.80	12.76
159	1	34	2009/12/11	00:07:48	8.70	230	0	440	66	399	114.78	1596	2.80	12.87
160	1	34	2009/12/11	00:07:50	8.80	230	0	440	68	402	118.26	1608	2.58	12.87
161	1	34	2009/12/11	00:07:53	8.90	230	0	440	67	405	116.52	1620	2.69	12.76
162	1	34	2009/12/11	00:07:55	9.00	224	0	440	67	408	119.64	1632	2.69	12.87
163	1	34	2009/12/11	00:07:56	9.01	230	0	440	68	408	118.26	1632	2.69	12.87
164	1	34	2009/12/11	00:07:59	9.00	0	0	440	48	412	999.99	1648	2.33	0.00
165	1	34	2009/12/11	00:08:01	8.90	367	0	440	60	414	65.40	1656	3.49	0.00
166	1	34	2009/12/11	00:08:02	8.80	479	0	440	58	415	48.43	1660	3.72	0.00
167	1	34	2009/12/11	00:08:03	8.70	500	0	440	58	416	46.40	1664	3.72	0.00
168	1	34	2009/12/11	00:08:05	8.60	500	0	440	57	417	45.60	1668	3.83	0.00
169	1	34	2009/12/11	00:08:06	8.50	500	0	440	56	418	44.80	1672	3.83	0.00
170	1	34	2009/12/11	00:08:09	8.60	546	0	440	61	422	44.69	1688	3.37	12.76
171	1	34	2009/12/11	00:08:11	8.70	524	0	440	61	423	46.56	1692	3.37	12.98
172	1	34	2009/12/11	00:08:12	8.80	506	0	440	59	424	46.64	1696	3.60	12.76
173	1	34	2009/12/11	00:08:13	8.90	500	0	440	60	426	48.00	1704	3.49	12.87
174	1	34	2009/12/11	00:08:14	9.00	510	0	440	61	427	47.84	1708	3.37	12.87
175	1	34	2009/12/11	00:08:14	9.01	510	0	440	61	427	47.84	1708	3.37	12.87
176	1	34	2009/12/11	00:08:15	9.00	358	0	440	61	428	68.16	1712	3.37	0.00
177	1	34	2009/12/11	00:08:17	8.90	210	0	440	61	429	116.19			

施工データ

現場：唐津工現場A
担当：唐津太郎

	号棟	杭番	日付	時間	深度 (m)	フィード 速度 (cm/min)	瞬時 流量 (L/min)	積算 流量 (L)	回転数 (min ⁻¹)	積算 回転数 (Rev)	羽根 切回転数 (min ⁻¹)	羽根 切回数 (Rev)	回転 トルク (kN・m)	圧入力 (kN)
181	1	34	2009/12/11	00:08:21	8.50	500	0	440	55	434	44.00	1736	4.06	0.00
182	1	34	2009/12/11	00:08:24	8.60	542	0	440	61	436	45.02	1744	3.37	12.87
183	1	34	2009/12/11	00:08:25	8.70	510	0	440	59	438	46.27	1752	3.60	12.65
184	1	34	2009/12/11	00:08:27	8.80	510	0	440	59	439	46.27	1756	3.60	12.87
185	1	34	2009/12/11	00:08:28	8.90	506	0	440	60	440	47.43	1760	3.72	12.98
186	1	34	2009/12/11	00:08:29	9.00	500	0	440	59	441	47.20	1764	3.60	12.98
187	1	34	2009/12/11	00:08:29	9.01	500	0	440	59	441	47.20	1764	3.60	12.76
188	1	34	2009/12/11	00:08:34	9.00	0	0	440	65	447	999.99	1788	2.92	0.00
189	1	34	2009/12/11	00:08:36	8.90	354	0	440	58	449	65.54	1796	3.72	0.00
190	1	34	2009/12/11	00:08:39	8.80	224	0	440	58	451	103.57	1804	3.72	0.00
191	1	34	2009/12/11	00:08:42	8.70	230	0	440	57	454	99.13	1816	3.83	0.00
192	1	34	2009/12/11	00:08:44	8.60	230	0	440	56	456	97.39	1824	3.94	0.00
193	1	34	2009/12/11	00:08:47	8.50	230	0	440	56	459	97.39	1836	3.94	0.00
194	1	34	2009/12/11	00:08:49	8.40	230	0	440	56	461	97.39	1844	3.94	0.00
195	1	34	2009/12/11	00:08:52	8.30	230	0	440	57	464	99.13	1856	3.83	0.00
196	1	34	2009/12/11	00:08:55	8.20	230	0	440	59	466	102.61	1864	3.60	0.00
197	1	34	2009/12/11	00:08:57	8.10	230	0	440	60	469	104.35	1876	3.49	0.00
198	1	34	2009/12/11	00:09:00	8.00	230	0	440	61	472	106.09	1888	3.37	0.00
199	1	34	2009/12/11	00:09:02	7.90	230	0	440	62	474	107.83	1896	3.26	0.00
200	1	34	2009/12/11	00:09:05	7.80	230	0	440	63	477	109.57	1908	3.15	0.00
201	1	34	2009/12/11	00:09:08	7.70	230	0	440	62	480	107.83	1920	3.15	0.00
202	1	34	2009/12/11	00:09:10	7.60	230	0	440	63	483	109.57	1932	2.46	0.00
203	1	34	2009/12/11	00:09:13	7.50	230	0	440	64	485	111.30	1940	2.50	0.00
204	1	34	2009/12/11	00:09:16	7.40	230	0	440	64	488	111.30	1952	2.46	0.00
205	1	34	2009/12/11	00:09:18	7.30	230	0	440	63	491	109.57	1964	3.15	0.00
206	1	34	2009/12/11	00:09:21	7.20	230	0	440	64	494	111.30	1976	2.43	0.00
207	1	34	2009/12/11	00:09:23	7.10	230	0	440	64	497	111.30	1988	2.46	0.00
208	1	34	2009/12/11	00:09:26	7.00	230	0	440	64	499	111.30	1996	3.03	0.00
209	1	34	2009/12/11	00:09:28	6.90	230	0	440	65	502	113.04	2008	2.45	0.00
210	1	34	2009/12/11	00:09:31	6.80	230	0	440	65	505	113.04	2020	2.39	0.00
211	1	34	2009/12/11	00:09:34	6.70	230	0	440	68	508	118.26	2032	2.22	0.00
212	1	34	2009/12/11	00:09:36	6.60	230	0	440	69	511	120.00	2044	2.29	0.00
213	1	34	2009/12/11	00:09:39	6.50	224	0	440	65	514	116.07	2056	2.37	0.00
214	1	34	2009/12/11	00:09:42	6.40	230	0	440	65	517	113.04	2068	2.30	0.00
215	1	34	2009/12/11	00:09:44	6.30	230	0	440	67	520	116.52	2080	2.16	0.00
216	1	34	2009/12/11	00:09:47	6.20	230	0	440	69	523	120.00	2092	2.16	0.00
217	1	34	2009/12/11	00:09:49	6.10	230	0	440	69	526	120.00	2104	2.19	0.00
218	1	34	2009/12/11	00:09:52	6.00	224	0	440	68	529	121.43	2116	2.18	0.00
219	1	34	2009/12/11	00:09:55	5.90	230	0	440	69	532	120.00	2128	2.28	0.00
220	1	34	2009/12/11	00:09:57	5.80	230	0	440	68	535	118.26	2140	2.29	0.00
221	1	34	2009/12/11	00:10:00	5.70	230	0	440	67	538	116.52	2152	2.31	0.00
222	1	34	2009/12/11	00:10:00	5.69	230	0	440	67	538	116.52	2152	2.34	0.00
223	1	34	2009/12/11	00:10:41	5.60	259	73	448	67	547	103.47	2188	2.37	0.00
224	1	34	2009/12/11	00:10:44	5.50	220	77	452	66	550	120.00	2200	2.39	0.00
225	1	34	2009/12/11	00:10:46	5.40	220	75	455	67	553	121.82	2212	2.41	0.00
226	1	34	2009/12/11	00:10:49	5.30	220	75	459	66	556	120.00	2224	2.37	0.00
227	1	34	2009/12/11	00:10:52	5.20	220	77	462	67	559	121.82	2236	2.31	0.00
228	1	34	2009/12/11	00:10:54	5.10	220	77	466	67	562	121.82	2248	2.25	0.00
229	1	34	2009/12/11	00:10:57	5.00	220	75	469	67	565	121.82	2260	2.26	0.00
230	1	34	2009/12/11	00:11:00	4.90	220	74	473	68	569	123.64	2272	2.26	0.00
231	1	34	2009/12/11	00:11:03	4.80	220	76	476	68	572	123.64	2288	2.24	0.00
232	1	34	2009/12/11	00:11:05	4.70	220	77	480	69	575	125.45	2300	2.28	0.00
233	1	34	2009/12/11	00:11:08	4.60	220	75	483	69	578	125.45	2312	2.24	0.00
234	1	34	2009/12/11	00:11:11	4.50	220	74	486	68	581	123.64	2324	2.29	0.00
235	1	34	2009/12/11	00:11:14	4.40	220	77	490	68	584	123.64	2336	2.26	0.00
236	1	34	2009/12/11	00:11:16	4.30	220	77	493	67	587	121.82	2348	2.33	0.00
237	1	34	2009/12/11	00:11:19	4.20	220	75	497	66	590	120.00	2360	2.36	0.00
238	1	34	2009/12/11	00:11:22	4.10	220	75	500	67	593	121.82	2372	2.36	0.00
239	1	34	2009/12/11	00:11:25	4.00	220	78	504	66	597	120.00	2388	2.31	0.00
240	1	34	2009/12/11	00:11:25	4.00	220	78	504	66	597	120.00	2388	2.31	0.00
241	1	34	2009/12/11	00:11:27	3.90	220	77	507	67	600	121.82	2400	2.32	0.00
242	1	34	2009/12/11	00:11:30	3.80	220	75	511	67	603	121.82	2412	2.37	0.00
243	1	34	2009/12/11	00:11:33	3.70	220	75	514	66	606	120.00	2424	2.37	0.00
244	1	34	2009/12/11	00:11:35	3.60	220	77	518	66	609	120.00	2436	2.35	0.00
245	1	34	2009/12/11	00:11:38	3.50	220	76	521	65	612	118.18	2448	2.48	0.00
246	1	34	2009/12/11	00:11:41	3.40	220	73	525	62	615	112.73	2460	3.26	0.00
247	1	34	2009/12/11	00:11:44	3.30	220	74	528	60	617	109.09	2468	3.49	0.00
248	1	34	2009/12/11	00:11:46	3.20	220	77	532	58	620	105.45	2480	3.72	0.00
249	1	34	2009/12/11	00:11:49	3.10	220	77	535	56	623	101.82	2492	3.94	0.00
250	1	34	2009/12/11	00:11:52	3.00	220	75	539	55	625	100.00	2500	4.06	0.00
251	1	34	2009/12/11	00:11:55	2.90	220	75	542	60	628	109.09	2512	3.49	0.00
252	1	34	2009/12/11	00:11:57	2.80	220	78	546	58	631	105.45	2524	3.72	0.00
253	1	34	2009/12/11	00:12:00	2.70	220	77	549	52	633	94.55	2532	4.40	0.00
254	1	34	2009/12/11	00:12:03	2.60	220	75	553	45	635	81.82	2540	4.97	0.00
255	1	34	2009/12/11	00:12:06	2.50	220	75	556	42	637	76.36	2548	5.54	0.00
256	1	34	2009/12/11	00:12:08	2.40	220	77	560	41	639	74.55	2556	5.65	0.00
257	1	34	2009/12/11	00:12:11	2.30	220	77	563	42	641	76.36	2564	5.54	0.00
258	1	34	2009/12/11	00:12:14	2.20	220	73	567	47	643	85.45	2572	5.08	0.00
259	1	34	2009/12/11	00:12:16	2.10	220	74	570	52	646	94.55	2584	4.40	0.00
260	1	34	2009/12/11	00:12:19	2.00	220	76	573	60	648	109.09	2592	3.49	0.00
261	1	34	2009/12/11	00:12:22	1.90	220	76	577	60	651	109.09	2604	3.49	0.00
262	1	34	2009/12/11	00:12:25	1.80	220	75	580	62	654	112.73	2616	3.37	0.00
263	1	34	2009/12/11	00:12:27	1.70	220	75	584	60	657	109.09	2628	3.49	0.00
264	1	34	2009/12/11	00:12:30	1.60	220	77	587	59	659	107.27	2636	3.60	0.00
265	1	34	2009/12/11	00:12:33	1.50	220	77	591	59	662	107.27	2648	3.60	0.00
266	1	34	2009/12/11	00:12:36	1.40	220	75	594	60	665	109.09	2660	3.49	0.00
267	1	34	2009/12/11	00:12:38	1.30	220	76	598	60	668	109.09	2672		

施工データ

現場：唐津T現場A
担当：唐津太郎

	号棟	杭番	日付	時間	深度 (m)	フィード 速度 (cm/min)	瞬時 流量 (L/min)	積算 流量 (L)	回転数 (min ⁻¹)	積算 回転数 (Rev)	羽根 切回転数 (min ⁻¹)	羽根 切回数 (Rev)	回転 トルク (kN・m)	圧入力 (kN)
271	1	34	2009/12/11	00:12:49	0.90	220	75	612	63	679	114.55	2716	2.22	0.00
272	1	34	2009/12/11	00:12:52	0.80	220	76	615	69	682	125.45	2728	1.89	0.00
273	1	34	2009/12/11	00:12:55	0.70	220	76	619	72	685	130.91	2740	1.70	0.00
274	1	34	2009/12/11	00:12:57	0.60	220	76	622	72	689	130.91	2756	4.70	0.00
275	1	34	2009/12/11	00:13:00	0.50	220	74	625	28	690	50.91	2760	2.74	0.00
276	1	34	2009/12/11	00:13:00	0.49	220	75	626	28	690	50.91	2760	2.67	0.00
277	1	34	2009/12/11	00:13:02	0.50	165	75	627	25	691	60.61	2764	2.69	12.87
278	1	34	2009/12/11	00:13:05	0.60	188	59	631	23	692	48.94	2768	3.89	12.87
279	1	34	2009/12/11	00:13:07	0.70	237	22	632	25	693	42.19	2772	2.95	12.76
280	1	34	2009/12/11	00:13:10	0.80	230	8	633	27	694	46.96	2776	1.06	12.98
281	1	34	2009/12/11	00:13:12	0.90	224	0	633	40	696	71.43	2784	1.52	12.87
282	1	34	2009/12/11	00:13:15	1.00	219	0	633	46	698	84.02	2792	1.29	12.87
283	1	34	2009/12/11	00:13:18	1.10	230	0	633	41	700	71.30	2800	1.89	12.43
284	1	34	2009/12/11	00:13:20	1.20	224	0	633	71	703	126.79	2812	2.05	12.65
285	1	34	2009/12/11	00:13:23	1.30	230	0	633	72	706	125.22	2824	2.15	12.65
286	1	34	2009/12/11	00:13:25	1.40	230	0	633	55	708	95.65	2832	1.96	13.31
287	1	34	2009/12/11	00:13:28	1.50	219	0	633	67	711	122.37	2844	1.96	12.76
288	1	34	2009/12/11	00:13:31	1.60	230	0	633	72	714	125.22	2856	1.79	12.98
289	1	34	2009/12/11	00:13:33	1.70	230	0	633	73	717	126.96	2868	1.98	13.09
290	1	34	2009/12/11	00:13:36	1.80	230	0	633	72	720	125.22	2880	1.86	12.76
291	1	34	2009/12/11	00:13:38	1.90	224	0	633	72	723	128.57	2892	2.12	12.76
292	1	34	2009/12/11	00:13:41	2.00	224	0	633	69	726	123.21	2904	2.46	12.87
293	1	34	2009/12/11	00:13:44	2.10	230	0	633	69	729	120.00	2916	2.46	12.87
294	1	34	2009/12/11	00:13:46	2.20	230	0	633	69	732	120.00	2928	2.47	12.87
295	1	34	2009/12/11	00:13:49	2.30	230	0	633	70	735	121.74	2940	2.35	12.87
296	1	34	2009/12/11	00:13:52	2.40	237	0	633	72	738	121.52	2952	2.46	12.87
297	1	34	2009/12/11	00:13:54	2.50	230	0	633	69	741	120.00	2964	2.46	12.98
298	1	34	2009/12/11	00:13:57	2.60	230	0	633	67	744	116.52	2976	2.69	12.76
299	1	34	2009/12/11	00:13:59	2.70	230	0	633	67	747	116.52	2988	2.69	12.98
300	1	34	2009/12/11	00:14:02	2.80	230	0	633	68	750	118.26	3000	2.58	12.98
301	1	34	2009/12/11	00:14:05	2.90	224	0	633	68	753	121.43	3012	2.46	12.76
302	1	34	2009/12/11	00:14:07	3.00	230	0	633	71	756	123.48	3024	2.12	12.76
303	1	34	2009/12/11	00:14:10	3.10	230	0	633	71	760	123.48	3040	2.24	12.98
304	1	34	2009/12/11	00:14:12	3.20	230	0	633	71	763	123.48	3052	1.99	12.87
305	1	34	2009/12/11	00:14:15	3.30	224	0	633	71	766	126.79	3064	2.28	12.76
306	1	34	2009/12/11	00:14:18	3.40	230	0	633	71	769	123.48	3076	2.08	12.98
307	1	34	2009/12/11	00:14:20	3.50	230	0	633	72	772	125.22	3088	2.08	12.76
308	1	34	2009/12/11	00:14:23	3.60	230	0	633	71	775	123.48	3100	2.06	12.76
309	1	34	2009/12/11	00:14:25	3.70	230	0	633	72	778	125.22	3112	2.14	12.87
310	1	34	2009/12/11	00:14:28	3.80	224	0	633	71	781	126.79	3124	2.15	12.87
311	1	34	2009/12/11	00:14:31	3.90	230	0	633	71	785	123.48	3140	2.21	12.87
312	1	34	2009/12/11	00:14:33	4.00	230	0	633	72	788	125.22	3152	2.21	12.98
313	1	34	2009/12/11	00:14:36	4.10	230	0	633	71	791	123.48	3164	2.22	12.98
314	1	34	2009/12/11	00:14:38	4.20	230	0	633	70	794	121.74	3176	2.15	12.98
315	1	34	2009/12/11	00:14:41	4.30	230	0	633	72	797	125.22	3188	2.28	12.76
316	1	34	2009/12/11	00:14:44	4.40	230	0	633	72	800	125.22	3200	2.20	13.09
317	1	34	2009/12/11	00:14:46	4.50	230	0	633	72	803	125.22	3212	2.22	12.76
318	1	34	2009/12/11	00:14:49	4.60	224	0	633	71	806	126.79	3224	2.23	12.76
319	1	34	2009/12/11	00:14:52	4.70	224	0	633	70	810	125.00	3240	2.44	12.87
320	1	34	2009/12/11	00:14:54	4.80	230	0	633	71	813	123.48	3252	2.37	13.09
321	1	34	2009/12/11	00:14:57	4.90	230	0	633	71	816	123.48	3264	2.36	12.76
322	1	34	2009/12/11	00:14:59	5.00	237	0	633	72	819	121.52	3276	1.85	12.76
323	1	34	2009/12/11	00:15:02	5.10	230	0	633	72	822	125.22	3288	1.98	12.87
324	1	34	2009/12/11	00:15:05	5.20	230	0	633	71	825	123.48	3300	1.97	12.98
325	1	34	2009/12/11	00:15:07	5.30	230	0	633	72	828	125.22	3312	2.07	12.87
326	1	34	2009/12/11	00:15:10	5.40	230	0	633	71	831	123.48	3324	2.03	12.87
327	1	34	2009/12/11	00:15:12	5.50	230	0	633	72	835	125.22	3340	2.05	12.87
328	1	34	2009/12/11	00:15:15	5.60	224	0	633	71	838	126.79	3352	2.26	12.76
329	1	34	2009/12/11	00:15:28	5.50	230	0	633	68	852	118.26	3408	2.30	0.00
330	1	34	2009/12/11	00:15:30	5.40	230	0	633	69	855	120.00	3420	2.21	0.00
331	1	34	2009/12/11	00:15:33	5.30	230	0	633	67	858	116.52	3432	2.24	0.00
332	1	34	2009/12/11	00:15:36	5.20	230	0	633	69	861	120.00	3444	2.15	0.00
333	1	34	2009/12/11	00:15:38	5.10	230	0	633	69	864	120.00	3456	2.16	0.00
334	1	34	2009/12/11	00:15:41	5.00	224	0	633	69	867	123.21	3468	2.16	0.00
335	1	34	2009/12/11	00:15:44	4.90	230	0	633	68	870	118.26	3480	2.26	0.00
336	1	34	2009/12/11	00:15:46	4.80	230	0	633	65	873	113.04	3492	2.43	0.00
337	1	34	2009/12/11	00:15:49	4.70	230	0	633	66	876	114.78	3504	2.42	0.00
338	1	34	2009/12/11	00:15:51	4.60	230	0	633	66	879	114.78	3516	2.42	0.00
339	1	34	2009/12/11	00:15:54	4.50	230	0	633	65	882	113.04	3528	2.40	0.00
340	1	34	2009/12/11	00:15:57	4.40	230	0	633	66	885	114.78	3540	2.30	0.00
341	1	34	2009/12/11	00:15:59	4.30	230	0	633	68	888	118.26	3552	2.25	0.00
342	1	34	2009/12/11	00:16:02	4.20	230	0	633	68	891	118.26	3564	2.24	0.00
343	1	34	2009/12/11	00:16:04	4.10	230	0	633	68	894	118.26	3576	2.34	0.00
344	1	34	2009/12/11	00:16:07	4.00	230	0	633	66	896	114.78	3584	2.37	0.00
345	1	34	2009/12/11	00:16:07	4.00	230	0	633	66	896	114.78	3584	2.28	0.00
346	1	34	2009/12/11	00:16:10	3.90	230	0	633	66	899	114.78	3596	2.40	0.00
347	1	34	2009/12/11	00:16:12	3.80	230	0	633	67	902	116.52	3608	2.38	0.00
348	1	34	2009/12/11	00:16:15	3.70	230	0	633	66	905	114.78	3620	2.38	0.00
349	1	34	2009/12/11	00:16:17	3.60	230	0	633	67	908	116.52	3632	2.38	0.00
350	1	34	2009/12/11	00:16:20	3.50	224	0	633	66	911	117.86	3644	2.26	0.00
351	1	34	2009/12/11	00:16:23	3.40	230	0	633	67	914	116.52	3656	2.25	0.00
352	1	34	2009/12/11	00:16:25	3.30	230	0	633	67	917	116.52	3668	2.18	0.00
353	1	34	2009/12/11	00:16:28	3.20	230	0	633	66	920	114.78	3680	2.16	0.00
354	1	34	2009/12/11	00:16:31	3.10	230	0	633	66	923	114.78	3692	2.21	0.00
355	1	34	2009/12/11	00:16:33	3.00	230	0	633	64	926	111.30	3704	2.27	0.00
356	1	34	2009/12/11	00:16:36	2.90	230	0	633	63	928	109.57	3712	3.15	0.00
357	1	34	2009/12/11	00:16:38	2.80	230	0	633	61	931				

施工データ

現場：唐津1現場A
担当：唐津太郎

	号棟	杭番	日付	時間	深度 (m)	フィード 速度 (cm/min)	瞬時 流量 (L/min)	積算 流量 (L)	回転数 (min ⁻¹)	積算 回転数 (Rev)	羽根 切回転数 (min ⁻¹)	羽根 切回数 (Rev)	回転 トルク (kN・m)	圧入力 (kN)
361	1	34	2009/12/11	00:16:49	2.40	230	0	633	58	941	100.87	3764	3.83	0.00
362	1	34	2009/12/11	00:16:51	2.30	230	0	633	60	944	104.35	3776	3.49	0.00
363	1	34	2009/12/11	00:16:54	2.20	230	0	633	62	946	107.83	3784	2.33	0.00
364	1	34	2009/12/11	00:16:57	2.10	230	0	633	62	949	107.83	3796	2.26	0.00
365	1	34	2009/12/11	00:16:59	2.00	230	0	633	63	952	109.57	3808	2.30	0.00
366	1	34	2009/12/11	00:17:02	1.90	230	0	633	64	955	111.30	3820	2.44	0.00
367	1	34	2009/12/11	00:17:04	1.80	230	0	633	65	958	113.04	3832	2.23	0.00
368	1	34	2009/12/11	00:17:07	1.70	230	0	633	63	960	109.57	3840	2.33	0.00
369	1	34	2009/12/11	00:17:10	1.60	230	0	633	66	963	114.78	3852	2.16	0.00
370	1	34	2009/12/11	00:17:12	1.50	230	0	633	66	966	114.78	3864	2.10	0.00
371	1	34	2009/12/11	00:17:15	1.40	230	0	633	71	969	123.48	3876	1.82	0.00
372	1	34	2009/12/11	00:17:17	1.30	230	0	633	72	972	125.22	3888	1.83	0.00
373	1	34	2009/12/11	00:17:20	1.20	224	0	633	70	975	125.00	3900	1.78	0.00
374	1	34	2009/12/11	00:17:23	1.10	230	0	633	72	979	125.22	3916	1.82	0.00
375	1	34	2009/12/11	00:17:25	1.00	230	0	633	70	982	121.74	3928	2.00	0.00
376	1	34	2009/12/11	00:17:28	0.90	246	0	633	53	984	86.18	3936	3.27	0.00
377	1	34	2009/12/11	00:17:30	0.80	242	0	633	25	985	41.32	3940	2.72	0.00
378	1	34	2009/12/11	00:17:33	0.70	230	0	633	25	986	43.48	3944	2.69	0.00
379	1	34	2009/12/11	00:17:39	0.60	0	0	633	16	989	999.99	3956	4.82	0.00
380	1	34	2009/12/11	00:17:44	0.50	94	0	633	19	990	80.85	3960	2.78	0.00
381	1	34	2009/12/11	00:17:44	0.49	94	0	633	19	990	80.85	3960	2.72	0.00
382	1	34	2009/12/11	00:18:02	0.40	219	0	633	73	999	133.33	3996	1.59	0.00
383	1	34	2009/12/11	00:18:05	0.50	282	0	633	73	1004	103.55	4016	1.54	12.76
384	1	34	2009/12/11	00:18:07	0.60	500	0	633	74	1005	59.20	4020	1.55	12.76
385	1	34	2009/12/11	00:18:08	0.70	500	0	633	73	1007	58.40	4028	1.57	12.54
386	1	34	2009/12/11	00:18:09	0.80	500	0	633	74	1008	59.20	4032	1.73	12.76
387	1	34	2009/12/11	00:18:10	0.90	493	0	633	72	1009	58.42	4036	1.89	12.76
388	1	34	2009/12/11	00:18:11	1.00	500	0	633	73	1011	58.40	4044	1.90	12.76
389	1	34	2009/12/11	00:18:13	1.10	510	0	633	56	1012	43.92	4048	2.20	12.98
390	1	34	2009/12/11	00:18:14	1.20	493	0	633	68	1013	55.17	4052	1.89	12.76
391	1	34	2009/12/11	00:18:15	1.30	506	0	633	73	1015	57.71	4060	1.82	12.76
392	1	34	2009/12/11	00:18:16	1.40	500	0	633	72	1016	57.60	4064	1.79	12.76
393	1	34	2009/12/11	00:18:17	1.50	510	0	633	73	1018	57.25	4072	1.77	12.98
394	1	34	2009/12/11	00:18:22	1.40	500	0	633	70	1023	56.00	4092	1.77	0.00
395	1	34	2009/12/11	00:18:23	1.30	500	0	633	71	1025	56.80	4100	1.80	0.00
396	1	34	2009/12/11	00:18:24	1.20	510	0	633	69	1026	54.12	4104	1.70	0.00
397	1	34	2009/12/11	00:18:26	1.10	506	0	633	71	1027	56.13	4108	1.74	0.00
398	1	34	2009/12/11	00:18:27	1.00	506	0	633	72	1029	56.92	4116	1.77	0.00
399	1	34	2009/12/11	00:18:30	0.90	327	0	633	72	1032	88.07	4128	1.72	0.00
400	1	34	2009/12/11	00:18:31	0.80	439	0	633	71	1034	64.69	4136	1.73	0.00
401	1	34	2009/12/11	00:18:32	0.70	500	0	633	72	1035	57.60	4140	1.66	0.00
402	1	34	2009/12/11	00:18:34	0.60	500	0	633	73	1037	58.40	4148	1.59	0.00
403	1	34	2009/12/11	00:18:35	0.50	510	0	633	73	1038	57.25	4152	1.44	0.00
404	1	34	2009/12/11	00:18:35	0.49	510	0	633	73	1038	57.25	4152	1.47	0.00
405	1	34	2009/12/11	00:18:38	0.50	192	0	633	74	1042	154.17	4168	1.42	12.98
406	1	34	2009/12/11	00:18:39	0.60	515	0	633	73	1044	56.70	4176	1.55	12.98
407	1	34	2009/12/11	00:18:40	0.70	515	0	633	74	1045	57.48	4180	1.63	12.87
408	1	34	2009/12/11	00:18:41	0.80	500	0	633	73	1047	58.40	4188	1.84	12.87
409	1	34	2009/12/11	00:18:43	0.90	493	0	633	72	1048	58.42	4192	1.89	0.00
410	1	34	2009/12/11	00:18:44	1.00	500	0	633	72	1049	57.60	4196	1.91	13.09
411	1	34	2009/12/11	00:18:47	0.90	322	0	633	71	1054	88.20	4216	1.83	0.00
412	1	34	2009/12/11	00:18:50	0.70	506	0	633	72	1057	56.92	4228	1.66	0.00
413	1	34	2009/12/11	00:18:51	0.60	500	0	633	72	1058	57.60	4232	1.53	0.00
414	1	34	2009/12/11	00:18:52	0.50	506	0	633	73	1060	57.71	4240	1.44	0.00
415	1	34	2009/12/11	00:18:52	0.49	506	0	633	73	1060	57.71	4240	1.44	0.00
416	1	34	2009/12/11	00:18:54	0.40	94	0	633	74	1062	314.89	4248	1.33	0.00
417	1	34	2009/12/11	00:18:58	0.30	461	0	633	45	1066	39.05	4264	0.00	0.00
418	1	34	2009/12/11	00:18:59	0.20	233	0	633	0	1066	0.00	4264	0.00	0.00
419	1	34	2009/12/11	00:19:00	0.10	609	0	633	0	1066	0.00	4264	0.00	0.00
420	1	34	2009/12/11	00:19:05	-0.12	0	0	633	0	1066	0.00	4264	0.00	12.87

施工データ

現場：唐津T1現場A
担当：唐津太郎

	号棟	杭番	日付	時間	深度 (m)	フィード 速度 (cm/min)	瞬時 流量 (L/min)	積算 流量 (L)	回転数 (min ⁻¹)	積算 回転数 (Rev)	羽根 切回転数 (min ⁻¹)	羽根 切回数 (Rev)	回転 トルク (kN・m)	圧入力 (kN)
1	1	5	2009/12/14	08:41:36	0.00	98	0	0	19	0	77.55	0	2.72	12.76
2	1	5	2009/12/14	00:00:08	0.10	116	66	5	25	3	86.21	12	2.57	12.87
3	1	5	2009/12/14	00:00:10	0.20	219	71	8	28	5	51.14	20	1.12	12.65
4	1	5	2009/12/14	00:00:13	0.30	192	75	11	59	7	122.92	28	1.71	12.76
5	1	5	2009/12/14	00:00:16	0.40	210	75	15	56	10	106.67	40	3.94	12.76
6	1	5	2009/12/14	00:00:19	0.50	210	75	19	43	12	81.90	48	5.43	12.87
7	1	5	2009/12/14	00:00:22	0.60	224	76	22	30	14	53.57	56	2.07	12.76
8	1	5	2009/12/14	00:00:25	0.70	201	75	26	51	16	101.49	64	4.51	12.98
9	1	5	2009/12/14	00:00:28	0.80	210	73	29	54	19	102.86	76	4.17	12.76
10	1	5	2009/12/14	00:00:31	0.90	210	76	33	53	21	100.95	84	4.29	12.87
11	1	5	2009/12/14	00:00:33	1.00	210	75	37	51	24	97.14	96	4.51	12.98
12	1	5	2009/12/14	00:00:36	1.10	210	74	40	51	26	97.14	104	4.51	12.76
13	1	5	2009/12/14	00:00:39	1.20	210	77	44	64	29	121.90	116	3.03	12.76
14	1	5	2009/12/14	00:00:42	1.30	210	76	47	58	32	110.48	128	3.72	12.87
15	1	5	2009/12/14	00:00:45	1.40	210	73	51	52	34	99.05	136	4.40	12.87
16	1	5	2009/12/14	00:00:48	1.50	210	75	55	43	37	81.90	148	5.08	12.87
17	1	5	2009/12/14	00:00:50	1.60	210	76	58	41	39	78.10	156	5.65	12.65
18	1	5	2009/12/14	00:00:53	1.70	210	73	62	39	40	74.29	160	5.88	12.65
19	1	5	2009/12/14	00:00:56	1.80	210	77	65	36	42	68.57	168	6.22	12.65
20	1	5	2009/12/14	00:00:59	1.90	210	77	69	36	44	68.57	176	6.22	12.76
21	1	5	2009/12/14	00:01:02	2.00	210	74	73	37	46	70.48	184	6.11	12.87
22	1	5	2009/12/14	00:01:05	2.10	210	75	76	33	47	62.86	188	6.34	12.76
23	1	5	2009/12/14	00:01:08	2.20	210	76	80	32	49	60.95	196	6.68	12.65
24	1	5	2009/12/14	00:01:10	2.30	210	73	83	32	50	60.95	200	6.68	12.76
25	1	5	2009/12/14	00:01:13	2.40	210	74	87	32	52	60.95	208	6.68	12.65
26	1	5	2009/12/14	00:01:16	2.50	210	77	90	31	53	59.05	212	6.79	12.65
27	1	5	2009/12/14	00:01:19	2.60	210	75	94	30	55	57.14	220	6.91	12.76
28	1	5	2009/12/14	00:01:22	2.70	210	75	98	32	56	60.95	224	6.68	12.76
29	1	5	2009/12/14	00:01:25	2.80	210	76	101	34	58	64.76	232	6.57	12.65
30	1	5	2009/12/14	00:01:28	2.90	210	73	105	37	60	70.48	240	6.11	12.76
31	1	5	2009/12/14	00:01:30	3.00	210	73	108	41	62	78.10	248	5.65	12.87
32	1	5	2009/12/14	00:01:33	3.10	210	77	112	41	64	78.10	256	5.65	12.87
33	1	5	2009/12/14	00:01:36	3.20	210	74	116	41	66	78.10	264	5.65	12.76
34	1	5	2009/12/14	00:01:39	3.30	210	74	119	44	68	83.81	272	5.31	12.87
35	1	5	2009/12/14	00:01:42	3.40	210	77	123	49	70	93.33	280	4.74	12.65
36	1	5	2009/12/14	00:01:45	3.50	210	75	126	51	72	97.14	288	4.63	12.76
37	1	5	2009/12/14	00:01:48	3.60	210	72	130	56	75	106.67	300	3.94	12.76
38	1	5	2009/12/14	00:01:50	3.70	210	76	133	57	78	108.57	312	3.83	12.87
39	1	5	2009/12/14	00:01:53	3.80	210	76	137	57	81	108.57	324	3.83	12.54
40	1	5	2009/12/14	00:01:56	3.90	210	73	141	57	83	108.57	332	3.83	12.65
41	1	5	2009/12/14	00:01:59	4.00	210	77	144	58	86	110.48	344	3.72	12.98
42	1	5	2009/12/14	00:02:02	4.10	210	76	148	57	89	108.57	356	3.83	12.65
43	1	5	2009/12/14	00:02:05	4.20	210	73	151	56	91	106.67	364	3.94	12.65
44	1	5	2009/12/14	00:02:07	4.30	210	74	155	57	94	108.57	376	3.83	12.76
45	1	5	2009/12/14	00:02:10	4.40	210	77	159	57	97	108.57	388	3.83	12.76
46	1	5	2009/12/14	00:02:13	4.50	210	73	162	58	100	110.48	400	3.72	12.98
47	1	5	2009/12/14	00:02:16	4.60	210	75	166	58	102	110.48	408	3.72	12.65
48	1	5	2009/12/14	00:02:19	4.70	210	77	169	58	105	110.48	420	3.72	12.54
49	1	5	2009/12/14	00:02:22	4.80	210	74	173	59	108	112.38	432	3.72	12.76
50	1	5	2009/12/14	00:02:25	4.90	210	73	176	58	111	110.48	444	3.72	12.32
51	1	5	2009/12/14	00:02:27	5.00	210	76	180	58	114	110.48	456	3.72	12.65
52	1	5	2009/12/14	00:02:30	5.10	210	74	184	57	116	108.57	464	3.83	12.98
53	1	5	2009/12/14	00:02:33	5.20	210	74	187	58	119	110.48	476	3.72	12.54
54	1	5	2009/12/14	00:02:36	5.30	210	78	191	57	122	108.57	488	3.83	12.87
55	1	5	2009/12/14	00:02:39	5.40	210	76	194	57	125	108.57	500	3.83	12.54
56	1	5	2009/12/14	00:02:42	5.50	210	73	198	57	127	108.57	508	3.83	12.76
57	1	5	2009/12/14	00:03:27	5.60	0	62	210	66	136	999.99	544	2.37	12.65
58	1	5	2009/12/14	00:03:30	5.70	210	68	213	58	139	110.48	556	3.72	12.87
59	1	5	2009/12/14	00:03:32	5.80	210	75	216	57	142	108.57	568	3.83	12.98
60	1	5	2009/12/14	00:03:35	5.90	210	75	220	56	145	106.67	580	3.94	12.76
61	1	5	2009/12/14	00:03:38	6.00	210	73	223	57	147	108.57	588	3.83	12.65
62	1	5	2009/12/14	00:03:41	6.10	210	77	227	55	150	104.76	600	4.06	12.76
63	1	5	2009/12/14	00:03:44	6.20	210	76	231	54	152	102.86	608	4.17	12.76
64	1	5	2009/12/14	00:03:47	6.30	210	73	234	56	155	106.67	620	4.06	12.87
65	1	5	2009/12/14	00:03:49	6.40	210	75	238	54	158	102.86	632	4.17	12.87
66	1	5	2009/12/14	00:03:52	6.50	210	76	241	55	160	104.76	640	4.06	12.76
67	1	5	2009/12/14	00:03:55	6.60	210	73	245	56	163	106.67	652	3.94	12.87
68	1	5	2009/12/14	00:03:58	6.70	210	76	248	55	166	104.76	664	4.06	12.76
69	1	5	2009/12/14	00:04:01	6.80	210	77	252	55	168	104.76	672	4.06	12.76
70	1	5	2009/12/14	00:04:04	6.90	210	73	255	57	171	108.57	684	4.06	12.98
71	1	5	2009/12/14	00:04:07	7.00	210	73	259	57	174	108.57	696	3.60	12.65
72	1	5	2009/12/14	00:04:09	7.10	210	76	263	58	177	110.48	708	3.72	12.76
73	1	5	2009/12/14	00:04:12	7.20	210	74	266	56	179	106.67	716	3.94	12.76
74	1	5	2009/12/14	00:04:15	7.30	210	75	270	55	182	104.76	728	4.06	12.65
75	1	5	2009/12/14	00:04:18	7.40	210	78	273	55	184	104.76	736	4.06	12.87
76	1	5	2009/12/14	00:04:21	7.50	210	74	277	52	187	99.05	748	4.40	12.98
77	1	5	2009/12/14	00:04:24	7.60	210	73	281	50	189	95.24	756	4.51	12.43
78	1	5	2009/12/14	00:04:27	7.70	210	75	284	50	192	95.24	768	4.63	12.87
79	1	5	2009/12/14	00:04:29	7.80	210	74	288	51	194	97.14	776	4.51	12.65
80	1	5	2009/12/14	00:04:32	7.90	210	73	291	51	197	97.14	788	4.51	12.65
81	1	5	2009/12/14	00:04:35	8.00	210	78	295	52	199	99.05	796	4.40	12.76
82	1	5	2009/12/14	00:04:38	8.10	210	76	299	53	202	100.95	808	4.29	12.65
83	1	5	2009/12/14	00:04:41	8.20	210	75	302	54	204	102.86	816	4.17	12.98
84	1	5	2009/12/14	00:04:44	8.30	210	78	306	55	207	104.76	828	4.06	12.65
85	1	5	2009/12/14	00:04:47	8.40	210	73	309	55	210	104.76	840	4.06	12.76
86	1	5	2009/12/14	00:04:49	8.50	210	73	313	53	212	100.95	848	4.29	12.76
87	1	5	2009/12/14	00:04:52	8.60	210	76	316	48	214	91.43	856	4.86	12.54
88	1	5	2009/12/14	00:04:55	8.70	210	76	320	52	217	99.05	868	4.40	12.87
89	1	5	2009/12/14	00:04:58	8.80	210	73	324	49	219	93.			

施工データ

現場：唐津1現場A
担当：唐津太郎

	号棟	杭番	日付	時間	深度 (m)	フィード 速度 (cm/min)	瞬時 流量 (L/min)	積算 流量 (L)	回転数 (min ⁻¹)	積算 回転数 (Rev)	羽根 切回転数 (min ⁻¹)	羽根 切回数 (Rev)	回転 トルク (kN・m)	圧入力 (kN)
361	1	5	2009/12/14	00:17:21	2.90	230	0	679	61	981	106.09	3924	3.37	0.00
362	1	5	2009/12/14	00:17:23	2.80	230	0	679	58	984	100.87	3936	3.72	0.00
363	1	5	2009/12/14	00:17:26	2.70	230	0	679	57	986	99.13	3944	3.83	0.00
364	1	5	2009/12/14	00:17:29	2.60	230	0	679	53	988	92.17	3952	4.06	0.00
365	1	5	2009/12/14	00:17:31	2.50	230	0	679	52	991	90.43	3964	4.40	0.00
366	1	5	2009/12/14	00:17:34	2.40	230	0	679	51	993	88.70	3972	4.51	0.00
367	1	5	2009/12/14	00:17:37	2.30	224	0	679	54	995	96.43	3980	4.17	0.00
368	1	5	2009/12/14	00:17:39	2.20	230	0	679	51	998	88.70	3992	4.51	0.00
369	1	5	2009/12/14	00:17:42	2.10	230	0	679	53	1000	92.17	4000	4.29	0.00
370	1	5	2009/12/14	00:17:44	2.00	230	0	679	53	1002	92.17	4008	4.29	0.00
371	1	5	2009/12/14	00:17:47	1.90	237	0	679	53	1005	89.45	4020	4.29	0.00
372	1	5	2009/12/14	00:17:50	1.80	230	0	679	56	1007	97.39	4028	3.94	0.00
373	1	5	2009/12/14	00:17:52	1.70	230	0	679	58	1010	100.87	4040	3.72	0.00
374	1	5	2009/12/14	00:17:55	1.60	230	0	679	59	1012	102.61	4048	3.60	0.00
375	1	5	2009/12/14	00:17:57	1.50	230	0	679	59	1015	102.61	4060	3.60	0.00
376	1	5	2009/12/14	00:18:00	1.40	230	0	679	52	1017	90.43	4068	4.40	0.00
377	1	5	2009/12/14	00:18:03	1.30	230	0	679	51	1019	88.70	4076	4.40	0.00
378	1	5	2009/12/14	00:18:05	1.20	224	0	679	54	1022	96.43	4088	4.17	0.00
379	1	5	2009/12/14	00:18:08	1.10	230	0	679	56	1024	97.39	4096	3.94	0.00
380	1	5	2009/12/14	00:18:10	1.00	230	0	679	59	1027	102.61	4108	3.60	0.00
381	1	5	2009/12/14	00:18:13	0.90	230	0	679	64	1029	111.30	4116	2.25	0.00
382	1	5	2009/12/14	00:18:16	0.80	230	0	679	66	1032	114.78	4128	2.20	0.00
383	1	5	2009/12/14	00:18:18	0.70	230	0	679	64	1035	111.30	4140	2.25	0.00
384	1	5	2009/12/14	00:18:21	0.60	230	0	679	72	1038	125.22	4152	1.93	0.00
385	1	5	2009/12/14	00:18:23	0.50	237	0	679	72	1041	121.52	4164	1.68	0.00
386	1	5	2009/12/14	00:18:26	0.40	230	0	679	72	1044	125.22	4176	1.53	0.00
387	1	5	2009/12/14	00:18:29	0.30	230	0	679	73	1048	126.96	4192	1.54	0.00
388	1	5	2009/12/14	00:18:31	0.20	230	0	679	73	1051	126.96	4204	1.37	0.00
389	1	5	2009/12/14	00:18:34	0.10	230	0	679	73	1054	126.96	4216	1.28	0.00
390	1	5	2009/12/14	00:18:40	0.10	354	0	679	25	1057	28.25	4228	0.81	12.76
391	1	5	2009/12/14	00:18:41	0.20	479	0	679	28	1058	23.38	4232	0.90	12.76
392	1	5	2009/12/14	00:18:42	0.30	500	0	679	34	1059	27.20	4236	1.11	12.76
393	1	5	2009/12/14	00:18:44	0.40	488	0	679	59	1060	48.36	4240	1.69	12.76
394	1	5	2009/12/14	00:18:45	0.50	493	0	679	73	1062	59.23	4248	1.82	12.43
395	1	5	2009/12/14	00:18:46	0.60	488	0	679	71	1063	58.20	4252	1.86	12.54
396	1	5	2009/12/14	00:18:47	0.70	500	0	679	72	1065	57.60	4260	1.99	12.32
397	1	5	2009/12/14	00:18:48	0.80	493	0	679	71	1066	57.61	4264	2.21	12.76
398	1	5	2009/12/14	00:18:50	0.90	488	0	679	68	1067	55.74	4268	2.12	12.76
399	1	5	2009/12/14	00:18:51	1.00	500	0	679	66	1069	52.80	4276	2.80	12.76
400	1	5	2009/12/14	00:18:54	0.90	515	0	679	60	1072	46.60	4288	2.34	0.00
401	1	5	2009/12/14	00:18:55	0.80	519	0	679	62	1073	47.78	4292	2.22	0.00
402	1	5	2009/12/14	00:18:56	0.70	506	0	679	65	1074	51.38	4296	2.02	0.00
403	1	5	2009/12/14	00:18:57	0.60	506	0	679	67	1075	52.96	4300	2.05	0.00
404	1	5	2009/12/14	00:18:58	0.50	500	0	679	65	1077	52.00	4308	1.80	0.00
405	1	5	2009/12/14	00:19:00	0.40	500	0	679	71	1078	56.80	4312	1.66	0.00
406	1	5	2009/12/14	00:19:01	0.30	515	0	679	73	1080	56.70	4320	1.59	0.00
407	1	5	2009/12/14	00:19:02	0.20	506	0	679	72	1081	56.92	4324	1.38	0.00
408	1	5	2009/12/14	00:19:03	0.10	506	0	679	72	1082	56.92	4328	1.33	0.00
409	1	5	2009/12/14	00:19:10	-0.39	676	0	679	14	1089	8.28	4356	0.00	0.00

施工データ

現場：唐津1現場A

担当：唐津太郎

	号棟	杭番	日付	時間	深度 (m)	フィード 速度 (cm/min)	瞬時 流量 (L/min)	積算 流量 (L)	回転数 (min ⁻¹)	積算 回転数 (Rev)	羽根 切回転数 (min ⁻¹)	羽根 切回数 (Rev)	回転 トルク (kN・m)	圧入力 (kN)
361	1	43	2009/12/11	00:16:57	2.30	230	0	636	58	1009	100.87	4036	3.72	0.00
362	1	43	2009/12/11	00:17:00	2.20	230	0	636	54	1011	93.91	4044	4.17	0.00
363	1	43	2009/12/11	00:17:03	2.10	230	0	636	56	1014	97.39	4056	4.17	0.00
364	1	43	2009/12/11	00:17:05	2.00	230	0	636	60	1016	104.35	4064	3.49	0.00
365	1	43	2009/12/11	00:17:08	1.90	230	0	636	58	1019	100.87	4076	3.72	0.00
366	1	43	2009/12/11	00:17:10	1.80	230	0	636	58	1021	100.87	4084	3.72	0.00
367	1	43	2009/12/11	00:17:13	1.70	230	0	636	60	1024	104.35	4096	3.49	0.00
368	1	43	2009/12/11	00:17:16	1.60	224	0	636	61	1027	108.93	4108	2.41	0.00
369	1	43	2009/12/11	00:17:18	1.50	230	0	636	62	1029	107.83	4116	2.46	0.00
370	1	43	2009/12/11	00:17:21	1.40	230	0	636	66	1032	114.78	4128	2.17	0.00
371	1	43	2009/12/11	00:17:23	1.30	230	0	636	68	1035	118.26	4140	2.15	0.00
372	1	43	2009/12/11	00:17:26	1.20	224	0	636	60	1038	107.14	4152	3.49	0.00
373	1	43	2009/12/11	00:17:29	1.10	230	0	636	53	1040	92.17	4160	4.29	0.00
374	1	43	2009/12/11	00:17:31	1.00	230	0	636	52	1043	90.43	4172	2.49	0.00
375	1	43	2009/12/11	00:17:34	0.90	230	0	636	59	1045	102.61	4180	2.30	0.00
376	1	43	2009/12/11	00:17:36	0.80	230	0	636	69	1048	120.00	4192	1.99	0.00
377	1	43	2009/12/11	00:17:39	0.70	230	0	636	71	1051	123.48	4204	2.14	0.00
378	1	43	2009/12/11	00:17:42	0.60	230	0	636	71	1054	123.48	4216	1.80	0.00
379	1	43	2009/12/11	00:17:44	0.50	230	0	636	71	1057	123.48	4228	1.71	0.00
380	1	43	2009/12/11	00:17:45	0.49	237	0	636	73	1058	123.21	4232	1.65	0.00
381	1	43	2009/12/11	00:17:49	0.50	0	0	636	73	1062	999.99	4248	1.55	12.76
382	1	43	2009/12/11	00:17:51	0.60	385	0	636	72	1065	74.81	4260	1.77	12.54
383	1	43	2009/12/11	00:17:52	0.70	506	0	636	73	1066	57.71	4264	1.74	12.76
384	1	43	2009/12/11	00:17:53	0.80	500	0	636	72	1068	57.60	4272	1.89	13.09
385	1	43	2009/12/11	00:17:54	0.90	500	0	636	72	1069	57.60	4276	2.07	12.54
386	1	43	2009/12/11	00:17:55	1.00	493	0	636	71	1071	57.61	4284	2.19	13.20
387	1	43	2009/12/11	00:17:57	1.10	493	0	636	70	1072	56.80	4288	2.35	12.87
388	1	43	2009/12/11	00:17:58	1.20	500	0	636	69	1074	55.20	4296	2.46	12.87
389	1	43	2009/12/11	00:17:59	1.30	493	0	636	67	1075	54.36	4300	2.69	12.87
390	1	43	2009/12/11	00:18:00	1.40	506	0	636	68	1076	53.75	4304	2.58	12.65
391	1	43	2009/12/11	00:18:01	1.50	493	0	636	66	1078	53.55	4312	2.80	12.87
392	1	43	2009/12/11	00:18:03	1.60	493	0	636	63	1079	51.12	4316	2.58	12.65
393	1	43	2009/12/11	00:18:04	1.70	500	0	636	59	1080	47.20	4320	3.60	13.09
394	1	43	2009/12/11	00:18:06	1.60	318	0	636	54	1082	67.92	4328	4.17	0.00
395	1	43	2009/12/11	00:18:07	1.50	439	0	636	53	1083	48.29	4332	4.29	0.00
396	1	43	2009/12/11	00:18:09	1.40	488	0	636	54	1084	44.26	4336	4.17	0.00
397	1	43	2009/12/11	00:18:10	1.30	493	0	636	58	1086	47.06	4344	3.83	0.00
398	1	43	2009/12/11	00:18:11	1.20	493	0	636	57	1087	46.25	4348	3.83	0.00
399	1	43	2009/12/11	00:18:12	1.10	439	0	636	56	1088	51.03	4352	2.26	0.00
400	1	43	2009/12/11	00:18:14	1.00	500	0	636	59	1089	47.20	4356	2.39	0.00
401	1	43	2009/12/11	00:18:15	0.90	524	0	636	62	1090	47.33	4360	2.04	0.00
402	1	43	2009/12/11	00:18:17	0.70	515	0	636	65	1093	50.49	4372	1.87	0.00
403	1	43	2009/12/11	00:18:18	0.60	528	0	636	67	1094	50.76	4376	1.89	0.00
404	1	43	2009/12/11	00:18:19	0.50	537	0	636	69	1096	51.40	4384	1.65	0.00
405	1	43	2009/12/11	00:18:19	0.49	537	0	636	69	1096	51.40	4384	1.70	0.00
406	1	43	2009/12/11	00:18:22	0.40	35	0	636	73	1099	834.29	4396	1.61	0.00
407	1	43	2009/12/11	00:18:24	0.30	197	0	636	66	1101	134.01	4404	3.07	0.00
408	1	43	2009/12/11	00:18:25	0.20	627	0	636	37	1101	23.60	4404	2.59	0.00
409	1	43	2009/12/11	00:18:26	0.10	636	0	636	27	1102	16.98	4408	2.45	0.00
410	1	43	2009/12/11	00:18:36	-0.19	640	0	636	8	1106	5.00	4424	0.00	0.00

施工データ

現場：唐津T1現場A
担当：唐津太郎

	号棟	杭番	日付	時間	深度 (m)	フィード 速度 (cm/min)	瞬時 流量 (L/min)	積算 流量 (L)	回転数 (min ⁻¹)	積算 回転数 (Rev)	羽根 切回転数 (min ⁻¹)	羽根 切回数 (Rev)	回転 トルク (kN・m)	圧入力 (kN)
1	1	9	2009/12/14	09:03:30	0.00	67	0	0	74	0	441.79	0	1.18	12.65
2	1	9	2009/12/14	00:00:09	0.10	62	70	5	25	5	161.29	20	2.54	12.76
3	1	9	2009/12/14	00:00:12	0.20	210	73	8	31	7	59.05	28	1.06	12.65
4	1	9	2009/12/14	00:00:15	0.30	197	75	12	67	10	136.04	40	1.55	12.76
5	1	9	2009/12/14	00:00:18	0.40	201	76	15	71	13	141.29	52	1.90	12.87
6	1	9	2009/12/14	00:00:21	0.50	210	75	19	70	17	133.33	68	2.35	12.65
7	1	9	2009/12/14	00:00:24	0.60	210	76	23	64	20	121.90	80	2.92	12.76
8	1	9	2009/12/14	00:00:26	0.70	210	73	26	65	23	123.81	92	2.92	12.76
9	1	9	2009/12/14	00:00:29	0.80	210	76	30	68	26	129.52	104	2.58	12.76
10	1	9	2009/12/14	00:00:32	0.90	210	75	34	66	29	125.71	116	2.80	12.76
11	1	9	2009/12/14	00:00:35	1.00	210	75	37	49	32	93.33	128	11.21	12.76
12	1	9	2009/12/14	00:00:38	1.10	210	77	41	51	34	97.14	136	4.51	12.76
13	1	9	2009/12/14	00:00:41	1.20	210	75	45	61	37	116.19	148	3.37	12.76
14	1	9	2009/12/14	00:00:44	1.30	210	78	48	60	40	114.29	160	3.03	12.87
15	1	9	2009/12/14	00:00:46	1.40	210	77	52	54	42	102.86	168	4.17	12.65
16	1	9	2009/12/14	00:00:49	1.50	210	76	56	53	45	100.95	180	4.29	12.87
17	1	9	2009/12/14	00:00:52	1.60	210	78	59	48	47	91.43	188	4.86	12.65
18	1	9	2009/12/14	00:00:55	1.70	210	75	63	45	50	85.71	200	5.20	12.98
19	1	9	2009/12/14	00:00:58	1.80	210	75	67	40	51	76.19	204	5.77	12.76
20	1	9	2009/12/14	00:01:01	1.90	210	76	70	40	53	76.19	212	5.77	12.65
21	1	9	2009/12/14	00:01:04	2.00	210	73	74	43	55	81.90	220	5.54	12.87
22	1	9	2009/12/14	00:01:06	2.10	210	77	77	40	57	76.19	228	5.77	12.76
23	1	9	2009/12/14	00:01:09	2.20	210	75	81	37	59	70.48	236	6.11	12.65
24	1	9	2009/12/14	00:01:12	2.30	210	75	84	37	61	70.48	244	6.11	12.32
25	1	9	2009/12/14	00:01:15	2.40	210	77	88	37	63	70.48	252	6.11	12.76
26	1	9	2009/12/14	00:01:18	2.50	210	74	92	34	64	64.76	256	6.45	12.65
27	1	9	2009/12/14	00:01:21	2.60	210	78	95	35	66	66.67	264	6.45	12.76
28	1	9	2009/12/14	00:01:23	2.70	210	77	99	35	68	66.67	272	6.34	12.76
29	1	9	2009/12/14	00:01:26	2.80	210	76	103	35	70	66.67	280	6.34	12.65
30	1	9	2009/12/14	00:01:29	2.90	210	78	106	36	71	68.57	284	6.22	12.87
31	1	9	2009/12/14	00:01:32	3.00	210	74	110	39	73	74.29	292	5.88	12.65
32	1	9	2009/12/14	00:01:32	3.00	210	74	110	39	73	74.29	292	5.88	12.76
33	1	9	2009/12/14	00:01:35	3.10	210	74	114	42	75	80.00	300	5.54	12.98
34	1	9	2009/12/14	00:01:38	3.20	210	76	117	43	77	81.90	308	5.43	12.76
35	1	9	2009/12/14	00:01:41	3.30	210	73	121	46	79	87.62	316	5.20	12.65
36	1	9	2009/12/14	00:01:43	3.40	210	77	124	49	82	93.33	328	4.74	12.32
37	1	9	2009/12/14	00:01:46	3.50	210	75	128	53	84	100.95	336	4.29	12.76
38	1	9	2009/12/14	00:01:49	3.60	210	76	132	56	87	106.67	348	3.94	12.76
39	1	9	2009/12/14	00:01:52	3.70	210	78	135	58	90	110.48	360	3.72	12.76
40	1	9	2009/12/14	00:01:55	3.80	210	74	139	57	92	108.57	368	3.83	12.76
41	1	9	2009/12/14	00:01:58	3.90	210	78	142	58	95	110.48	380	3.72	12.87
42	1	9	2009/12/14	00:02:00	4.00	210	77	146	59	98	112.38	392	3.83	13.09
43	1	9	2009/12/14	00:02:03	4.10	210	74	150	59	101	112.38	404	3.60	12.65
44	1	9	2009/12/14	00:02:06	4.20	210	78	153	60	104	114.29	416	3.49	12.76
45	1	9	2009/12/14	00:02:09	4.30	210	74	157	60	106	114.29	424	3.49	12.65
46	1	9	2009/12/14	00:02:12	4.40	210	75	161	62	109	118.10	436	3.26	12.54
47	1	9	2009/12/14	00:02:15	4.50	210	77	164	62	112	118.10	448	3.26	12.65
48	1	9	2009/12/14	00:02:18	4.60	210	74	168	62	115	118.10	460	3.15	12.76
49	1	9	2009/12/14	00:02:20	4.70	210	77	171	62	118	118.10	472	3.26	12.76
50	1	9	2009/12/14	00:02:23	4.80	210	76	175	61	121	116.19	484	3.37	12.76
51	1	9	2009/12/14	00:02:26	4.90	210	75	179	60	124	114.29	496	3.49	12.76
52	1	9	2009/12/14	00:02:29	5.00	210	79	182	60	127	114.29	508	3.49	12.65
53	1	9	2009/12/14	00:02:32	5.10	210	75	186	58	130	110.48	520	3.72	12.65
54	1	9	2009/12/14	00:02:35	5.20	210	77	190	58	133	110.48	532	3.72	12.76
55	1	9	2009/12/14	00:02:38	5.30	210	76	193	60	135	114.29	540	3.60	12.54
56	1	9	2009/12/14	00:02:40	5.40	210	74	197	59	138	112.38	552	3.60	12.87
57	1	9	2009/12/14	00:02:43	5.50	210	77	200	59	141	112.38	564	3.60	12.76
58	1	9	2009/12/14	00:03:28	5.60	161	71	212	66	149	163.98	596	2.80	12.76
59	1	9	2009/12/14	00:03:31	5.70	210	72	216	62	152	118.10	608	3.26	12.65
60	1	9	2009/12/14	00:03:34	5.80	210	76	219	66	156	125.71	624	2.80	12.76
61	1	9	2009/12/14	00:03:37	5.90	210	75	223	66	159	125.71	636	2.80	12.87
62	1	9	2009/12/14	00:03:40	6.00	210	75	227	62	162	118.10	648	3.03	12.54
63	1	9	2009/12/14	00:03:42	6.10	210	77	230	61	165	116.19	660	3.26	12.87
64	1	9	2009/12/14	00:03:45	6.20	210	74	234	59	168	112.38	672	3.60	12.76
65	1	9	2009/12/14	00:03:48	6.30	210	75	237	57	170	108.57	680	3.83	12.98
66	1	9	2009/12/14	00:03:51	6.40	210	76	241	46	173	87.62	692	5.08	12.65
67	1	9	2009/12/14	00:03:54	6.50	210	73	245	48	175	91.43	700	4.86	12.76
68	1	9	2009/12/14	00:03:57	6.60	210	77	248	53	177	100.95	708	4.29	12.76
69	1	9	2009/12/14	00:04:00	6.70	210	75	252	53	180	100.95	720	4.29	12.87
70	1	9	2009/12/14	00:04:02	6.80	210	75	255	51	182	97.14	728	4.51	12.76
71	1	9	2009/12/14	00:04:05	6.90	210	78	259	51	185	97.14	740	4.51	12.87
72	1	9	2009/12/14	00:04:08	7.00	210	74	263	52	187	99.05	748	4.40	12.87
73	1	9	2009/12/14	00:04:11	7.10	210	77	266	53	190	100.95	760	4.29	12.65
74	1	9	2009/12/14	00:04:14	7.20	210	76	270	53	192	100.95	768	4.29	12.98
75	1	9	2009/12/14	00:04:17	7.30	210	74	273	54	195	102.86	780	4.17	12.76
76	1	9	2009/12/14	00:04:20	7.40	210	76	277	51	198	97.14	792	4.51	12.65
77	1	9	2009/12/14	00:04:22	7.50	210	74	281	52	200	99.05	800	4.40	12.76
78	1	9	2009/12/14	00:04:25	7.60	210	75	284	52	202	99.05	808	4.40	12.32
79	1	9	2009/12/14	00:04:28	7.70	210	76	288	49	205	93.33	820	4.74	12.87
80	1	9	2009/12/14	00:04:31	7.80	210	73	291	48	207	91.43	828	4.86	12.65
81	1	9	2009/12/14	00:04:34	7.90	210	77	295	46	209	87.62	836	5.08	12.87
82	1	9	2009/12/14	00:04:37	8.00	210	76	299	48	212	91.43	848	4.97	12.76
83	1	9	2009/12/14	00:04:39	8.10	210	74	302	46	214	87.62	856	5.08	12.76
84	1	9	2009/12/14	00:04:42	8.20	210	78	306	45	216	85.71	864	5.20	12.43
85	1	9	2009/12/14	00:04:45	8.30	210	75	310	44	218	83.81	872	5.31	12.65
86	1	9	2009/12/14	00:04:48	8.40	210	75	313	42	220	80.00	880	5.54	12.87
87	1	9	2009/12/14	00:04:51	8.50	210	77	317	51	223	97.14	892	4.51	12.87
88	1	9	2009/12/14	00:04:54	8.60	210	73	320	50	225	95.24	900	4.63	12.87
89	1	9	2009/12/14	00:04:57	8.70	210	75	324	52	227				

施工データ

現場：唐津工現場A
担当：唐津太郎

	号棟	杭番	日付	時間	深度 (m)	フィード 速度 (cm/min)	瞬時 流量 (L/min)	積算 流量 (L)	回転数 (min ⁻¹)	積算 回転数 (Rev)	羽根 切回転数 (min ⁻¹)	羽根 切回数 (Rev)	回転 トルク (kN・m)	圧入力 (kN)
91	1	9	2009/12/14	00:05:02	8.90	210	74	331	52	232	99.05	928	4.40	12.76
92	1	9	2009/12/14	00:05:34	9.00	126	69	343	53	267	168.25	1068	4.29	12.54
93	1	9	2009/12/14	00:05:34	9.01	126	72	344	53	267	168.25	1068	4.29	12.54
94	1	9	2009/12/14	00:05:39	9.00	0	73	350	68	272	999.99	1088	2.15	0.00
95	1	9	2009/12/14	00:05:41	8.90	237	75	353	68	275	114.77	1100	2.12	0.00
96	1	9	2009/12/14	00:05:44	8.80	210	75	356	64	278	121.90	1112	2.17	0.00
97	1	9	2009/12/14	00:05:47	8.70	210	76	360	65	281	123.81	1124	2.18	0.00
98	1	9	2009/12/14	00:05:50	8.60	210	73	363	65	284	123.81	1136	2.28	0.00
99	1	9	2009/12/14	00:05:53	8.50	210	77	367	63	287	120.00	1148	2.32	0.00
100	1	9	2009/12/14	00:05:55	8.40	210	75	371	63	290	120.00	1160	2.38	0.00
101	1	9	2009/12/14	00:05:58	8.30	210	75	374	65	293	123.81	1172	2.34	0.00
102	1	9	2009/12/14	00:06:01	8.20	210	77	378	63	296	120.00	1184	3.15	0.00
103	1	9	2009/12/14	00:06:04	8.10	210	75	381	67	299	127.62	1196	2.31	0.00
104	1	9	2009/12/14	00:06:07	8.00	210	78	385	68	302	129.52	1208	2.31	0.00
105	1	9	2009/12/14	00:06:10	7.90	210	77	389	68	306	129.52	1224	2.22	0.00
106	1	9	2009/12/14	00:06:13	7.80	210	75	392	67	309	127.62	1236	2.20	0.00
107	1	9	2009/12/14	00:06:15	7.70	210	77	396	67	312	127.62	1248	2.27	0.00
108	1	9	2009/12/14	00:06:18	7.60	210	75	400	67	315	127.62	1260	2.34	0.00
109	1	9	2009/12/14	00:06:21	7.50	210	75	403	70	319	133.33	1276	2.05	0.00
110	1	9	2009/12/14	00:06:24	7.40	210	75	407	69	322	131.43	1288	2.25	0.00
111	1	9	2009/12/14	00:06:27	7.30	210	72	410	70	325	133.33	1300	2.15	0.00
112	1	9	2009/12/14	00:06:30	7.20	210	77	414	70	329	133.33	1316	2.13	0.00
113	1	9	2009/12/14	00:06:33	7.10	210	75	417	69	332	131.43	1328	2.12	0.00
114	1	9	2009/12/14	00:06:35	7.00	210	75	421	69	335	131.43	1340	2.03	0.00
115	1	9	2009/12/14	00:06:38	6.90	210	77	425	70	339	133.33	1356	2.02	0.00
116	1	9	2009/12/14	00:06:41	6.80	210	74	428	71	342	135.24	1368	2.09	0.00
117	1	9	2009/12/14	00:06:44	6.70	210	78	432	70	345	133.33	1380	2.09	0.00
118	1	9	2009/12/14	00:06:47	6.60	210	76	435	69	349	131.43	1396	2.14	0.00
119	1	9	2009/12/14	00:06:50	6.50	210	76	439	69	352	131.43	1408	2.17	0.00
120	1	9	2009/12/14	00:06:52	6.40	210	78	443	68	355	129.52	1420	2.21	0.00
121	1	9	2009/12/14	00:06:55	6.30	210	74	446	69	359	131.43	1436	2.08	0.00
122	1	9	2009/12/14	00:06:58	6.20	210	76	450	71	362	135.24	1448	2.15	0.00
123	1	9	2009/12/14	00:07:01	6.10	210	75	454	71	365	135.24	1460	2.16	0.00
124	1	9	2009/12/14	00:07:04	6.00	210	72	457	70	369	133.33	1476	2.22	0.00
125	1	9	2009/12/14	00:07:07	5.90	210	77	461	69	372	131.43	1488	2.21	0.00
126	1	9	2009/12/14	00:07:10	5.80	210	74	464	70	375	133.33	1500	2.15	0.00
127	1	9	2009/12/14	00:07:12	5.70	210	76	468	69	379	131.43	1516	2.21	0.00
128	1	9	2009/12/14	00:07:15	5.60	210	76	471	70	382	133.33	1528	2.16	0.00
129	1	9	2009/12/14	00:07:18	5.50	210	74	475	70	385	133.33	1540	2.19	0.00
130	1	9	2009/12/14	00:07:18	5.49	210	77	475	70	386	133.33	1544	2.24	0.00
131	1	9	2009/12/14	00:07:20	5.50	0	75	478	71	388	999.99	1552	1.98	12.76
132	1	9	2009/12/14	00:07:23	5.60	215	31	481	68	391	126.51	1564	2.15	12.76
133	1	9	2009/12/14	00:07:26	5.70	230	12	482	72	394	125.22	1576	2.00	13.09
134	1	9	2009/12/14	00:07:29	5.80	230	0	482	72	398	125.22	1592	1.59	12.54
135	1	9	2009/12/14	00:07:31	5.90	230	0	482	72	401	125.22	1604	1.64	12.65
136	1	9	2009/12/14	00:07:34	6.00	230	0	482	72	404	125.22	1616	1.79	12.43
137	1	9	2009/12/14	00:07:36	6.10	230	0	482	72	407	125.22	1628	1.72	12.65
138	1	9	2009/12/14	00:07:39	6.20	230	0	482	72	410	125.22	1640	1.68	12.43
139	1	9	2009/12/14	00:07:42	6.30	230	0	482	72	413	125.22	1652	1.74	13.20
140	1	9	2009/12/14	00:07:44	6.40	230	0	482	72	417	125.22	1668	1.91	12.87
141	1	9	2009/12/14	00:07:47	6.50	230	0	482	71	420	123.48	1680	2.07	12.87
142	1	9	2009/12/14	00:07:50	6.60	224	0	482	70	423	125.00	1692	2.20	12.87
143	1	9	2009/12/14	00:07:52	6.70	230	0	482	70	426	121.74	1704	2.15	12.76
144	1	9	2009/12/14	00:07:55	6.80	230	0	482	71	429	123.48	1716	2.04	12.87
145	1	9	2009/12/14	00:07:57	6.90	230	0	482	71	432	123.48	1728	2.03	12.76
146	1	9	2009/12/14	00:08:00	7.00	230	0	482	70	435	121.74	1740	2.04	12.87
147	1	9	2009/12/14	00:08:02	7.10	230	0	482	71	438	123.48	1752	2.03	12.87
148	1	9	2009/12/14	00:08:05	7.20	230	0	482	72	441	125.22	1764	2.03	12.87
149	1	9	2009/12/14	00:08:08	7.30	230	0	482	71	444	123.48	1776	1.89	12.87
150	1	9	2009/12/14	00:08:10	7.40	230	0	482	72	448	125.22	1792	1.89	12.76
151	1	9	2009/12/14	00:08:13	7.50	230	0	482	72	451	125.22	1804	1.67	12.32
152	1	9	2009/12/14	00:08:15	7.60	230	0	482	73	454	126.96	1816	1.68	12.76
153	1	9	2009/12/14	00:08:18	7.70	230	0	482	72	457	125.22	1828	1.80	12.65
154	1	9	2009/12/14	00:08:21	7.80	230	0	482	71	460	123.48	1840	1.82	12.87
155	1	9	2009/12/14	00:08:23	7.90	230	0	482	71	463	123.48	1852	1.95	12.76
156	1	9	2009/12/14	00:08:26	8.00	230	0	482	71	466	123.48	1864	2.06	12.54
157	1	9	2009/12/14	00:08:29	8.10	230	0	482	71	470	123.48	1880	1.90	12.54
158	1	9	2009/12/14	00:08:31	8.20	224	0	482	71	473	126.79	1892	1.95	12.65
159	1	9	2009/12/14	00:08:34	8.30	230	0	482	71	476	123.48	1904	2.07	12.65
160	1	9	2009/12/14	00:08:36	8.40	219	0	482	70	479	127.85	1916	2.34	12.87
161	1	9	2009/12/14	00:08:39	8.50	230	0	482	70	482	121.74	1928	2.39	12.76
162	1	9	2009/12/14	00:08:42	8.60	230	0	482	68	485	118.26	1940	2.46	12.76
163	1	9	2009/12/14	00:08:44	8.70	224	0	482	68	488	121.43	1952	2.58	12.76
164	1	9	2009/12/14	00:08:47	8.80	230	0	482	70	491	121.74	1964	2.24	12.87
165	1	9	2009/12/14	00:08:49	8.90	230	0	482	70	494	121.74	1976	2.19	12.65
166	1	9	2009/12/14	00:08:52	9.00	230	0	482	70	497	121.74	1988	2.35	12.65
167	1	9	2009/12/14	00:08:52	9.01	230	0	482	70	498	121.74	1992	2.47	12.87
168	1	9	2009/12/14	00:08:54	9.00	0	0	482	70	500	999.99	2000	2.15	0.00
169	1	9	2009/12/14	00:08:57	8.90	340	0	482	69	502	81.18	2008	2.04	0.00
170	1	9	2009/12/14	00:08:58	8.80	506	0	482	65	503	51.38	2012	2.08	0.00
171	1	9	2009/12/14	00:08:59	8.70	519	0	482	65	505	50.10	2020	2.20	0.00
172	1	9	2009/12/14	00:09:00	8.60	510	0	482	63	506	49.41	2024	2.37	0.00
173	1	9	2009/12/14	00:09:01	8.50	515	0	482	64	507	49.71	2028	2.31	0.00
174	1	9	2009/12/14	00:09:04	8.60	452	0	482	70	510	61.95	2040	2.43	12.87
175	1	9	2009/12/14	00:09:05	8.70	488	0	482	69	512	56.56	2048	2.48	12.87
176	1	9	2009/12/14	00:09:06	8.80	500	0	482	69	513	55.20	2052	2.47	12.76
177	1	9	2009/12/14	00:09:08	8.90	500	0	482	70	515	56.00	2060	2.44	12.76
178	1	9	2009/12/14											

施工データ

現場：唐津工現場A
担当：唐津太郎

	号棟	杭番	日付	時間	深度 (m)	フィード 速度 (cm/min)	瞬時 流量 (L/min)	積算 流量 (L)	回転数 (min ⁻¹)	積算 回転数 (Rev)	羽根 切回転数 (min ⁻¹)	羽根 切回数 (Rev)	回転 トルク (kN・m)	圧入力 (kN)
181	1	9	2009/12/14	00:09:11	8.90	358	0	482	68	519	75.98	2076	2.10	0.00
182	1	9	2009/12/14	00:09:13	8.80	466	0	482	64	520	54.94	2080	2.13	0.00
183	1	9	2009/12/14	00:09:14	8.70	500	0	482	64	522	51.20	2088	2.25	0.00
184	1	9	2009/12/14	00:09:15	8.60	506	0	482	61	523	48.22	2092	2.42	0.00
185	1	9	2009/12/14	00:09:16	8.50	515	0	482	62	524	48.16	2096	2.33	0.00
186	1	9	2009/12/14	00:09:19	8.60	524	0	482	69	528	52.67	2112	2.80	12.87
187	1	9	2009/12/14	00:09:21	8.70	488	0	482	68	529	55.74	2116	2.58	12.65
188	1	9	2009/12/14	00:09:22	8.80	500	0	482	69	530	55.20	2120	2.46	12.76
189	1	9	2009/12/14	00:09:23	8.90	493	0	482	67	532	54.36	2128	2.69	12.65
190	1	9	2009/12/14	00:09:24	9.00	506	0	482	67	533	52.96	2132	2.69	12.87
191	1	9	2009/12/14	00:09:24	9.01	506	0	482	67	533	52.96	2132	2.69	12.87
192	1	9	2009/12/14	00:09:25	9.00	0	0	482	66	534	999.99	2136	2.80	12.65
193	1	9	2009/12/14	00:09:31	8.90	67	0	482	67	540	400.00	2160	2.44	0.00
194	1	9	2009/12/14	00:09:35	8.80	156	0	482	66	544	169.23	2176	2.44	0.00
195	1	9	2009/12/14	00:09:37	8.70	230	0	482	67	547	116.52	2188	2.48	0.00
196	1	9	2009/12/14	00:09:40	8.60	230	0	482	65	550	113.04	2200	2.46	0.00
197	1	9	2009/12/14	00:09:42	8.50	230	0	482	65	552	113.04	2208	2.48	0.00
198	1	9	2009/12/14	00:09:45	8.40	230	0	482	66	555	114.78	2220	2.49	0.00
199	1	9	2009/12/14	00:09:48	8.30	230	0	482	65	558	113.04	2232	2.40	0.00
200	1	9	2009/12/14	00:09:50	8.20	224	0	482	68	561	121.43	2244	2.00	0.00
201	1	9	2009/12/14	00:09:53	8.10	230	0	482	69	564	120.00	2256	1.93	0.00
202	1	9	2009/12/14	00:09:55	8.00	230	0	482	68	567	118.26	2268	2.03	0.00
203	1	9	2009/12/14	00:09:58	7.90	230	0	482	69	570	120.00	2280	1.96	0.00
204	1	9	2009/12/14	00:10:01	7.80	224	0	482	70	573	125.00	2292	1.89	0.00
205	1	9	2009/12/14	00:10:03	7.70	224	0	482	70	576	125.00	2304	1.91	0.00
206	1	9	2009/12/14	00:10:06	7.60	230	0	482	71	579	123.48	2316	1.89	0.00
207	1	9	2009/12/14	00:10:08	7.50	230	0	482	71	583	123.48	2332	1.89	0.00
208	1	9	2009/12/14	00:10:11	7.40	230	0	482	70	586	121.74	2344	1.87	0.00
209	1	9	2009/12/14	00:10:14	7.30	230	0	482	70	589	121.74	2356	1.95	0.00
210	1	9	2009/12/14	00:10:16	7.20	230	0	482	71	592	123.48	2368	1.97	0.00
211	1	9	2009/12/14	00:10:19	7.10	230	0	482	71	595	123.48	2380	1.91	0.00
212	1	9	2009/12/14	00:10:21	7.00	230	0	482	71	598	123.48	2392	1.86	0.00
213	1	9	2009/12/14	00:10:24	6.90	230	0	482	70	601	121.74	2404	2.00	0.00
214	1	9	2009/12/14	00:10:27	6.80	230	0	482	71	604	123.48	2416	2.18	0.00
215	1	9	2009/12/14	00:10:29	6.70	230	0	482	70	607	121.74	2428	2.16	0.00
216	1	9	2009/12/14	00:10:32	6.60	224	0	482	70	610	125.00	2440	2.00	0.00
217	1	9	2009/12/14	00:10:34	6.50	230	0	482	71	613	123.48	2452	2.00	0.00
218	1	9	2009/12/14	00:10:37	6.40	224	0	482	70	616	125.00	2464	1.95	0.00
219	1	9	2009/12/14	00:10:40	6.30	230	0	482	71	620	123.48	2480	1.97	0.00
220	1	9	2009/12/14	00:10:42	6.20	230	0	482	71	623	123.48	2492	1.98	0.00
221	1	9	2009/12/14	00:10:45	6.10	230	0	482	70	626	121.74	2504	1.99	0.00
222	1	9	2009/12/14	00:10:48	6.00	230	0	482	72	629	125.22	2516	1.85	0.00
223	1	9	2009/12/14	00:10:50	5.90	230	0	482	71	632	123.48	2528	1.85	0.00
224	1	9	2009/12/14	00:10:53	5.80	230	0	482	71	635	123.48	2540	1.70	0.00
225	1	9	2009/12/14	00:10:55	5.70	230	0	482	71	638	123.48	2552	1.81	0.00
226	1	9	2009/12/14	00:10:58	5.60	230	0	482	71	641	123.48	2564	1.90	0.00
227	1	9	2009/12/14	00:11:01	5.50	230	0	482	71	644	123.48	2576	2.11	0.00
228	1	9	2009/12/14	00:11:01	5.49	230	0	482	71	645	123.48	2580	2.14	0.00
229	1	9	2009/12/14	00:11:39	5.40	277	73	489	70	653	101.08	2612	2.23	0.00
230	1	9	2009/12/14	00:11:42	5.30	210	74	493	68	656	129.52	2624	2.33	0.00
231	1	9	2009/12/14	00:11:45	5.20	210	76	496	68	660	129.52	2640	2.30	0.00
232	1	9	2009/12/14	00:11:48	5.10	210	77	500	68	663	129.52	2652	2.29	0.00
233	1	9	2009/12/14	00:11:51	5.00	210	74	503	68	666	129.52	2664	2.22	0.00
234	1	9	2009/12/14	00:11:54	4.90	210	76	507	69	670	131.43	2680	2.22	0.00
235	1	9	2009/12/14	00:11:56	4.80	210	74	511	68	673	129.52	2692	2.19	0.00
236	1	9	2009/12/14	00:11:59	4.70	210	73	514	70	676	133.33	2704	2.22	0.00
237	1	9	2009/12/14	00:12:02	4.60	210	76	518	70	679	133.33	2716	2.18	0.00
238	1	9	2009/12/14	00:12:05	4.50	210	74	521	70	683	133.33	2732	2.17	0.00
239	1	9	2009/12/14	00:12:08	4.40	210	76	525	70	686	133.33	2744	2.07	0.00
240	1	9	2009/12/14	00:12:11	4.30	210	76	528	70	689	133.33	2756	2.16	0.00
241	1	9	2009/12/14	00:12:13	4.20	210	75	532	70	693	133.33	2772	2.13	0.00
242	1	9	2009/12/14	00:12:16	4.10	210	77	536	70	696	133.33	2784	2.18	0.00
243	1	9	2009/12/14	00:12:19	4.00	210	75	539	69	699	131.43	2796	2.18	0.00
244	1	9	2009/12/14	00:12:19	4.00	210	75	539	69	699	131.43	2796	2.18	0.00
245	1	9	2009/12/14	00:12:22	3.90	210	77	543	69	703	131.43	2812	2.16	0.00
246	1	9	2009/12/14	00:12:25	3.80	210	77	547	69	706	131.43	2824	2.16	0.00
247	1	9	2009/12/14	00:12:28	3.70	210	74	550	70	709	133.33	2836	2.22	0.00
248	1	9	2009/12/14	00:12:31	3.60	210	77	554	70	713	133.33	2852	2.19	0.00
249	1	9	2009/12/14	00:12:33	3.50	210	73	557	69	716	131.43	2864	2.25	0.00
250	1	9	2009/12/14	00:12:36	3.40	210	75	561	67	719	127.62	2876	2.39	0.00
251	1	9	2009/12/14	00:12:39	3.30	210	76	565	66	722	125.71	2888	2.23	0.00
252	1	9	2009/12/14	00:12:42	3.20	210	72	568	62	725	118.10	2900	3.26	0.00
253	1	9	2009/12/14	00:12:45	3.10	210	77	572	61	728	116.19	2912	3.37	0.00
254	1	9	2009/12/14	00:12:48	3.00	210	74	575	56	731	106.67	2924	3.94	0.00
255	1	9	2009/12/14	00:12:50	2.90	210	75	579	54	734	102.86	2936	3.94	0.00
256	1	9	2009/12/14	00:12:53	2.80	210	77	583	51	736	97.14	2944	4.51	0.00
257	1	9	2009/12/14	00:12:56	2.70	210	74	586	47	738	89.52	2952	4.97	0.00
258	1	9	2009/12/14	00:12:59	2.60	210	78	590	44	741	83.81	2964	5.31	0.00
259	1	9	2009/12/14	00:13:02	2.50	210	76	593	40	743	76.19	2972	5.77	0.00
260	1	9	2009/12/14	00:13:05	2.40	210	75	597	39	744	74.29	2976	5.88	0.00
261	1	9	2009/12/14	00:13:08	2.30	210	77	601	41	746	78.10	2984	5.77	0.00
262	1	9	2009/12/14	00:13:10	2.20	210	72	604	45	748	85.71	2992	5.31	0.00
263	1	9	2009/12/14	00:13:13	2.10	210	76	608	45	751	85.71	3004	5.20	0.00
264	1	9	2009/12/14	00:13:16	2.00	210	74	611	45	753	85.71	3012	5.20	0.00
265	1	9	2009/12/14	00:13:19	1.90	210	72	615	45	755	85.71	3020	5.20	0.00
266	1	9	2009/12/14	00:13:22	1.80	210	77	618	43	757	81.90	3028	5.43	0.00
267	1	9	2009/12/14	00:13:25	1.70	210	73	622	44	759	83.81	3036	5.31	0.00
268	1	9	2009/12/14	00:13:28	1.60	210	76	6						

施工データ

現場：唐津T1現場A
担当：唐津太郎

	号棟	杭番	日付	時間	深度 (m)	フィード 速度 (cm/min)	瞬時 流量 (L/min)	積算 流量 (L)	回転数 (min ⁻¹)	積算 回転数 (Rev)	羽根 切回転数 (min ⁻¹)	羽根 切回数 (Rev)	回転 トルク (kN・m)	圧入力 (kN)
271	1	9	2009/12/14	00:13:36	1.30	210	78	636	52	769	99.05	3076	4.40	0.00
272	1	9	2009/12/14	00:13:39	1.20	210	75	640	43	772	81.90	3088	5.43	0.00
273	1	9	2009/12/14	00:13:42	1.10	210	76	644	40	773	76.19	3092	5.77	0.00
274	1	9	2009/12/14	00:13:45	1.00	210	77	647	39	775	74.29	3100	5.77	0.00
275	1	9	2009/12/14	00:13:47	0.90	210	73	651	42	777	80.00	3108	5.77	0.00
276	1	9	2009/12/14	00:13:50	0.80	210	77	655	46	780	87.62	3120	5.08	0.00
277	1	9	2009/12/14	00:13:53	0.70	210	74	658	51	782	97.14	3128	4.51	0.00
278	1	9	2009/12/14	00:13:56	0.60	210	73	661	54	784	102.86	3136	2.43	0.00
279	1	9	2009/12/14	00:13:59	0.50	210	76	665	62	787	118.10	3148	2.41	0.00
280	1	9	2009/12/14	00:14:02	0.40	210	73	669	67	791	127.62	3164	2.33	0.00
281	1	9	2009/12/14	00:14:05	0.30	210	76	672	71	794	135.24	3176	1.89	0.00
282	1	9	2009/12/14	00:14:07	0.20	210	77	676	72	797	137.14	3188	3.31	0.00
283	1	9	2009/12/14	00:14:10	0.10	219	74	679	27	799	49.32	3196	2.48	0.00
284	1	9	2009/12/14	00:14:15	0.10	197	74	686	17	801	34.52	3204	3.84	12.76
285	1	9	2009/12/14	00:14:18	0.20	230	36	688	25	802	43.48	3208	0.86	12.87
286	1	9	2009/12/14	00:14:20	0.30	230	14	689	32	803	55.65	3212	1.12	12.43
287	1	9	2009/12/14	00:14:23	0.40	219	0	690	70	806	127.85	3224	1.24	12.76
288	1	9	2009/12/14	00:14:26	0.50	230	0	690	73	809	126.96	3236	1.59	12.76
289	1	9	2009/12/14	00:14:28	0.60	230	0	690	72	812	125.22	3248	1.57	12.98
290	1	9	2009/12/14	00:14:31	0.70	230	0	690	73	816	126.96	3264	1.62	12.65
291	1	9	2009/12/14	00:14:34	0.80	230	0	690	72	819	125.22	3276	1.55	12.54
292	1	9	2009/12/14	00:14:36	0.90	230	0	690	71	822	123.48	3288	1.94	13.09
293	1	9	2009/12/14	00:14:39	1.00	230	0	690	72	825	125.22	3300	1.72	12.76
294	1	9	2009/12/14	00:14:41	1.10	230	0	690	72	828	125.22	3312	1.72	12.76
295	1	9	2009/12/14	00:14:44	1.20	230	0	690	72	831	125.22	3324	1.81	12.87
296	1	9	2009/12/14	00:14:47	1.30	230	0	690	71	834	123.48	3336	1.89	13.09
297	1	9	2009/12/14	00:14:49	1.40	219	0	690	70	838	127.85	3352	2.07	12.65
298	1	9	2009/12/14	00:14:52	1.50	237	0	690	72	841	121.52	3364	1.90	12.65
299	1	9	2009/12/14	00:14:54	1.60	224	0	690	70	844	125.00	3376	2.29	12.87
300	1	9	2009/12/14	00:14:57	1.70	230	0	690	70	847	121.74	3388	2.35	12.87
301	1	9	2009/12/14	00:15:00	1.80	230	0	690	69	850	120.00	3400	2.40	12.76
302	1	9	2009/12/14	00:15:02	1.90	224	0	690	69	853	123.21	3412	2.46	12.87
303	1	9	2009/12/14	00:15:05	2.00	230	0	690	68	856	118.26	3424	2.58	12.65
304	1	9	2009/12/14	00:15:08	2.10	230	0	690	64	859	111.30	3436	2.58	12.76
305	1	9	2009/12/14	00:15:10	2.20	230	0	690	61	862	106.09	3448	2.35	12.65
306	1	9	2009/12/14	00:15:13	2.30	230	0	690	69	865	120.00	3460	2.46	12.65
307	1	9	2009/12/14	00:15:15	2.40	230	0	690	67	868	116.52	3472	2.69	12.87
308	1	9	2009/12/14	00:15:18	2.50	224	0	690	63	870	112.50	3480	3.15	12.76
309	1	9	2009/12/14	00:15:21	2.60	230	0	690	59	873	102.61	3492	3.60	12.76
310	1	9	2009/12/14	00:15:23	2.70	224	0	690	63	876	112.50	3504	3.15	12.76
311	1	9	2009/12/14	00:15:26	2.80	237	0	690	66	879	111.39	3516	2.42	12.87
312	1	9	2009/12/14	00:15:28	2.90	230	0	690	71	882	123.48	3528	2.23	12.87
313	1	9	2009/12/14	00:15:31	3.00	224	0	690	69	885	123.21	3540	2.31	12.65
314	1	9	2009/12/14	00:15:34	3.10	230	0	690	70	888	121.74	3552	2.46	12.65
315	1	9	2009/12/14	00:15:36	3.20	230	0	690	69	891	120.00	3564	2.46	12.76
316	1	9	2009/12/14	00:15:39	3.30	237	0	690	70	894	118.14	3576	2.27	12.76
317	1	9	2009/12/14	00:15:41	3.40	224	0	690	69	897	123.21	3588	2.35	12.76
318	1	9	2009/12/14	00:15:44	3.50	230	0	690	70	900	121.74	3600	2.46	12.76
319	1	9	2009/12/14	00:15:47	3.60	230	0	690	70	903	121.74	3612	2.34	12.65
320	1	9	2009/12/14	00:15:49	3.70	230	0	690	70	906	121.74	3624	2.36	12.76
321	1	9	2009/12/14	00:15:52	3.80	230	0	690	70	909	121.74	3636	2.07	12.76
322	1	9	2009/12/14	00:15:54	3.90	230	0	690	70	912	121.74	3648	2.23	12.76
323	1	9	2009/12/14	00:15:57	4.00	230	0	690	71	915	123.48	3660	2.13	12.76
324	1	9	2009/12/14	00:16:00	4.10	230	0	690	72	918	125.22	3672	1.85	12.65
325	1	9	2009/12/14	00:16:02	4.20	230	0	690	71	921	123.48	3684	2.13	12.87
326	1	9	2009/12/14	00:16:05	4.30	219	0	690	70	924	127.85	3696	2.30	12.76
327	1	9	2009/12/14	00:16:07	4.40	230	0	690	71	928	123.48	3712	2.35	12.54
328	1	9	2009/12/14	00:16:10	4.50	230	0	690	70	931	121.74	3724	2.37	12.76
329	1	9	2009/12/14	00:16:13	4.60	230	0	690	70	934	121.74	3736	2.29	12.65
330	1	9	2009/12/14	00:16:15	4.70	237	0	690	71	937	119.83	3748	2.35	12.76
331	1	9	2009/12/14	00:16:18	4.80	230	0	690	69	940	120.00	3760	2.16	12.76
332	1	9	2009/12/14	00:16:21	4.90	230	0	690	71	943	123.48	3772	2.07	12.76
333	1	9	2009/12/14	00:16:23	5.00	230	0	690	71	946	123.48	3784	2.26	12.76
334	1	9	2009/12/14	00:16:26	5.10	230	0	690	70	949	121.74	3796	2.47	12.87
335	1	9	2009/12/14	00:16:28	5.20	230	0	690	70	952	121.74	3808	2.00	12.87
336	1	9	2009/12/14	00:16:31	5.30	230	0	690	70	955	121.74	3820	2.11	12.76
337	1	9	2009/12/14	00:16:34	5.40	230	0	690	70	958	121.74	3832	2.13	12.65
338	1	9	2009/12/14	00:16:44	5.30	201	0	690	67	970	133.33	3880	2.41	0.00
339	1	9	2009/12/14	00:16:47	5.20	230	0	690	66	973	114.78	3892	2.38	0.00
340	1	9	2009/12/14	00:16:50	5.10	230	0	690	65	976	113.04	3904	2.35	0.00
341	1	9	2009/12/14	00:16:52	5.00	230	0	690	65	979	113.04	3916	2.40	0.00
342	1	9	2009/12/14	00:16:55	4.90	230	0	690	66	982	114.78	3928	2.36	0.00
343	1	9	2009/12/14	00:16:57	4.80	230	0	690	65	985	113.04	3940	2.40	0.00
344	1	9	2009/12/14	00:17:00	4.70	230	0	690	64	987	111.30	3948	2.47	0.00
345	1	9	2009/12/14	00:17:03	4.60	230	0	690	63	990	109.57	3960	3.15	0.00
346	1	9	2009/12/14	00:17:05	4.50	230	0	690	63	993	109.57	3972	2.48	0.00
347	1	9	2009/12/14	00:17:08	4.40	230	0	690	65	996	113.04	3984	2.43	0.00
348	1	9	2009/12/14	00:17:10	4.30	230	0	690	65	999	113.04	3996	2.43	0.00
349	1	9	2009/12/14	00:17:13	4.20	230	0	690	65	1001	113.04	4004	2.44	0.00
350	1	9	2009/12/14	00:17:16	4.10	230	0	690	64	1004	111.30	4016	2.33	0.00
351	1	9	2009/12/14	00:17:18	4.00	230	0	690	65	1007	113.04	4028	2.37	0.00
352	1	9	2009/12/14	00:17:21	3.90	230	0	690	67	1010	116.52	4040	2.25	0.00
353	1	9	2009/12/14	00:17:24	3.80	230	0	690	67	1013	116.52	4052	2.27	0.00
354	1	9	2009/12/14	00:17:26	3.70	230	0	690	66	1016	114.78	4064	2.39	0.00
355	1	9	2009/12/14	00:17:29	3.60	230	0	690	65	1019	113.04	4076	2.39	0.00
356	1	9	2009/12/14	00:17:31	3.50	224	0	690	66	1022	117.86	4088	2.38	0.00
357	1	9	2009/12/14	00:17:34	3.40	230	0	690	66	1025	114.78	4100	2.36	0.00
358	1	9	2009											

施工データ

現場：唐津1現場A

担当：唐津太郎

	号棟	杭番	日付	時間	深度 (m)	フィード 速度 (cm/min)	瞬時 流量 (L/min)	積算 流量 (L)	回転数 (min ⁻¹)	積算 回転数 (Rev)	羽根 切回転数 (min ⁻¹)	羽根 切回数 (Rev)	回転 トルク (kN・m)	圧入力 (kN)
361	1	9	2009/12/14	00:17:44	3.00	224	0	690	57	1035	101.79	4140	3.83	0.00
362	1	9	2009/12/14	00:17:47	2.90	230	0	690	59	1038	102.61	4152	3.60	0.00
363	1	9	2009/12/14	00:17:50	2.80	230	0	690	58	1040	100.87	4160	3.72	0.00
364	1	9	2009/12/14	00:17:52	2.70	230	0	690	59	1043	102.61	4172	3.60	0.00
365	1	9	2009/12/14	00:17:55	2.60	230	0	690	60	1046	104.35	4184	2.48	0.00
366	1	9	2009/12/14	00:17:57	2.50	230	0	690	58	1048	100.87	4192	3.60	0.00
367	1	9	2009/12/14	00:18:00	2.40	230	0	690	58	1051	100.87	4204	3.72	0.00
368	1	9	2009/12/14	00:18:03	2.30	230	0	690	52	1053	90.43	4212	4.40	0.00
369	1	9	2009/12/14	00:18:05	2.20	224	0	690	50	1055	89.29	4220	4.63	0.00
370	1	9	2009/12/14	00:18:08	2.10	230	0	690	53	1058	92.17	4232	4.29	0.00
371	1	9	2009/12/14	00:18:11	2.00	230	0	690	49	1060	85.22	4240	4.51	0.00
372	1	9	2009/12/14	00:18:13	1.90	230	0	690	50	1062	86.96	4248	4.63	0.00
373	1	9	2009/12/14	00:18:16	1.80	224	0	690	49	1064	87.50	4256	4.74	0.00
374	1	9	2009/12/14	00:18:18	1.70	230	0	690	51	1066	88.70	4264	4.51	0.00
375	1	9	2009/12/14	00:18:21	1.60	230	0	690	53	1069	92.17	4276	4.29	0.00
376	1	9	2009/12/14	00:18:23	1.50	230	0	690	57	1071	99.13	4284	3.94	0.00
377	1	9	2009/12/14	00:18:26	1.40	230	0	690	60	1074	104.35	4296	3.49	0.00
378	1	9	2009/12/14	00:18:29	1.30	230	0	690	61	1076	106.09	4304	3.37	0.00
379	1	9	2009/12/14	00:18:31	1.20	230	0	690	63	1079	109.57	4316	2.37	0.00
380	1	9	2009/12/14	00:18:34	1.10	230	0	690	66	1082	114.78	4328	2.20	0.00
381	1	9	2009/12/14	00:18:37	1.00	230	0	690	65	1085	113.04	4340	2.20	0.00
382	1	9	2009/12/14	00:18:39	0.90	224	0	690	66	1088	117.86	4352	2.20	0.00
383	1	9	2009/12/14	00:18:42	0.80	224	0	690	66	1091	117.86	4364	2.16	0.00
384	1	9	2009/12/14	00:18:44	0.70	224	0	690	58	1094	103.57	4376	2.48	0.00
385	1	9	2009/12/14	00:18:47	0.60	237	0	690	64	1096	108.02	4384	2.11	0.00
386	1	9	2009/12/14	00:18:50	0.50	237	0	690	70	1099	118.14	4396	1.85	0.00
387	1	9	2009/12/14	00:18:52	0.40	230	0	690	70	1102	121.74	4408	1.53	0.00
388	1	9	2009/12/14	00:18:55	0.30	230	0	690	72	1106	125.22	4424	1.38	0.00
389	1	9	2009/12/14	00:18:57	0.20	230	0	690	72	1109	125.22	4436	1.46	0.00
390	1	9	2009/12/14	00:19:00	0.10	237	0	690	73	1112	123.21	4448	1.30	0.00
391	1	9	2009/12/14	00:19:06	0.10	403	0	690	74	1120	73.45	4480	1.32	12.43
392	1	9	2009/12/14	00:19:08	0.20	506	0	690	73	1121	57.71	4484	1.34	12.87
393	1	9	2009/12/14	00:19:09	0.30	510	0	690	73	1123	57.25	4492	1.43	12.54
394	1	9	2009/12/14	00:19:10	0.40	500	0	690	72	1124	57.60	4496	1.23	12.87
395	1	9	2009/12/14	00:19:11	0.50	500	0	690	74	1126	59.20	4504	1.80	12.76
396	1	9	2009/12/14	00:19:12	0.60	500	0	690	72	1127	57.60	4508	1.77	12.87
397	1	9	2009/12/14	00:19:14	0.70	493	0	690	68	1129	55.17	4516	2.31	12.65
398	1	9	2009/12/14	00:19:15	0.80	488	0	690	65	1130	53.28	4520	1.87	12.98
399	1	9	2009/12/14	00:19:16	0.90	515	0	690	54	1131	41.94	4524	5.75	12.98
400	1	9	2009/12/14	00:19:17	1.00	500	0	690	58	1132	46.40	4528	2.24	12.76
401	1	9	2009/12/14	00:19:20	0.90	524	0	690	66	1135	50.38	4540	2.05	0.00
402	1	9	2009/12/14	00:19:21	0.80	500	0	690	66	1136	52.80	4544	1.95	0.00
403	1	9	2009/12/14	00:19:22	0.70	506	0	690	68	1138	53.75	4552	1.90	0.00
404	1	9	2009/12/14	00:19:23	0.60	500	0	690	67	1139	53.60	4556	1.80	0.00
405	1	9	2009/12/14	00:19:25	0.50	506	0	690	70	1140	55.34	4560	1.65	0.00
406	1	9	2009/12/14	00:19:26	0.40	506	0	690	72	1142	56.92	4568	1.50	0.00
407	1	9	2009/12/14	00:19:27	0.30	500	0	690	71	1143	56.80	4572	1.59	0.00
408	1	9	2009/12/14	00:19:28	0.20	510	0	690	72	1145	56.47	4580	1.46	0.00
409	1	9	2009/12/14	00:19:29	0.10	500	0	690	72	1146	57.60	4584	1.36	0.00
410	1	9	2009/12/14	00:19:36	-0.30	690	0	690	30	1153	17.39	4612	0.00	12.76

施工データ

現場：唐津T現場A
担当：唐津太郎

	号棟	杭番	日付	時間	深度 (m)	フィード 速度 (cm/min)	瞬時 流量 (L/min)	積算 流量 (L)	回転数 (min ⁻¹)	積算 回転数 (Rev)	羽根 切回転数 (min ⁻¹)	羽根 切回数 (Rev)	回転 トルク (kN・m)	圧入力 (kN)
1	1	27	2009/12/11	09:10:31	0.00	1111	0	0	0	0	0.00	0	0.00	12.87
2	1	27	2009/12/11	00:00:05	0.10	255	0	0	25	1	39.22	4	2.50	12.87
3	1	27	2009/12/11	00:00:11	0.20	98	65	4	25	4	102.04	16	2.50	12.87
4	1	27	2009/12/11	00:00:13	0.30	228	70	7	25	5	43.86	20	1.09	12.87
5	1	27	2009/12/11	00:00:16	0.40	220	75	10	46	7	83.64	28	5.08	12.98
6	1	27	2009/12/11	00:00:19	0.50	220	74	14	49	10	89.09	40	2.46	12.98
7	1	27	2009/12/11	00:00:22	0.60	220	74	17	35	11	63.64	44	9.27	12.76
8	1	27	2009/12/11	00:00:25	0.70	220	75	21	25	13	45.45	52	2.15	12.87
9	1	27	2009/12/11	00:00:27	0.80	220	77	24	34	14	61.82	56	2.41	12.87
10	1	27	2009/12/11	00:00:30	0.90	220	76	28	46	16	83.64	64	5.08	12.87
11	1	27	2009/12/11	00:00:33	1.00	220	75	31	48	18	87.27	72	4.86	12.87
12	1	27	2009/12/11	00:00:36	1.10	220	77	35	56	21	101.82	84	4.63	13.09
13	1	27	2009/12/11	00:00:38	1.20	220	78	38	56	23	101.82	92	3.94	13.09
14	1	27	2009/12/11	00:00:41	1.30	220	76	42	59	26	107.27	104	3.60	12.87
15	1	27	2009/12/11	00:00:44	1.40	220	75	45	66	29	120.00	116	2.80	12.43
16	1	27	2009/12/11	00:00:47	1.50	220	77	49	60	32	109.09	128	3.26	12.87
17	1	27	2009/12/11	00:00:49	1.60	220	77	52	60	35	109.09	140	3.49	12.76
18	1	27	2009/12/11	00:00:52	1.70	220	75	56	58	37	105.45	148	3.72	12.87
19	1	27	2009/12/11	00:00:55	1.80	220	74	59	60	40	109.09	160	3.49	12.76
20	1	27	2009/12/11	00:00:58	1.90	220	75	63	57	43	103.64	172	3.83	12.87
21	1	27	2009/12/11	00:01:00	2.00	220	76	66	49	45	89.09	180	4.74	12.76
22	1	27	2009/12/11	00:01:03	2.10	220	75	69	45	47	81.82	188	5.20	12.76
23	1	27	2009/12/11	00:01:06	2.20	220	74	73	43	49	78.18	196	5.20	12.65
24	1	27	2009/12/11	00:01:08	2.30	220	76	76	41	51	74.55	204	5.65	12.87
25	1	27	2009/12/11	00:01:11	2.40	220	77	80	36	53	65.45	212	6.22	12.87
26	1	27	2009/12/11	00:01:14	2.50	220	76	83	35	54	63.64	216	6.34	12.98
27	1	27	2009/12/11	00:01:17	2.60	220	75	87	35	56	63.64	224	6.45	12.65
28	1	27	2009/12/11	00:01:19	2.70	220	77	90	35	58	63.64	232	6.34	12.87
29	1	27	2009/12/11	00:01:22	2.80	220	78	94	40	59	72.73	236	2.43	12.87
30	1	27	2009/12/11	00:01:25	2.90	220	76	97	44	61	80.00	244	5.31	12.87
31	1	27	2009/12/11	00:01:28	3.00	220	74	101	45	64	81.82	256	5.20	12.65
32	1	27	2009/12/11	00:01:30	3.10	220	75	104	47	66	85.45	264	4.97	12.87
33	1	27	2009/12/11	00:01:33	3.20	220	76	108	47	68	85.45	272	4.97	12.87
34	1	27	2009/12/11	00:01:36	3.30	220	75	111	51	70	92.73	280	4.74	12.98
35	1	27	2009/12/11	00:01:38	3.40	220	73	114	55	73	100.00	292	4.06	12.76
36	1	27	2009/12/11	00:01:41	3.50	220	76	118	68	76	123.64	304	2.58	12.76
37	1	27	2009/12/11	00:01:44	3.60	220	77	121	66	79	120.00	316	2.80	12.87
38	1	27	2009/12/11	00:01:47	3.70	220	75	125	65	82	118.18	328	2.69	13.20
39	1	27	2009/12/11	00:01:49	3.80	220	75	128	62	85	112.73	340	3.26	12.87
40	1	27	2009/12/11	00:01:52	3.90	220	76	132	62	88	112.73	352	3.26	12.87
41	1	27	2009/12/11	00:01:55	4.00	220	78	135	63	90	114.55	360	3.15	12.98
42	1	27	2009/12/11	00:01:58	4.10	220	76	139	63	93	114.55	372	3.37	12.87
43	1	27	2009/12/11	00:02:00	4.20	220	74	142	64	96	116.36	384	3.03	12.54
44	1	27	2009/12/11	00:02:03	4.30	220	77	146	65	99	118.18	396	2.92	12.87
45	1	27	2009/12/11	00:02:06	4.40	220	77	149	66	102	120.00	408	2.80	12.65
46	1	27	2009/12/11	00:02:09	4.50	220	75	153	65	105	118.18	420	2.92	12.87
47	1	27	2009/12/11	00:02:11	4.60	220	73	156	65	108	118.18	432	2.92	12.54
48	1	27	2009/12/11	00:02:14	4.70	220	75	160	67	111	121.82	444	2.69	13.20
49	1	27	2009/12/11	00:02:17	4.80	220	76	163	66	114	120.00	456	2.80	12.65
50	1	27	2009/12/11	00:02:19	4.90	220	75	166	66	117	120.00	468	2.80	12.87
51	1	27	2009/12/11	00:02:22	5.00	220	74	170	65	120	118.18	480	2.92	12.65
52	1	27	2009/12/11	00:02:25	5.10	220	76	173	66	123	120.00	492	2.80	12.98
53	1	27	2009/12/11	00:02:28	5.20	220	77	177	67	126	121.82	504	2.80	12.76
54	1	27	2009/12/11	00:02:30	5.30	220	76	180	66	129	120.00	516	2.80	12.87
55	1	27	2009/12/11	00:02:33	5.40	220	75	184	69	133	125.45	532	2.46	12.87
56	1	27	2009/12/11	00:03:19	5.50	233	70	200	68	141	116.74	564	2.46	12.76
57	1	27	2009/12/11	00:03:21	5.60	220	75	203	67	144	121.82	576	2.69	12.98
58	1	27	2009/12/11	00:03:24	5.70	220	74	207	66	147	120.00	588	2.80	13.20
59	1	27	2009/12/11	00:03:27	5.80	220	73	210	63	150	114.55	600	3.15	12.87
60	1	27	2009/12/11	00:03:30	5.90	220	74	213	62	153	112.73	612	3.15	12.76
61	1	27	2009/12/11	00:03:32	6.00	220	76	217	61	156	110.91	624	3.37	12.98
62	1	27	2009/12/11	00:03:35	6.10	220	75	220	62	159	112.73	636	3.26	12.87
63	1	27	2009/12/11	00:03:38	6.20	220	74	224	62	162	112.73	648	3.26	12.65
64	1	27	2009/12/11	00:03:41	6.30	220	75	227	62	164	112.73	656	3.26	12.87
65	1	27	2009/12/11	00:03:43	6.40	220	77	231	63	167	114.55	668	3.15	12.87
66	1	27	2009/12/11	00:03:46	6.50	220	76	234	61	170	110.91	680	3.37	12.87
67	1	27	2009/12/11	00:03:49	6.60	220	75	238	61	173	110.91	692	3.26	12.76
68	1	27	2009/12/11	00:03:51	6.70	220	75	241	63	176	114.55	704	3.15	12.76
69	1	27	2009/12/11	00:03:54	6.80	220	78	245	64	179	116.36	716	3.03	13.09
70	1	27	2009/12/11	00:03:57	6.90	220	76	248	67	182	121.82	728	2.69	12.65
71	1	27	2009/12/11	00:04:00	7.00	220	74	252	67	185	121.82	740	2.80	12.87
72	1	27	2009/12/11	00:04:02	7.10	220	75	255	67	188	121.82	752	2.69	12.76
73	1	27	2009/12/11	00:04:05	7.20	220	75	258	65	191	118.18	764	2.92	12.87
74	1	27	2009/12/11	00:04:08	7.30	220	75	262	64	194	116.36	776	3.03	12.98
75	1	27	2009/12/11	00:04:11	7.40	220	73	265	62	197	112.73	788	3.26	12.87
76	1	27	2009/12/11	00:04:13	7.50	220	75	269	63	200	114.55	800	3.15	12.87
77	1	27	2009/12/11	00:04:16	7.60	220	77	272	64	203	116.36	812	3.03	13.09
78	1	27	2009/12/11	00:04:19	7.70	220	76	275	64	205	116.36	820	3.03	12.98
79	1	27	2009/12/11	00:04:22	7.80	220	74	279	65	208	118.18	832	2.92	12.98
80	1	27	2009/12/11	00:04:24	7.90	220	74	282	65	211	118.18	844	2.92	12.87
81	1	27	2009/12/11	00:04:27	8.00	220	77	286	64	214	116.36	856	3.03	12.87
82	1	27	2009/12/11	00:04:30	8.10	220	76	289	64	217	116.36	868	3.03	12.76
83	1	27	2009/12/11	00:04:32	8.20	220	74	293	63	220	114.55	880	3.15	12.76
84	1	27	2009/12/11	00:04:35	8.30	220	74	296	63	223	114.55	892	3.15	12.87
85	1	27	2009/12/11	00:04:38	8.40	220	76	300	56	226	101.82	904	3.94	12.76
86	1	27	2009/12/11	00:04:41	8.50	220	75	303	58	228	105.45	912	4.06	13.09
87	1	27	2009/12/11	00:04:43	8.60	220	72	306	59	231	107.27	924	3.60	13.09
88	1	27	2009/12/11	00:04:46	8.70	220	73	310	57	234	103.64	936	3.83	12.98
89</														

施工データ

現場：唐津T1現場A
担当：唐津太郎

	号棟	杭番	日付	時間	深度 (m)	フィード 速度 (cm/min)	瞬時 流量 (L/min)	積算 流量 (L)	回転数 (min ⁻¹)	積算 回転数 (Rev)	羽根 切回転数 (min ⁻¹)	羽根 切回数 (Rev)	回転 トルク (kN・m)	圧入力 (kN)
91	1	27	2009/12/11	00:04:57	9.00	192	77	324	54	244	112.50	976	4.17	12.98
92	1	27	2009/12/11	00:04:58	9.01	192	74	324	53	244	110.42	976	4.17	12.76
93	1	27	2009/12/11	00:05:06	9.00	4	77	335	71	253	999.99	1012	2.38	0.00
94	1	27	2009/12/11	00:05:08	8.90	233	77	338	67	256	115.02	1024	2.33	0.00
95	1	27	2009/12/11	00:05:11	8.80	220	75	341	67	259	121.82	1036	2.39	0.00
96	1	27	2009/12/11	00:05:14	8.70	220	73	345	64	262	116.36	1048	3.03	0.00
97	1	27	2009/12/11	00:05:16	8.60	220	74	348	65	265	118.18	1060	2.92	0.00
98	1	27	2009/12/11	00:05:19	8.50	220	75	352	65	268	118.18	1072	2.92	0.00
99	1	27	2009/12/11	00:05:22	8.40	220	74	355	64	271	116.36	1084	3.03	0.00
100	1	27	2009/12/11	00:05:25	8.30	220	72	358	64	274	116.36	1096	3.03	0.00
101	1	27	2009/12/11	00:05:27	8.20	220	75	362	64	277	116.36	1108	3.03	0.00
102	1	27	2009/12/11	00:05:30	8.10	220	76	365	64	280	116.36	1120	3.03	0.00
103	1	27	2009/12/11	00:05:33	8.00	220	75	369	64	283	116.36	1132	3.03	0.00
104	1	27	2009/12/11	00:05:36	7.90	220	74	372	64	286	116.36	1144	3.15	0.00
105	1	27	2009/12/11	00:05:38	7.80	228	75	375	64	289	112.28	1156	3.03	0.00
106	1	27	2009/12/11	00:05:41	7.70	220	77	379	64	292	116.36	1168	3.03	0.00
107	1	27	2009/12/11	00:05:44	7.60	220	76	382	64	295	116.36	1180	3.03	0.00
108	1	27	2009/12/11	00:05:47	7.50	220	73	386	65	298	118.18	1192	2.42	0.00
109	1	27	2009/12/11	00:05:49	7.40	220	75	389	64	301	116.36	1204	2.49	0.00
110	1	27	2009/12/11	00:05:52	7.30	220	75	393	65	303	118.18	1212	2.47	0.00
111	1	27	2009/12/11	00:05:55	7.20	220	75	396	66	306	120.00	1224	2.41	0.00
112	1	27	2009/12/11	00:05:57	7.10	220	72	399	66	310	120.00	1240	2.40	0.00
113	1	27	2009/12/11	00:06:00	7.00	228	73	403	67	313	117.54	1252	2.37	0.00
114	1	27	2009/12/11	00:06:03	6.90	220	76	406	67	316	121.82	1264	2.40	0.00
115	1	27	2009/12/11	00:06:06	6.80	220	75	410	67	319	121.82	1276	2.34	0.00
116	1	27	2009/12/11	00:06:08	6.70	220	73	413	66	322	120.00	1288	2.36	0.00
117	1	27	2009/12/11	00:06:11	6.60	220	74	417	66	325	120.00	1300	2.38	0.00
118	1	27	2009/12/11	00:06:14	6.50	220	77	420	66	328	120.00	1312	2.33	0.00
119	1	27	2009/12/11	00:06:17	6.40	220	77	423	68	331	123.64	1324	2.31	0.00
120	1	27	2009/12/11	00:06:19	6.30	220	74	427	67	334	121.82	1336	2.33	0.00
121	1	27	2009/12/11	00:06:22	6.20	220	74	430	68	337	123.64	1348	2.30	0.00
122	1	27	2009/12/11	00:06:25	6.10	220	76	434	68	340	123.64	1360	2.23	0.00
123	1	27	2009/12/11	00:06:28	6.00	220	75	437	68	343	123.64	1372	2.27	0.00
124	1	27	2009/12/11	00:06:30	5.90	220	72	441	68	346	123.64	1384	2.28	0.00
125	1	27	2009/12/11	00:06:33	5.80	220	72	444	67	350	121.82	1400	2.24	0.00
126	1	27	2009/12/11	00:06:36	5.70	220	75	447	68	353	123.64	1412	2.20	0.00
127	1	27	2009/12/11	00:06:38	5.60	220	75	451	68	356	123.64	1424	2.24	0.00
128	1	27	2009/12/11	00:06:41	5.50	220	73	454	69	359	125.45	1436	2.20	0.00
129	1	27	2009/12/11	00:06:41	5.49	220	75	454	69	359	125.45	1436	2.19	0.00
130	1	27	2009/12/11	00:06:44	5.50	0	76	458	71	363	999.99	1452	2.16	12.98
131	1	27	2009/12/11	00:06:47	5.60	215	46	461	68	366	126.51	1464	2.09	12.76
132	1	27	2009/12/11	00:06:50	5.70	230	18	462	71	369	123.48	1476	2.02	12.76
133	1	27	2009/12/11	00:06:52	5.80	230	7	463	72	372	125.22	1488	1.80	12.87
134	1	27	2009/12/11	00:06:55	5.90	230	0	463	73	375	126.96	1500	1.85	13.09
135	1	27	2009/12/11	00:06:57	6.00	230	0	463	72	378	125.22	1512	1.75	12.65
136	1	27	2009/12/11	00:07:00	6.10	230	0	463	71	381	123.48	1524	1.93	12.87
137	1	27	2009/12/11	00:07:03	6.20	230	0	463	72	384	125.22	1536	2.03	12.76
138	1	27	2009/12/11	00:07:05	6.30	230	0	463	72	388	125.22	1552	1.86	12.98
139	1	27	2009/12/11	00:07:08	6.40	230	0	463	71	391	123.48	1564	2.05	12.98
140	1	27	2009/12/11	00:07:10	6.50	230	0	463	71	394	123.48	1576	1.99	13.20
141	1	27	2009/12/11	00:07:13	6.60	224	0	463	71	397	126.79	1588	2.33	12.87
142	1	27	2009/12/11	00:07:16	6.70	230	0	463	71	400	123.48	1600	2.19	12.87
143	1	27	2009/12/11	00:07:18	6.80	237	0	463	72	403	121.52	1612	1.87	12.87
144	1	27	2009/12/11	00:07:21	6.90	224	0	463	70	406	125.00	1624	2.17	12.87
145	1	27	2009/12/11	00:07:24	7.00	230	0	463	72	409	125.22	1636	2.13	12.54
146	1	27	2009/12/11	00:07:26	7.10	230	0	463	71	413	123.48	1652	2.13	12.76
147	1	27	2009/12/11	00:07:29	7.20	230	0	463	71	416	123.48	1664	1.95	12.76
148	1	27	2009/12/11	00:07:31	7.30	230	0	463	71	419	123.48	1676	2.18	12.87
149	1	27	2009/12/11	00:07:34	7.40	230	0	463	72	422	125.22	1688	2.00	12.76
150	1	27	2009/12/11	00:07:37	7.50	230	0	463	71	425	123.48	1700	2.16	12.98
151	1	27	2009/12/11	00:07:39	7.60	237	0	463	71	428	119.83	1712	2.03	12.76
152	1	27	2009/12/11	00:07:42	7.70	224	0	463	70	431	125.00	1724	2.22	12.76
153	1	27	2009/12/11	00:07:44	7.80	230	0	463	70	434	121.74	1736	2.35	12.76
154	1	27	2009/12/11	00:07:47	7.90	230	0	463	71	437	123.48	1748	2.23	12.76
155	1	27	2009/12/11	00:07:50	8.00	230	0	463	69	440	120.00	1760	2.23	12.87
156	1	27	2009/12/11	00:07:52	8.10	230	0	463	70	443	121.74	1772	2.47	12.87
157	1	27	2009/12/11	00:07:55	8.20	237	0	463	71	447	119.83	1788	2.35	12.76
158	1	27	2009/12/11	00:07:57	8.30	230	0	463	71	450	123.48	1800	2.30	12.76
159	1	27	2009/12/11	00:08:00	8.40	230	0	463	70	453	121.74	1812	2.40	12.87
160	1	27	2009/12/11	00:08:03	8.50	230	0	463	69	456	120.00	1824	2.33	12.87
161	1	27	2009/12/11	00:08:05	8.60	224	0	463	69	459	123.21	1836	2.46	12.87
162	1	27	2009/12/11	00:08:08	8.70	230	0	463	70	462	121.74	1848	2.40	12.76
163	1	27	2009/12/11	00:08:11	8.80	230	0	463	70	465	121.74	1860	2.35	12.76
164	1	27	2009/12/11	00:08:13	8.90	230	0	463	69	468	120.00	1872	2.46	12.98
165	1	27	2009/12/11	00:08:16	9.00	230	0	463	70	471	121.74	1884	2.39	12.98
166	1	27	2009/12/11	00:08:16	9.01	230	0	463	70	471	121.74	1884	2.46	12.87
167	1	27	2009/12/11	00:08:20	9.00	0	0	463	58	476	999.99	1904	2.09	0.00
168	1	27	2009/12/11	00:08:22	8.90	210	0	463	68	478	129.52	1912	2.29	0.00
169	1	27	2009/12/11	00:08:24	8.80	479	0	463	62	480	51.77	1920	2.37	0.00
170	1	27	2009/12/11	00:08:25	8.70	500	0	463	61	481	48.80	1924	2.40	0.00
171	1	27	2009/12/11	00:08:26	8.60	493	0	463	60	482	48.68	1928	2.46	0.00
172	1	27	2009/12/11	00:08:27	8.50	500	0	463	60	483	48.00	1932	2.43	0.00
173	1	27	2009/12/11	00:08:30	8.60	537	0	463	66	486	49.16	1944	2.80	12.98
174	1	27	2009/12/11	00:08:31	8.70	515	0	463	66	488	51.26	1952	2.80	12.98
175	1	27	2009/12/11	00:08:32	8.80	500	0	463	64	489	51.20	1956	3.03	13.20
176	1	27	2009/12/11	00:08:33	8.90	506	0	463	66	490	52.17	1960	2.80	12.87
177	1	27	2009/12/11	00:08:35	9.00	506	0	463	68</					

施工データ

現場：唐津1st現場A
担当：唐津太郎

	号棟	杭番	日付	時間	深度 (m)	フィード 速度 (cm/min)	瞬時 流量 (L/min)	積算 流量 (L)	回転数 (min ⁻¹)	積算 回転数 (Rev)	羽根 切回転数 (min ⁻¹)	羽根 切回数 (Rev)	回転 トルク (kN・m)	圧入力 (kN)
361	1	27	2009/12/11	00:17:13	2.90	230	0	662	63	1014	109.57	4056	2.44	0.00
362	1	27	2009/12/11	00:17:16	2.80	230	0	662	64	1017	111.30	4068	2.48	0.00
363	1	27	2009/12/11	00:17:18	2.70	230	0	662	63	1020	109.57	4080	3.15	0.00
364	1	27	2009/12/11	00:17:21	2.60	224	0	662	59	1023	105.36	4092	3.60	0.00
365	1	27	2009/12/11	00:17:23	2.50	230	0	662	58	1025	100.87	4100	3.72	0.00
366	1	27	2009/12/11	00:17:26	2.40	230	0	662	58	1028	100.87	4112	3.72	0.00
367	1	27	2009/12/11	00:17:29	2.30	230	0	662	61	1030	106.09	4120	3.49	0.00
368	1	27	2009/12/11	00:17:31	2.20	230	0	662	60	1033	104.35	4132	2.48	0.00
369	1	27	2009/12/11	00:17:34	2.10	224	0	662	61	1036	108.93	4144	2.38	0.00
370	1	27	2009/12/11	00:17:36	2.00	230	0	662	61	1038	106.09	4152	2.48	0.00
371	1	27	2009/12/11	00:17:39	1.90	230	0	662	63	1041	109.57	4164	2.39	0.00
372	1	27	2009/12/11	00:17:42	1.80	230	0	662	62	1044	107.83	4176	2.30	0.00
373	1	27	2009/12/11	00:17:44	1.70	230	0	662	63	1047	109.57	4188	2.35	0.00
374	1	27	2009/12/11	00:17:47	1.60	230	0	662	63	1049	109.57	4196	2.14	0.00
375	1	27	2009/12/11	00:17:50	1.50	230	0	662	64	1052	111.30	4208	2.07	0.00
376	1	27	2009/12/11	00:17:52	1.40	230	0	662	67	1055	116.52	4220	2.17	0.00
377	1	27	2009/12/11	00:17:55	1.30	230	0	662	68	1058	118.26	4232	2.04	0.00
378	1	27	2009/12/11	00:17:57	1.20	230	0	662	68	1061	118.26	4244	2.18	0.00
379	1	27	2009/12/11	00:18:00	1.10	230	0	662	67	1064	116.52	4256	2.07	0.00
380	1	27	2009/12/11	00:18:03	1.00	230	0	662	66	1067	114.78	4268	2.23	0.00
381	1	27	2009/12/11	00:18:05	0.90	230	0	662	65	1070	113.04	4280	2.10	0.00
382	1	27	2009/12/11	00:18:08	0.80	230	0	662	67	1073	116.52	4292	2.01	0.00
383	1	27	2009/12/11	00:18:10	0.70	230	0	662	70	1076	121.74	4304	1.91	0.00
384	1	27	2009/12/11	00:18:13	0.60	230	0	662	71	1079	123.48	4316	5.63	0.00
385	1	27	2009/12/11	00:18:15	0.50	237	0	662	33	1080	55.70	4320	2.81	0.00
386	1	27	2009/12/11	00:18:18	0.40	230	0	662	25	1081	43.48	4324	2.69	0.00
387	1	27	2009/12/11	00:18:21	0.30	230	0	662	25	1082	43.48	4328	2.48	0.00
388	1	27	2009/12/11	00:18:23	0.20	230	0	662	25	1083	43.48	4332	2.42	0.00
389	1	27	2009/12/11	00:18:26	0.10	224	0	662	25	1085	44.64	4340	2.40	0.00
390	1	27	2009/12/11	00:18:32	0.10	246	0	662	25	1087	40.65	4348	2.43	12.76
391	1	27	2009/12/11	00:18:34	0.20	506	0	662	25	1088	19.76	4352	2.43	12.87
392	1	27	2009/12/11	00:18:35	0.30	500	0	662	25	1088	20.00	4352	0.86	12.65
393	1	27	2009/12/11	00:18:36	0.40	506	0	662	30	1089	23.72	4356	1.04	13.09
394	1	27	2009/12/11	00:18:40	0.50	0	0	662	73	1094	999.99	4376	1.56	12.65
395	1	27	2009/12/11	00:18:42	0.60	349	0	662	72	1095	82.52	4380	1.71	12.87
396	1	27	2009/12/11	00:18:43	0.70	466	0	662	72	1097	61.80	4388	1.88	12.87
397	1	27	2009/12/11	00:18:44	0.80	488	0	662	71	1098	58.20	4392	2.02	12.98
398	1	27	2009/12/11	00:18:46	0.90	493	0	662	70	1100	56.80	4400	2.15	12.87
399	1	27	2009/12/11	00:18:47	1.00	500	0	662	70	1101	56.00	4404	2.38	12.87
400	1	27	2009/12/11	00:18:50	0.90	434	0	662	66	1106	60.83	4424	2.22	0.00
401	1	27	2009/12/11	00:18:52	0.80	515	0	662	65	1107	50.49	4428	2.01	0.00
402	1	27	2009/12/11	00:18:53	0.70	506	0	662	66	1108	52.17	4432	1.90	0.00
403	1	27	2009/12/11	00:18:54	0.60	510	0	662	70	1110	54.90	4440	1.76	0.00
404	1	27	2009/12/11	00:18:55	0.50	506	0	662	71	1111	56.13	4444	1.68	0.00
405	1	27	2009/12/11	00:18:58	0.30	515	0	662	74	1114	57.48	4456	1.24	0.00
406	1	27	2009/12/11	00:18:59	0.20	500	0	662	72	1115	57.60	4460	1.26	0.00
407	1	27	2009/12/11	00:19:00	0.10	506	0	662	74	1117	58.50	4468	1.16	0.00

施工データ

現場：唐津1現場A

担当：唐津太郎

	号棟	杭番	日付	時間	深度 (m)	フィード 速度 (cm/min)	瞬時 流量 (L/min)	積算 流量 (L)	回転数 (min ⁻¹)	積算 回転数 (Rev)	羽根 切回転数 (min ⁻¹)	羽根 切回数 (Rev)	回転 トルク (kN・m)	圧入力 (kN)
361	1	23	2009/12/12	00:16:24	3.00	300	0	673	63	943	84.00	3772	2.47	0.00
362	1	23	2009/12/12	00:16:26	2.90	300	0	673	61	945	81.33	3780	2.45	0.00
363	1	23	2009/12/12	00:16:28	2.80	300	0	673	62	947	82.67	3788	2.38	0.00
364	1	23	2009/12/12	00:16:30	2.70	300	0	673	60	949	80.00	3796	3.49	0.00
365	1	23	2009/12/12	00:16:32	2.60	300	0	673	56	951	74.67	3804	3.94	0.00
366	1	23	2009/12/12	00:16:34	2.50	300	0	673	53	952	70.67	3808	4.29	0.00
367	1	23	2009/12/12	00:16:36	2.40	300	0	673	53	954	70.67	3816	4.29	0.00
368	1	23	2009/12/12	00:16:38	2.30	300	0	673	52	956	69.33	3824	4.40	0.00
369	1	23	2009/12/12	00:16:40	2.20	300	0	673	51	958	68.00	3832	4.51	0.00
370	1	23	2009/12/12	00:16:42	2.10	300	0	673	50	959	66.67	3836	4.63	0.00
371	1	23	2009/12/12	00:16:44	2.00	300	0	673	49	961	65.33	3844	4.74	0.00
372	1	23	2009/12/12	00:16:46	1.90	300	0	673	47	963	62.67	3852	4.97	0.00
373	1	23	2009/12/12	00:16:48	1.80	300	0	673	49	964	65.33	3856	4.74	0.00
374	1	23	2009/12/12	00:16:50	1.70	300	0	673	51	966	68.00	3864	4.51	0.00
375	1	23	2009/12/12	00:16:52	1.60	300	0	673	55	968	73.33	3872	4.06	0.00
376	1	23	2009/12/12	00:16:54	1.50	300	0	673	54	970	72.00	3880	2.37	0.00
377	1	23	2009/12/12	00:16:56	1.40	300	0	673	57	972	76.00	3888	3.83	0.00
378	1	23	2009/12/12	00:16:58	1.30	300	0	673	61	974	81.33	3896	2.47	0.00
379	1	23	2009/12/12	00:17:00	1.20	300	0	673	64	976	85.33	3904	2.31	0.00
380	1	23	2009/12/12	00:17:02	1.10	300	0	673	66	978	88.00	3912	2.21	0.00
381	1	23	2009/12/12	00:17:04	1.00	300	0	673	65	980	86.67	3920	2.32	0.00
382	1	23	2009/12/12	00:17:06	0.90	300	0	673	67	982	89.33	3928	1.86	0.00
383	1	23	2009/12/12	00:17:08	0.80	300	0	673	69	985	92.00	3940	1.81	0.00
384	1	23	2009/12/12	00:17:10	0.70	300	0	673	67	987	89.33	3948	1.76	0.00
385	1	23	2009/12/12	00:17:12	0.60	318	0	673	71	989	89.31	3956	1.52	0.00
386	1	23	2009/12/12	00:17:14	0.50	300	0	673	72	992	96.00	3968	1.36	0.00
387	1	23	2009/12/12	00:17:16	0.40	300	0	673	71	994	94.67	3976	1.49	0.00
388	1	23	2009/12/12	00:17:18	0.30	300	0	673	72	997	96.00	3988	1.37	0.00
389	1	23	2009/12/12	00:17:20	0.20	300	0	673	73	999	97.33	3996	1.35	0.00
390	1	23	2009/12/12	00:17:22	0.10	300	0	673	74	1001	98.67	4004	1.24	0.00
391	1	23	2009/12/12	00:17:27	0.10	367	0	673	25	1005	27.25	4020	0.82	12.76
392	1	23	2009/12/12	00:17:28	0.20	488	0	673	28	1006	22.95	4024	0.89	12.76
393	1	23	2009/12/12	00:17:29	0.30	488	0	673	33	1006	27.05	4024	1.02	12.65
394	1	23	2009/12/12	00:17:31	0.40	183	0	673	58	1009	126.78	4036	1.63	12.76
395	1	23	2009/12/12	00:17:33	0.50	385	0	673	72	1010	74.81	4040	1.64	13.09
396	1	23	2009/12/12	00:17:34	0.60	500	0	673	72	1012	57.60	4048	1.59	12.76
397	1	23	2009/12/12	00:17:35	0.70	500	0	673	72	1013	57.60	4052	1.80	12.65
398	1	23	2009/12/12	00:17:36	0.80	500	0	673	71	1015	56.80	4060	1.68	12.65
399	1	23	2009/12/12	00:17:38	0.90	493	0	673	71	1016	57.61	4064	2.04	12.65
400	1	23	2009/12/12	00:17:43	0.90	519	0	673	68	1022	52.41	4088	1.85	0.00
401	1	23	2009/12/12	00:17:44	0.80	515	0	673	70	1024	54.37	4096	1.69	0.00
402	1	23	2009/12/12	00:17:45	0.70	500	0	673	70	1025	56.00	4100	1.58	0.00
403	1	23	2009/12/12	00:17:46	0.60	506	0	673	72	1027	56.92	4108	1.56	0.00
404	1	23	2009/12/12	00:17:47	0.50	506	0	673	72	1028	56.92	4112	1.51	0.00
405	1	23	2009/12/12	00:17:49	0.40	500	0	673	72	1029	57.60	4116	1.50	0.00
406	1	23	2009/12/12	00:17:50	0.30	510	0	673	72	1031	56.47	4124	1.59	0.00
407	1	23	2009/12/12	00:17:51	0.20	500	0	673	72	1032	57.60	4128	1.26	0.00
408	1	23	2009/12/12	00:17:52	0.10	506	0	673	73	1034	57.71	4136	1.23	0.00
409	1	23	2009/12/12	00:18:00	-0.30	672	0	673	0	1041	0.00	4164	0.00	0.00

施工データ

現場：唐津1現場A
担当：唐津太郎

	号棟	杭番	日付	時間	深度 (m)	フィード 速度 (cm/min)	瞬時 流量 (L/min)	積算 流量 (L)	回転数 (min ⁻¹)	積算 回転数 (Rev)	羽根 切回転数 (min ⁻¹)	羽根 切回数 (Rev)	回転 トルク (kN・m)	圧入力 (kN)
361	1	35	2009/12/11	00:17:17	2.90	230	0	675	65	1059	113.04	4236	2.40	0.00
362	1	35	2009/12/11	00:17:19	2.80	230	0	675	64	1062	111.30	4248	2.43	0.00
363	1	35	2009/12/11	00:17:22	2.70	230	0	675	63	1065	109.57	4260	3.15	0.00
364	1	35	2009/12/11	00:17:25	2.60	230	0	675	63	1067	109.57	4268	3.15	0.00
365	1	35	2009/12/11	00:17:27	2.50	237	0	675	62	1070	104.64	4280	3.26	0.00
366	1	35	2009/12/11	00:17:30	2.40	230	0	675	62	1073	107.83	4292	2.43	0.00
367	1	35	2009/12/11	00:17:33	2.30	230	0	675	64	1076	111.30	4304	2.25	0.00
368	1	35	2009/12/11	00:17:35	2.20	230	0	675	62	1078	107.83	4312	2.15	0.00
369	1	35	2009/12/11	00:17:38	2.10	230	0	675	63	1081	109.57	4324	2.33	0.00
370	1	35	2009/12/11	00:17:40	2.00	230	0	675	63	1084	109.57	4336	2.24	0.00
371	1	35	2009/12/11	00:17:43	1.90	230	0	675	63	1087	109.57	4348	2.24	0.00
372	1	35	2009/12/11	00:17:46	1.80	230	0	675	65	1090	113.04	4360	2.14	0.00
373	1	35	2009/12/11	00:17:48	1.70	230	0	675	67	1092	116.52	4368	2.02	0.00
374	1	35	2009/12/11	00:17:51	1.60	230	0	675	68	1095	118.26	4380	1.95	0.00
375	1	35	2009/12/11	00:17:53	1.50	230	0	675	68	1098	118.26	4392	2.08	0.00
376	1	35	2009/12/11	00:17:56	1.40	219	0	675	65	1101	118.72	4404	2.23	0.00
377	1	35	2009/12/11	00:17:59	1.30	230	0	675	68	1104	118.26	4416	2.09	0.00
378	1	35	2009/12/11	00:18:01	1.20	230	0	675	68	1107	118.26	4428	2.33	0.00
379	1	35	2009/12/11	00:18:04	1.10	230	0	675	67	1110	116.52	4440	2.29	0.00
380	1	35	2009/12/11	00:18:06	1.00	230	0	675	67	1113	116.52	4452	2.12	0.00
381	1	35	2009/12/11	00:18:09	0.90	224	0	675	68	1116	121.43	4464	2.07	0.00
382	1	35	2009/12/11	00:18:12	0.80	230	0	675	70	1119	121.74	4476	2.04	0.00
383	1	35	2009/12/11	00:18:14	0.70	230	0	675	71	1122	123.48	4488	1.85	0.00
384	1	35	2009/12/11	00:18:17	0.60	230	0	675	72	1125	125.22	4500	1.72	0.00
385	1	35	2009/12/11	00:18:19	0.50	230	0	675	72	1128	125.22	4512	1.65	0.00
386	1	35	2009/12/11	00:18:22	0.40	230	0	675	72	1131	125.22	4524	1.64	0.00
387	1	35	2009/12/11	00:18:25	0.30	230	0	675	73	1135	126.96	4540	1.42	0.00
388	1	35	2009/12/11	00:18:27	0.20	230	0	675	74	1138	128.70	4552	1.30	0.00
389	1	35	2009/12/11	00:18:30	0.10	230	0	675	74	1141	128.70	4564	1.26	0.00
390	1	35	2009/12/11	00:18:38	0.10	277	0	675	25	1148	36.10	4592	2.43	12.87
391	1	35	2009/12/11	00:18:39	0.20	372	0	675	25	1148	26.88	4592	0.85	12.87
392	1	35	2009/12/11	00:18:40	0.30	479	0	675	28	1149	23.38	4596	0.97	12.87
393	1	35	2009/12/11	00:18:42	0.40	493	0	675	45	1150	36.51	4600	1.24	12.76
394	1	35	2009/12/11	00:18:43	0.50	500	0	675	62	1152	49.60	4608	1.66	12.54
395	1	35	2009/12/11	00:18:44	0.60	484	0	675	72	1153	59.50	4612	1.73	12.65
396	1	35	2009/12/11	00:18:45	0.70	500	0	675	72	1154	57.60	4616	1.72	12.76
397	1	35	2009/12/11	00:18:46	0.80	500	0	675	72	1156	57.60	4624	1.89	12.76
398	1	35	2009/12/11	00:18:48	0.90	500	0	675	70	1157	56.00	4628	2.06	12.98
399	1	35	2009/12/11	00:18:49	1.00	500	0	675	71	1159	56.80	4636	2.15	12.87
400	1	35	2009/12/11	00:18:51	0.90	528	0	675	67	1162	50.76	4648	1.95	0.00
401	1	35	2009/12/11	00:18:53	0.80	500	0	675	67	1163	53.60	4652	1.98	0.00
402	1	35	2009/12/11	00:18:54	0.70	510	0	675	68	1164	53.33	4656	1.87	0.00
403	1	35	2009/12/11	00:18:55	0.60	500	0	675	69	1166	55.20	4664	1.70	0.00
404	1	35	2009/12/11	00:18:56	0.50	510	0	675	72	1167	56.47	4668	1.59	0.00
405	1	35	2009/12/11	00:18:57	0.40	500	0	675	71	1169	56.80	4676	1.55	0.00
406	1	35	2009/12/11	00:18:59	0.30	506	0	675	72	1170	56.92	4680	1.43	0.00
407	1	35	2009/12/11	00:19:00	0.20	510	0	675	73	1172	57.25	4688	1.34	0.00
408	1	35	2009/12/11	00:19:01	0.10	506	0	675	72	1173	56.92	4692	1.21	0.00
409	1	35	2009/12/11	00:19:08	-0.32	658	0	675	13	1180	7.90	4720	0.00	0.00

施工データ

現場：唐津1st現場A
担当：唐津太郎

	号棟	杭番	日付	時間	深度 (m)	フィード 速度 (cm/min)	瞬時 流量 (L/min)	積算 流量 (L)	回転数 (min ⁻¹)	積算 回転数 (Rev)	羽根 切回転数 (min ⁻¹)	羽根 切回数 (Rev)	回転 トルク (kN・m)	圧入力 (kN)
361	1	15	2009/12/12	00:16:24	3.00	300	0	675	64	958	85.33	3832	2.43	0.00
362	1	15	2009/12/12	00:16:26	2.90	300	0	675	61	960	81.33	3840	3.37	0.00
363	1	15	2009/12/12	00:16:28	2.80	291	0	675	58	962	79.73	3848	3.72	0.00
364	1	15	2009/12/12	00:16:30	2.70	300	0	675	56	963	74.67	3852	3.94	0.00
365	1	15	2009/12/12	00:16:32	2.60	300	0	675	54	965	72.00	3860	4.17	0.00
366	1	15	2009/12/12	00:16:34	2.50	300	0	675	53	967	70.67	3868	4.29	0.00
367	1	15	2009/12/12	00:16:36	2.40	291	0	675	57	969	78.35	3876	3.83	0.00
368	1	15	2009/12/12	00:16:38	2.30	300	0	675	57	971	76.00	3884	3.83	0.00
369	1	15	2009/12/12	00:16:40	2.20	300	0	675	57	973	76.00	3892	3.83	0.00
370	1	15	2009/12/12	00:16:42	2.10	300	0	675	53	975	70.67	3900	4.29	0.00
371	1	15	2009/12/12	00:16:44	2.00	300	0	675	55	976	73.33	3904	4.06	0.00
372	1	15	2009/12/12	00:16:46	1.90	300	0	675	58	978	77.33	3912	3.72	0.00
373	1	15	2009/12/12	00:16:48	1.80	300	0	675	59	980	78.67	3920	2.47	0.00
374	1	15	2009/12/12	00:16:50	1.70	300	0	675	60	982	80.00	3928	3.49	0.00
375	1	15	2009/12/12	00:16:52	1.60	300	0	675	60	984	80.00	3936	3.49	0.00
376	1	15	2009/12/12	00:16:54	1.50	300	0	675	60	986	80.00	3944	3.49	0.00
377	1	15	2009/12/12	00:16:56	1.40	300	0	675	61	988	81.33	3952	2.47	0.00
378	1	15	2009/12/12	00:16:58	1.30	300	0	675	62	990	82.67	3960	2.41	0.00
379	1	15	2009/12/12	00:17:00	1.20	300	0	675	63	993	84.00	3972	2.30	0.00
380	1	15	2009/12/12	00:17:02	1.10	300	0	675	62	995	82.67	3980	2.22	0.00
381	1	15	2009/12/12	00:17:04	1.00	300	0	675	65	997	86.67	3988	2.10	0.00
382	1	15	2009/12/12	00:17:06	0.90	300	0	675	67	999	89.33	3996	1.88	0.00
383	1	15	2009/12/12	00:17:08	0.80	300	0	675	70	1001	93.33	4004	1.76	0.00
384	1	15	2009/12/12	00:17:10	0.70	300	0	675	71	1004	94.67	4016	1.62	0.00
385	1	15	2009/12/12	00:17:12	0.60	300	0	675	71	1006	94.67	4024	1.63	0.00
386	1	15	2009/12/12	00:17:14	0.50	300	0	675	72	1009	96.00	4036	1.35	0.00
387	1	15	2009/12/12	00:17:16	0.40	300	0	675	72	1011	96.00	4044	1.33	0.00
388	1	15	2009/12/12	00:17:18	0.30	300	0	675	73	1013	97.33	4052	1.31	0.00
389	1	15	2009/12/12	00:17:20	0.20	300	0	675	73	1016	97.33	4064	1.24	0.00
390	1	15	2009/12/12	00:17:22	0.10	300	0	675	74	1018	98.67	4072	1.22	0.00
391	1	15	2009/12/12	00:17:28	0.10	277	0	675	30	1024	43.32	4096	0.80	12.76
392	1	15	2009/12/12	00:17:29	0.20	484	0	675	27	1024	22.31	4096	0.88	12.65
393	1	15	2009/12/12	00:17:30	0.30	500	0	675	42	1025	33.60	4100	1.11	12.54
394	1	15	2009/12/12	00:17:33	0.40	0	0	675	72	1028	999.99	4112	1.58	12.76
395	1	15	2009/12/12	00:17:34	0.50	452	0	675	73	1029	64.60	4116	1.48	12.65
396	1	15	2009/12/12	00:17:35	0.60	506	0	675	72	1031	56.92	4124	1.52	12.98
397	1	15	2009/12/12	00:17:36	0.70	510	0	675	73	1032	57.25	4128	1.50	12.76
398	1	15	2009/12/12	00:17:38	0.80	506	0	675	73	1034	57.71	4136	1.57	12.98
399	1	15	2009/12/12	00:17:39	0.90	500	0	675	71	1035	56.80	4140	1.77	12.65
400	1	15	2009/12/12	00:17:40	1.00	493	0	675	71	1037	57.61	4148	2.03	12.98
401	1	15	2009/12/12	00:17:41	1.10	493	0	675	70	1038	56.80	4152	2.26	12.76
402	1	15	2009/12/12	00:17:44	1.00	304	0	675	69	1041	90.79	4164	1.98	0.00
403	1	15	2009/12/12	00:17:45	0.90	457	0	675	70	1043	61.27	4172	1.89	0.00
404	1	15	2009/12/12	00:17:46	0.80	510	0	675	69	1044	54.12	4176	1.73	0.00
405	1	15	2009/12/12	00:17:47	0.70	515	0	675	71	1045	55.15	4180	1.71	0.00
406	1	15	2009/12/12	00:17:48	0.60	510	0	675	72	1047	56.47	4188	1.56	0.00
407	1	15	2009/12/12	00:17:50	0.50	506	0	675	71	1048	56.13	4192	1.46	0.00
408	1	15	2009/12/12	00:17:51	0.40	506	0	675	72	1050	56.92	4200	1.38	0.00
409	1	15	2009/12/12	00:17:52	0.30	506	0	675	72	1051	56.92	4204	1.39	0.00
410	1	15	2009/12/12	00:17:53	0.20	510	0	675	73	1052	57.25	4208	1.22	0.00
411	1	15	2009/12/12	00:17:54	0.10	510	0	675	73	1054	57.25	4216	1.19	0.00
412	1	15	2009/12/12	00:18:01	-0.30	708	0	675	24	1060	13.56	4240	0.00	0.00

施工データ

現場：唐津1st現場A

担当：唐津太郎

	号棟	杭番	日付	時間	深度 (m)	フィード 速度 (cm/min)	瞬時 流量 (L/min)	積算 流量 (L)	回転数 (min ⁻¹)	積算 回転数 (Rev)	羽根 切回転数 (min ⁻¹)	羽根 切回数 (Rev)	回転 トルク (kN・m)	圧入力 (kN)
361	1	30	2009/12/12	00:16:27	3.10	300	0	671	61	955	81.33	3820	3.37	0.00
362	1	30	2009/12/12	00:16:29	3.00	300	0	671	61	957	81.33	3828	2.48	0.00
363	1	30	2009/12/12	00:16:31	2.90	300	0	671	61	959	81.33	3836	2.39	0.00
364	1	30	2009/12/12	00:16:33	2.80	300	0	671	62	961	82.67	3844	2.44	0.00
365	1	30	2009/12/12	00:16:35	2.70	300	0	671	60	963	80.00	3852	3.49	0.00
366	1	30	2009/12/12	00:16:37	2.60	300	0	671	57	965	76.00	3860	3.83	0.00
367	1	30	2009/12/12	00:16:39	2.50	300	0	671	55	967	73.33	3868	4.06	0.00
368	1	30	2009/12/12	00:16:41	2.40	300	0	671	55	968	73.33	3872	4.06	0.00
369	1	30	2009/12/12	00:16:43	2.30	300	0	671	59	970	78.67	3880	3.60	0.00
370	1	30	2009/12/12	00:16:45	2.20	300	0	671	58	972	77.33	3888	2.43	0.00
371	1	30	2009/12/12	00:16:47	2.10	300	0	671	57	974	76.00	3896	3.83	0.00
372	1	30	2009/12/12	00:16:49	2.00	300	0	671	58	976	77.33	3904	2.48	0.00
373	1	30	2009/12/12	00:16:51	1.90	300	0	671	60	978	80.00	3912	2.46	0.00
374	1	30	2009/12/12	00:16:53	1.80	309	0	671	61	980	78.96	3920	2.48	0.00
375	1	30	2009/12/12	00:16:55	1.70	300	0	671	63	982	84.00	3928	2.38	0.00
376	1	30	2009/12/12	00:16:57	1.60	300	0	671	64	984	85.33	3936	2.27	0.00
377	1	30	2009/12/12	00:16:59	1.50	300	0	671	64	987	85.33	3948	2.42	0.00
378	1	30	2009/12/12	00:17:01	1.40	300	0	671	66	989	88.00	3956	2.17	0.00
379	1	30	2009/12/12	00:17:03	1.30	300	0	671	68	991	90.67	3964	2.25	0.00
380	1	30	2009/12/12	00:17:05	1.20	300	0	671	63	993	84.00	3972	2.07	0.00
381	1	30	2009/12/12	00:17:07	1.10	300	0	671	64	995	85.33	3980	2.16	0.00
382	1	30	2009/12/12	00:17:09	1.00	300	0	671	66	997	88.00	3988	2.02	0.00
383	1	30	2009/12/12	00:17:11	0.90	300	0	671	65	1000	86.67	4000	2.09	0.00
384	1	30	2009/12/12	00:17:13	0.80	300	0	671	69	1002	92.00	4008	1.63	0.00
385	1	30	2009/12/12	00:17:15	0.70	300	0	671	70	1004	93.33	4016	1.65	0.00
386	1	30	2009/12/12	00:17:17	0.60	300	0	671	71	1007	94.67	4028	1.52	0.00
387	1	30	2009/12/12	00:17:19	0.50	300	0	671	72	1009	96.00	4036	1.36	0.00
388	1	30	2009/12/12	00:17:21	0.40	300	0	671	72	1012	96.00	4048	1.28	0.00
389	1	30	2009/12/12	00:17:23	0.30	300	0	671	72	1014	96.00	4056	4.97	0.00
390	1	30	2009/12/12	00:17:25	0.20	300	0	671	37	1015	49.33	4060	2.23	0.00
391	1	30	2009/12/12	00:17:27	0.10	300	0	671	25	1016	33.33	4064	2.35	0.00
392	1	30	2009/12/12	00:17:32	0.10	354	0	671	25	1018	28.25	4072	0.76	12.87
393	1	30	2009/12/12	00:17:33	0.20	479	0	671	25	1019	20.88	4076	0.79	12.54
394	1	30	2009/12/12	00:17:34	0.30	488	0	671	35	1019	28.69	4076	0.90	12.54
395	1	30	2009/12/12	00:17:39	0.40	53	0	671	74	1025	558.49	4100	1.31	12.65
396	1	30	2009/12/12	00:17:41	0.50	398	0	671	73	1027	73.37	4108	1.37	12.43
397	1	30	2009/12/12	00:17:42	0.60	479	0	671	71	1028	59.29	4112	1.65	12.76
398	1	30	2009/12/12	00:17:43	0.70	493	0	671	71	1030	57.61	4120	1.68	12.54
399	1	30	2009/12/12	00:17:44	0.80	500	0	671	64	1031	51.20	4124	2.35	12.54
400	1	30	2009/12/12	00:17:45	0.90	515	0	671	55	1032	42.72	4128	1.55	12.65
401	1	30	2009/12/12	00:17:47	1.00	515	0	671	46	1033	35.73	4132	1.95	12.65
402	1	30	2009/12/12	00:17:48	1.10	510	0	671	68	1034	53.33	4136	11.34	12.65
403	1	30	2009/12/12	00:17:50	1.00	147	0	671	71	1037	193.20	4148	1.93	0.00
404	1	30	2009/12/12	00:17:51	0.90	500	0	671	68	1038	54.40	4152	1.94	0.00
405	1	30	2009/12/12	00:17:53	0.80	510	0	671	70	1040	54.90	4160	1.84	0.00
406	1	30	2009/12/12	00:17:54	0.70	493	0	671	68	1041	55.17	4164	2.09	0.00
407	1	30	2009/12/12	00:17:55	0.60	500	0	671	69	1042	55.20	4168	1.36	0.00
408	1	30	2009/12/12	00:17:56	0.50	510	0	671	72	1044	56.47	4176	1.37	0.00
409	1	30	2009/12/12	00:17:57	0.40	510	0	671	73	1045	57.25	4180	1.52	0.00
410	1	30	2009/12/12	00:17:59	0.30	506	0	671	72	1047	56.92	4188	1.29	0.00
411	1	30	2009/12/12	00:18:00	0.20	510	0	671	73	1048	57.25	4192	1.21	0.00
412	1	30	2009/12/12	00:18:01	0.10	500	0	671	72	1049	57.60	4196	1.15	0.00
413	1	30	2009/12/12	00:18:08	-0.43	712	0	671	0	1056	0.00	4224	0.00	0.00

施工データ

現場：唐津1st現場A

担当：唐津太郎

	号棟	杭番	日付	時間	深度 (m)	フィード 速度 (cm/min)	瞬時 流量 (L/min)	積算 流量 (L)	回転数 (min ⁻¹)	積算 回転数 (Rev)	羽根 切回転数 (min ⁻¹)	羽根 切回数 (Rev)	回転 トルク (kN・m)	圧入力 (kN)
361	1	44	2009/12/11	00:17:15	2.70	230	0	641	67	1058	116.52	4232	2.30	0.00
362	1	44	2009/12/11	00:17:17	2.60	230	0	641	64	1061	111.30	4244	2.32	0.00
363	1	44	2009/12/11	00:17:20	2.50	230	0	641	62	1064	107.83	4256	3.26	0.00
364	1	44	2009/12/11	00:17:23	2.40	230	0	641	62	1067	107.83	4268	3.26	0.00
365	1	44	2009/12/11	00:17:25	2.30	224	0	641	59	1069	105.36	4276	3.26	0.00
366	1	44	2009/12/11	00:17:28	2.20	230	0	641	62	1072	107.83	4288	2.34	0.00
367	1	44	2009/12/11	00:17:31	2.10	230	0	641	62	1075	107.83	4300	2.39	0.00
368	1	44	2009/12/11	00:17:33	2.00	230	0	641	61	1077	106.09	4308	2.39	0.00
369	1	44	2009/12/11	00:17:36	1.90	230	0	641	61	1080	106.09	4320	2.48	0.00
370	1	44	2009/12/11	00:17:38	1.80	230	0	641	62	1083	107.83	4332	3.15	0.00
371	1	44	2009/12/11	00:17:41	1.70	230	0	641	65	1086	113.04	4344	2.29	0.00
372	1	44	2009/12/11	00:17:44	1.60	224	0	641	65	1088	116.07	4352	2.27	0.00
373	1	44	2009/12/11	00:17:46	1.50	230	0	641	66	1091	114.78	4364	2.30	0.00
374	1	44	2009/12/11	00:17:49	1.40	230	0	641	66	1094	114.78	4376	2.21	0.00
375	1	44	2009/12/11	00:17:51	1.30	230	0	641	65	1097	113.04	4388	2.21	0.00
376	1	44	2009/12/11	00:17:54	1.20	230	0	641	64	1100	111.30	4400	2.26	0.00
377	1	44	2009/12/11	00:17:57	1.10	230	0	641	67	1103	116.52	4412	2.07	0.00
378	1	44	2009/12/11	00:17:59	1.00	230	0	641	69	1106	120.00	4424	2.04	0.00
379	1	44	2009/12/11	00:18:02	0.90	230	0	641	68	1109	118.26	4436	1.96	0.00
380	1	44	2009/12/11	00:18:04	0.80	230	0	641	71	1112	123.48	4448	1.82	0.00
381	1	44	2009/12/11	00:18:07	0.70	230	0	641	70	1115	121.74	4460	1.70	0.00
382	1	44	2009/12/11	00:18:10	0.60	230	0	641	72	1118	125.22	4472	1.60	0.00
383	1	44	2009/12/11	00:18:12	0.50	230	0	641	71	1121	123.48	4484	1.63	0.00
384	1	44	2009/12/11	00:18:13	0.49	230	0	641	73	1121	126.96	4484	1.53	0.00
385	1	44	2009/12/11	00:18:15	0.50	0	0	641	73	1125	999.99	4500	1.45	13.09
386	1	44	2009/12/11	00:18:17	0.60	228	0	641	74	1127	129.82	4508	0.00	12.87
387	1	44	2009/12/11	00:18:18	0.70	506	0	641	51	1128	40.32	4512	1.70	12.65
388	1	44	2009/12/11	00:18:20	0.80	500	0	641	72	1130	57.60	4520	1.65	12.98
389	1	44	2009/12/11	00:18:21	0.90	506	0	641	73	1131	57.71	4524	1.83	13.09
390	1	44	2009/12/11	00:18:22	1.00	500	0	641	71	1133	56.80	4532	1.90	12.87
391	1	44	2009/12/11	00:18:23	1.10	500	0	641	72	1134	57.60	4536	2.07	12.76
392	1	44	2009/12/11	00:18:24	1.20	500	0	641	71	1135	56.80	4540	2.10	12.87
393	1	44	2009/12/11	00:18:26	1.30	493	0	641	70	1137	56.80	4548	2.17	12.76
394	1	44	2009/12/11	00:18:27	1.40	500	0	641	71	1138	56.80	4552	2.30	12.76
395	1	44	2009/12/11	00:18:28	1.50	500	0	641	69	1140	55.20	4560	2.46	12.76
396	1	44	2009/12/11	00:18:29	1.60	500	0	641	70	1141	56.00	4564	2.35	12.76
397	1	44	2009/12/11	00:18:34	1.50	363	0	641	63	1146	69.42	4584	2.43	0.00
398	1	44	2009/12/11	00:18:35	1.40	466	0	641	61	1147	52.36	4588	2.29	0.00
399	1	44	2009/12/11	00:18:37	1.20	506	0	641	64	1150	50.59	4600	2.19	0.00
400	1	44	2009/12/11	00:18:39	1.10	500	0	641	64	1151	51.20	4604	2.04	0.00
401	1	44	2009/12/11	00:18:40	1.00	506	0	641	67	1152	52.96	4608	1.90	0.00
402	1	44	2009/12/11	00:18:41	0.90	500	0	641	68	1154	54.40	4616	1.87	0.00
403	1	44	2009/12/11	00:18:42	0.80	510	0	641	70	1155	54.90	4620	1.82	0.00
404	1	44	2009/12/11	00:18:43	0.70	500	0	641	70	1156	56.00	4624	1.67	0.00
405	1	44	2009/12/11	00:18:45	0.60	500	0	641	71	1158	56.80	4632	1.61	0.00
406	1	44	2009/12/11	00:18:46	0.50	510	0	641	72	1159	56.47	4636	1.60	0.00
407	1	44	2009/12/11	00:18:46	0.49	510	0	641	72	1160	56.47	4640	1.52	0.00
408	1	44	2009/12/11	00:18:54	0.40	475	0	641	33	1169	27.79	4676	2.91	0.00
409	1	44	2009/12/11	00:18:55	0.30	475	0	641	33	1169	27.79	4676	2.64	0.00
410	1	44	2009/12/11	00:18:56	0.20	627	0	641	25	1170	15.95	4680	2.43	0.00
411	1	44	2009/12/11	00:18:57	0.10	640	0	641	25	1170	15.63	4680	2.36	0.00
412	1	44	2009/12/11	00:19:07	-0.38	448	0	641	0	1174	0.00	4696	0.00	12.76

施工データ

現場：唐津1st現場A
担当：唐津太郎

	号棟	杭番	日付	時間	深度 (m)	フィード 速度 (cm/min)	瞬時 流量 (L/min)	積算 流量 (L)	回転数 (min ⁻¹)	積算 回転数 (Rev)	羽根 切回転数 (min ⁻¹)	羽根 切回数 (Rev)	回転 トルク (kN・m)	圧入力 (kN)
361	1	16	2009/12/12	00:16:26	3.00	300	0	673	66	985	88.00	3940	2.20	0.00
362	1	16	2009/12/12	00:16:28	2.90	300	0	673	65	988	86.67	3952	2.13	0.00
363	1	16	2009/12/12	00:16:30	2.80	300	0	673	63	990	84.00	3960	2.45	0.00
364	1	16	2009/12/12	00:16:33	2.70	300	0	673	58	992	77.33	3968	3.72	0.00
365	1	16	2009/12/12	00:16:34	2.60	300	0	673	56	994	74.67	3976	3.94	0.00
366	1	16	2009/12/12	00:16:36	2.50	300	0	673	56	995	74.67	3980	3.94	0.00
367	1	16	2009/12/12	00:16:38	2.40	300	0	673	55	997	73.33	3988	4.06	0.00
368	1	16	2009/12/12	00:16:40	2.30	300	0	673	56	999	74.67	3996	3.94	0.00
369	1	16	2009/12/12	00:16:42	2.20	300	0	673	53	1001	70.67	4004	4.29	0.00
370	1	16	2009/12/12	00:16:44	2.10	300	0	673	55	1003	73.33	4012	4.06	0.00
371	1	16	2009/12/12	00:16:46	2.00	300	0	673	55	1005	73.33	4020	4.06	0.00
372	1	16	2009/12/12	00:16:48	1.90	300	0	673	54	1007	72.00	4028	4.17	0.00
373	1	16	2009/12/12	00:16:50	1.80	300	0	673	54	1008	72.00	4032	4.17	0.00
374	1	16	2009/12/12	00:16:52	1.70	300	0	673	54	1010	72.00	4040	4.17	0.00
375	1	16	2009/12/12	00:16:54	1.60	300	0	673	56	1012	74.67	4048	3.94	0.00
376	1	16	2009/12/12	00:16:56	1.50	300	0	673	60	1014	80.00	4056	3.49	0.00
377	1	16	2009/12/12	00:16:58	1.40	300	0	673	58	1016	77.33	4064	3.72	0.00
378	1	16	2009/12/12	00:17:00	1.30	300	0	673	59	1018	78.67	4072	3.60	0.00
379	1	16	2009/12/12	00:17:02	1.20	300	0	673	59	1020	78.67	4080	3.60	0.00
380	1	16	2009/12/12	00:17:04	1.10	309	0	673	62	1022	80.26	4088	2.42	0.00
381	1	16	2009/12/12	00:17:06	1.00	300	0	673	64	1024	85.33	4096	2.18	0.00
382	1	16	2009/12/12	00:17:08	0.90	300	0	673	69	1026	92.00	4104	2.07	0.00
383	1	16	2009/12/12	00:17:10	0.80	309	0	673	71	1029	91.91	4116	1.76	0.00
384	1	16	2009/12/12	00:17:12	0.70	300	0	673	71	1031	94.67	4124	1.55	0.00
385	1	16	2009/12/12	00:17:14	0.60	309	0	673	72	1033	93.20	4132	1.47	0.00
386	1	16	2009/12/12	00:17:16	0.50	300	0	673	72	1036	96.00	4144	1.30	0.00
387	1	16	2009/12/12	00:17:18	0.40	300	0	673	72	1038	96.00	4152	1.30	0.00
388	1	16	2009/12/12	00:17:20	0.30	300	0	673	72	1041	96.00	4164	1.28	0.00
389	1	16	2009/12/12	00:17:22	0.20	300	0	673	72	1043	96.00	4172	1.23	0.00
390	1	16	2009/12/12	00:17:24	0.10	300	0	673	72	1045	96.00	4180	1.21	0.00
391	1	16	2009/12/12	00:17:30	0.10	340	0	673	73	1052	85.88	4208	1.19	12.65
392	1	16	2009/12/12	00:17:31	0.20	533	0	673	74	1054	55.53	4216	1.20	12.65
393	1	16	2009/12/12	00:17:32	0.30	510	0	673	73	1055	57.25	4220	1.28	12.65
394	1	16	2009/12/12	00:17:33	0.40	500	0	673	73	1057	58.40	4228	1.30	12.65
395	1	16	2009/12/12	00:17:34	0.50	506	0	673	73	1058	57.71	4232	1.37	12.98
396	1	16	2009/12/12	00:17:36	0.60	500	0	673	72	1060	57.60	4240	1.45	12.54
397	1	16	2009/12/12	00:17:37	0.70	506	0	673	73	1061	57.71	4244	1.66	12.32
398	1	16	2009/12/12	00:17:38	0.80	488	0	673	70	1062	57.38	4248	1.88	12.76
399	1	16	2009/12/12	00:17:39	0.90	500	0	673	71	1064	56.80	4256	1.78	12.65
400	1	16	2009/12/12	00:17:41	1.00	500	0	673	71	1065	56.80	4260	1.96	12.65
401	1	16	2009/12/12	00:17:44	0.90	515	0	673	68	1070	52.82	4280	1.82	0.00
402	1	16	2009/12/12	00:17:45	0.80	515	0	673	71	1071	55.15	4284	1.79	0.00
403	1	16	2009/12/12	00:17:47	0.70	493	0	673	68	1072	55.17	4288	1.76	0.00
404	1	16	2009/12/12	00:17:48	0.60	506	0	673	70	1074	55.34	4296	1.48	0.00
405	1	16	2009/12/12	00:17:49	0.50	510	0	673	71	1075	55.69	4300	1.33	0.00
406	1	16	2009/12/12	00:17:50	0.40	515	0	673	73	1077	56.70	4308	1.25	0.00
407	1	16	2009/12/12	00:17:51	0.30	510	0	673	73	1078	57.25	4312	1.29	0.00
408	1	16	2009/12/12	00:17:52	0.20	510	0	673	73	1079	57.25	4316	1.27	0.00
409	1	16	2009/12/12	00:17:54	0.10	500	0	673	72	1081	57.60	4324	1.21	0.00
410	1	16	2009/12/12	00:18:02	-0.49	703	0	673	0	1088	0.00	4352	0.00	12.65

施工データ

現場：唐津1現場A
担当：唐津太郎

	号棟	杭番	日付	時間	深度 (m)	フィード 速度 (cm/min)	瞬時 流量 (L/min)	積算 流量 (L)	回転数 (min ⁻¹)	積算 回転数 (Rev)	羽根 切回転数 (min ⁻¹)	羽根 切回数 (Rev)	回転 トルク (kN・m)	圧入力 (kN)
361	1	36	2009/12/11	00:17:08	2.90	230	0	650	67	1010	116.52	4040	2.17	0.00
362	1	36	2009/12/11	00:17:10	2.80	230	0	650	66	1013	114.78	4052	2.38	0.00
363	1	36	2009/12/11	00:17:13	2.70	230	0	650	65	1015	113.04	4060	2.42	0.00
364	1	36	2009/12/11	00:17:15	2.60	224	0	650	62	1018	110.71	4072	3.03	0.00
365	1	36	2009/12/11	00:17:18	2.50	230	0	650	62	1021	107.83	4084	3.26	0.00
366	1	36	2009/12/11	00:17:21	2.40	230	0	650	63	1024	109.57	4096	2.37	0.00
367	1	36	2009/12/11	00:17:23	2.30	224	0	650	64	1027	114.29	4108	2.13	0.00
368	1	36	2009/12/11	00:17:26	2.20	230	0	650	64	1029	111.30	4116	2.31	0.00
369	1	36	2009/12/11	00:17:28	2.10	230	0	650	63	1032	109.57	4128	2.26	0.00
370	1	36	2009/12/11	00:17:31	2.00	230	0	650	63	1035	109.57	4140	2.46	0.00
371	1	36	2009/12/11	00:17:34	1.90	230	0	650	64	1038	111.30	4152	2.25	0.00
372	1	36	2009/12/11	00:17:36	1.80	230	0	650	63	1040	109.57	4160	2.48	0.00
373	1	36	2009/12/11	00:17:39	1.70	237	0	650	63	1043	106.33	4172	2.47	0.00
374	1	36	2009/12/11	00:17:41	1.60	230	0	650	65	1046	113.04	4184	2.33	0.00
375	1	36	2009/12/11	00:17:44	1.50	230	0	650	65	1049	113.04	4196	2.31	0.00
376	1	36	2009/12/11	00:17:47	1.40	230	0	650	63	1052	109.57	4208	3.15	0.00
377	1	36	2009/12/11	00:17:49	1.30	230	0	650	63	1054	109.57	4216	3.15	0.00
378	1	36	2009/12/11	00:17:52	1.20	230	0	650	61	1057	106.09	4228	3.37	0.00
379	1	36	2009/12/11	00:17:55	1.10	224	0	650	48	1059	85.71	4236	4.86	0.00
380	1	36	2009/12/11	00:17:57	1.00	230	0	650	58	1062	100.87	4248	2.36	0.00
381	1	36	2009/12/11	00:18:00	0.90	230	0	650	63	1065	109.57	4260	2.30	0.00
382	1	36	2009/12/11	00:18:02	0.80	230	0	650	66	1067	114.78	4268	2.13	0.00
383	1	36	2009/12/11	00:18:05	0.70	230	0	650	69	1070	120.00	4280	1.97	0.00
384	1	36	2009/12/11	00:18:07	0.60	230	0	650	71	1074	123.48	4296	1.94	0.00
385	1	36	2009/12/11	00:18:10	0.50	230	0	650	71	1077	123.48	4308	1.89	0.00
386	1	36	2009/12/11	00:18:13	0.40	230	0	650	73	1080	126.96	4320	1.45	0.00
387	1	36	2009/12/11	00:18:15	0.30	230	0	650	73	1083	126.96	4332	1.39	0.00
388	1	36	2009/12/11	00:18:18	0.20	237	0	650	54	1085	91.14	4340	2.67	0.00
389	1	36	2009/12/11	00:18:20	0.10	230	0	650	25	1087	43.48	4348	2.40	0.00
390	1	36	2009/12/11	00:18:27	0.10	242	0	650	25	1089	41.32	4356	0.82	12.87
391	1	36	2009/12/11	00:18:28	0.20	500	0	650	32	1090	25.60	4360	0.93	12.87
392	1	36	2009/12/11	00:18:30	0.30	493	0	650	39	1091	31.64	4364	1.25	12.87
393	1	36	2009/12/11	00:18:31	0.40	493	0	650	53	1092	43.00	4368	1.75	13.20
394	1	36	2009/12/11	00:18:32	0.50	484	0	650	69	1094	57.02	4376	1.81	12.65
395	1	36	2009/12/11	00:18:33	0.60	500	0	650	73	1095	58.40	4380	1.85	12.76
396	1	36	2009/12/11	00:18:34	0.70	488	0	650	71	1097	58.20	4388	1.99	12.87
397	1	36	2009/12/11	00:18:36	0.80	475	0	650	65	1098	54.74	4392	2.92	12.65
398	1	36	2009/12/11	00:18:37	0.90	510	0	650	61	1099	47.84	4396	3.37	12.65
399	1	36	2009/12/11	00:18:38	1.00	510	0	650	59	1100	46.27	4400	9.30	12.87
400	1	36	2009/12/11	00:18:42	0.90	358	0	650	62	1104	69.27	4416	3.26	0.00
401	1	36	2009/12/11	00:18:43	0.80	488	0	650	62	1106	50.82	4424	2.11	0.00
402	1	36	2009/12/11	00:18:45	0.70	493	0	650	62	1107	50.30	4428	1.88	0.00
403	1	36	2009/12/11	00:18:46	0.60	500	0	650	69	1108	55.20	4432	1.81	0.00
404	1	36	2009/12/11	00:18:47	0.50	500	0	650	70	1110	56.00	4440	1.55	0.00
405	1	36	2009/12/11	00:18:48	0.40	506	0	650	72	1111	56.92	4444	1.65	0.00
406	1	36	2009/12/11	00:18:49	0.30	500	0	650	71	1113	56.80	4452	1.67	0.00
407	1	36	2009/12/11	00:18:50	0.20	500	0	650	72	1114	57.60	4456	1.38	0.00
408	1	36	2009/12/11	00:18:52	0.10	510	0	650	73	1115	57.25	4460	1.29	0.00
409	1	36	2009/12/11	00:19:16	-0.43	0	0	650	0	1133	0.00	4532	0.00	12.76

施工データ

現場：唐津1現場A

担当：唐津太郎

	号棟	杭番	日付	時間	深度 (m)	フィード 速度 (cm/min)	瞬時 流量 (L/min)	積算 流量 (L)	回転数 (min ⁻¹)	積算 回転数 (Rev)	羽根 切回転数 (min ⁻¹)	羽根 切回数 (Rev)	回転 トルク (kN・m)	圧入力 (kN)
361	1	31	2009/12/12	00:16:49	3.00	230	0	671	64	1001	111.30	4004	2.49	0.00
362	1	31	2009/12/12	00:16:51	2.90	230	0	671	64	1003	111.30	4012	3.03	0.00
363	1	31	2009/12/12	00:16:54	2.80	224	0	671	63	1006	112.50	4024	2.44	0.00
364	1	31	2009/12/12	00:16:57	2.70	230	0	671	63	1009	109.57	4036	3.15	0.00
365	1	31	2009/12/12	00:16:59	2.60	230	0	671	64	1012	111.30	4048	2.41	0.00
366	1	31	2009/12/12	00:17:02	2.50	230	0	671	65	1015	113.04	4060	2.44	0.00
367	1	31	2009/12/12	00:17:05	2.40	224	0	671	67	1018	119.64	4072	2.08	0.00
368	1	31	2009/12/12	00:17:07	2.30	230	0	671	66	1020	114.78	4080	2.11	0.00
369	1	31	2009/12/12	00:17:10	2.20	230	0	671	68	1023	118.26	4092	2.10	0.00
370	1	31	2009/12/12	00:17:12	2.10	230	0	671	68	1026	118.26	4104	2.02	0.00
371	1	31	2009/12/12	00:17:15	2.00	230	0	671	67	1029	116.52	4116	2.37	0.00
372	1	31	2009/12/12	00:17:18	1.90	230	0	671	64	1032	111.30	4128	2.38	0.00
373	1	31	2009/12/12	00:17:20	1.80	230	0	671	64	1035	111.30	4140	2.38	0.00
374	1	31	2009/12/12	00:17:23	1.70	230	0	671	64	1038	111.30	4152	2.45	0.00
375	1	31	2009/12/12	00:17:25	1.60	230	0	671	66	1041	114.78	4164	2.16	0.00
376	1	31	2009/12/12	00:17:28	1.50	230	0	671	67	1043	116.52	4172	2.21	0.00
377	1	31	2009/12/12	00:17:31	1.40	230	0	671	65	1046	113.04	4184	2.25	0.00
378	1	31	2009/12/12	00:17:33	1.30	230	0	671	67	1049	116.52	4196	2.30	0.00
379	1	31	2009/12/12	00:17:36	1.20	230	0	671	68	1052	118.26	4208	2.12	0.00
380	1	31	2009/12/12	00:17:38	1.10	230	0	671	70	1055	121.74	4220	2.08	0.00
381	1	31	2009/12/12	00:17:41	1.00	230	0	671	69	1058	120.00	4232	1.97	0.00
382	1	31	2009/12/12	00:17:44	0.90	224	0	671	69	1061	123.21	4244	1.90	0.00
383	1	31	2009/12/12	00:17:46	0.80	230	0	671	72	1064	125.22	4256	1.55	0.00
384	1	31	2009/12/12	00:17:49	0.70	230	0	671	71	1067	123.48	4268	1.47	0.00
385	1	31	2009/12/12	00:17:51	0.60	230	0	671	72	1071	125.22	4284	1.41	0.00
386	1	31	2009/12/12	00:17:54	0.50	230	0	671	73	1074	126.96	4296	1.40	0.00
387	1	31	2009/12/12	00:17:57	0.40	230	0	671	71	1077	123.48	4308	1.29	0.00
388	1	31	2009/12/12	00:17:59	0.30	230	0	671	73	1080	126.96	4320	1.19	0.00
389	1	31	2009/12/12	00:18:02	0.20	230	0	671	73	1083	126.96	4332	1.17	0.00
390	1	31	2009/12/12	00:18:04	0.10	230	0	671	58	1086	100.87	4344	2.40	0.00
391	1	31	2009/12/12	00:18:11	0.10	268	0	671	25	1089	37.31	4356	4.53	12.76
392	1	31	2009/12/12	00:18:12	0.20	403	0	671	16	1089	15.88	4356	0.85	12.65
393	1	31	2009/12/12	00:18:16	0.30	116	0	671	67	1092	231.03	4368	1.28	12.32
394	1	31	2009/12/12	00:18:18	0.40	349	0	671	72	1094	82.52	4376	1.35	12.54
395	1	31	2009/12/12	00:18:19	0.50	475	0	671	73	1096	61.47	4384	1.26	12.87
396	1	31	2009/12/12	00:18:20	0.60	500	0	671	72	1097	57.60	4388	1.46	12.76
397	1	31	2009/12/12	00:18:21	0.70	493	0	671	71	1099	57.61	4396	1.67	12.76
398	1	31	2009/12/12	00:18:22	0.80	506	0	671	72	1100	56.92	4400	1.62	12.43
399	1	31	2009/12/12	00:18:24	0.90	488	0	671	70	1101	57.38	4404	1.71	12.54
400	1	31	2009/12/12	00:18:25	1.00	506	0	671	72	1103	56.92	4412	1.84	12.54
401	1	31	2009/12/12	00:18:29	0.90	376	0	671	70	1107	74.47	4428	1.71	0.00
402	1	31	2009/12/12	00:18:30	0.80	510	0	671	70	1109	54.90	4436	1.52	0.00
403	1	31	2009/12/12	00:18:31	0.70	506	0	671	71	1110	56.13	4440	1.51	0.00
404	1	31	2009/12/12	00:18:32	0.60	510	0	671	72	1111	56.47	4444	1.40	0.00
405	1	31	2009/12/12	00:18:34	0.50	500	0	671	71	1113	56.80	4452	1.46	0.00
406	1	31	2009/12/12	00:18:35	0.40	506	0	671	72	1114	56.92	4456	1.26	0.00
407	1	31	2009/12/12	00:18:36	0.30	500	0	671	71	1116	56.80	4464	1.23	0.00
408	1	31	2009/12/12	00:18:37	0.20	500	0	671	72	1117	57.60	4468	1.19	0.00
409	1	31	2009/12/12	00:18:38	0.10	510	0	671	73	1119	57.25	4476	1.10	0.00
410	1	31	2009/12/12	00:18:46	-0.42	730	0	671	18	1125	9.86	4500	0.00	0.00

施工データ

現場：唐津1現場A

担当：唐津太郎

	号棟	杭番	日付	時間	深度 (m)	フィード 速度 (cm/min)	瞬時 流量 (L/min)	積算 流量 (L)	回転数 (min ⁻¹)	積算 回転数 (Rev)	羽根 切回転数 (min ⁻¹)	羽根 切回数 (Rev)	回転 トルク (kN・m)	圧入力 (kN)
361	1	28	2009/12/11	00:25:36	3.90	230	0	672	63	940	109.57	3760	2.11	0.00
362	1	28	2009/12/11	00:25:39	3.80	210	0	672	62	943	118.10	3772	2.17	0.00
363	1	28	2009/12/11	00:25:42	3.70	210	0	672	61	946	116.19	3784	2.17	0.00
364	1	28	2009/12/11	00:25:45	3.60	188	0	672	62	949	131.91	3796	2.16	0.00
365	1	28	2009/12/11	00:25:54	3.50	273	0	672	52	956	76.19	3824	2.21	0.00
366	1	28	2009/12/11	00:25:56	3.40	237	0	672	62	959	104.64	3836	2.28	0.00
367	1	28	2009/12/11	00:25:59	3.30	230	0	672	62	961	107.83	3844	2.29	0.00
368	1	28	2009/12/11	00:26:02	3.20	230	0	672	60	964	104.35	3856	2.36	0.00
369	1	28	2009/12/11	00:26:04	3.10	237	0	672	59	966	99.58	3864	3.60	0.00
370	1	28	2009/12/11	00:26:07	3.00	224	0	672	63	969	112.50	3876	2.12	0.00
371	1	28	2009/12/11	00:26:10	2.90	192	0	672	65	972	135.42	3888	2.05	0.00
372	1	28	2009/12/11	00:26:12	2.80	309	0	672	55	975	71.20	3900	2.14	0.00
373	1	28	2009/12/11	00:26:15	2.70	237	0	672	61	977	102.95	3908	3.37	0.00
374	1	28	2009/12/11	00:26:17	2.60	230	0	672	59	980	102.61	3920	3.60	0.00
375	1	28	2009/12/11	00:26:20	2.50	230	0	672	55	982	95.65	3928	4.06	0.00
376	1	28	2009/12/11	00:26:22	2.40	230	0	672	50	985	86.96	3940	4.40	0.00
377	1	28	2009/12/11	00:26:25	2.30	230	0	672	49	987	85.22	3948	4.74	0.00
378	1	28	2009/12/11	00:26:28	2.20	230	0	672	48	989	83.48	3956	4.86	0.00
379	1	28	2009/12/11	00:26:30	2.10	230	0	672	52	991	90.43	3964	4.51	0.00
380	1	28	2009/12/11	00:26:33	2.00	230	0	672	53	993	92.17	3972	4.29	0.00
381	1	28	2009/12/11	00:26:35	1.90	230	0	672	53	996	92.17	3984	4.29	0.00
382	1	28	2009/12/11	00:26:38	1.80	230	0	672	52	998	90.43	3992	4.40	0.00
383	1	28	2009/12/11	00:26:41	1.70	230	0	672	57	1001	99.13	4004	3.83	0.00
384	1	28	2009/12/11	00:26:43	1.60	224	0	672	56	1003	100.00	4012	3.94	0.00
385	1	28	2009/12/11	00:26:46	1.50	230	0	672	59	1006	102.61	4024	2.48	0.00
386	1	28	2009/12/11	00:26:48	1.40	224	0	672	62	1008	110.71	4032	3.26	0.00
387	1	28	2009/12/11	00:26:51	1.30	224	0	672	62	1011	110.71	4044	2.46	0.00
388	1	28	2009/12/11	00:26:54	1.20	230	0	672	66	1014	114.78	4056	2.24	0.00
389	1	28	2009/12/11	00:26:56	1.10	230	0	672	68	1017	118.26	4068	2.16	0.00
390	1	28	2009/12/11	00:26:59	1.00	224	0	672	68	1020	121.43	4080	2.07	0.00
391	1	28	2009/12/11	00:27:01	0.90	230	0	672	71	1023	123.48	4092	1.91	0.00
392	1	28	2009/12/11	00:27:04	0.80	230	0	672	72	1026	125.22	4104	1.74	0.00
393	1	28	2009/12/11	00:27:07	0.70	224	0	672	70	1029	125.00	4116	1.67	0.00
394	1	28	2009/12/11	00:27:09	0.60	237	0	672	73	1032	123.21	4128	1.60	0.00
395	1	28	2009/12/11	00:27:12	0.50	237	0	672	73	1035	123.21	4140	1.43	0.00
396	1	28	2009/12/11	00:27:14	0.40	230	0	672	72	1039	125.22	4156	1.41	0.00
397	1	28	2009/12/11	00:27:17	0.30	230	0	672	72	1042	125.22	4168	1.46	0.00
398	1	28	2009/12/11	00:27:20	0.20	230	0	672	74	1045	128.70	4180	1.29	0.00
399	1	28	2009/12/11	00:27:22	0.10	230	0	672	73	1048	126.96	4192	1.24	0.00
400	1	28	2009/12/11	00:27:28	0.10	277	0	672	25	1053	36.10	4212	2.54	12.87
401	1	28	2009/12/11	00:27:30	0.20	448	0	672	25	1054	22.32	4216	0.84	12.76
402	1	28	2009/12/11	00:27:31	0.30	500	0	672	26	1055	20.80	4220	0.93	12.76
403	1	28	2009/12/11	00:27:32	0.40	493	0	672	30	1055	24.34	4220	1.19	12.87
404	1	28	2009/12/11	00:27:33	0.50	488	0	672	50	1056	40.98	4224	1.68	12.76
405	1	28	2009/12/11	00:27:35	0.60	479	0	672	67	1058	55.95	4232	1.81	12.76
406	1	28	2009/12/11	00:27:36	0.70	500	0	672	72	1059	57.60	4236	2.18	12.76
407	1	28	2009/12/11	00:27:37	0.80	488	0	672	70	1061	57.38	4244	2.38	12.76
408	1	28	2009/12/11	00:27:38	0.90	500	0	672	70	1062	56.00	4248	2.24	12.76
409	1	28	2009/12/11	00:27:39	1.00	500	0	672	70	1063	56.00	4252	2.25	12.87
410	1	28	2009/12/11	00:27:44	0.90	439	0	672	67	1069	61.05	4276	1.98	0.00
411	1	28	2009/12/11	00:27:46	0.80	479	0	672	67	1071	55.95	4284	1.93	0.00
412	1	28	2009/12/11	00:27:47	0.70	500	0	672	68	1072	54.40	4288	1.80	0.00
413	1	28	2009/12/11	00:27:48	0.60	500	0	672	70	1073	56.00	4292	1.58	0.00
414	1	28	2009/12/11	00:27:49	0.50	500	0	672	71	1075	56.80	4300	1.60	0.00
415	1	28	2009/12/11	00:27:56	0.40	0	0	672	33	1081	999.99	4324	1.50	0.00
416	1	28	2009/12/11	00:27:57	0.30	421	0	672	69	1082	65.56	4328	1.46	0.00
417	1	28	2009/12/11	00:27:58	0.20	528	0	672	73	1084	55.30	4336	1.32	0.00
418	1	28	2009/12/11	00:27:59	0.10	515	0	672	73	1085	56.70	4340	1.29	0.00
419	1	28	2009/12/11	00:28:06	-0.28	219	0	672	8	1092	14.61	4368	0.00	0.00

施工データ

現場：唐津1現場A

担当：唐津太郎

	号棟	杭番	日付	時間	深度 (m)	フィード 速度 (cm/min)	瞬時 流量 (L/min)	積算 流量 (L)	回転数 (min ⁻¹)	積算 回転数 (Rev)	羽根 切回転数 (min ⁻¹)	羽根 切回数 (Rev)	回転 トルク (kN・m)	圧入力 (kN)
361	1	24	2009/12/12	00:17:06	3.20	230	0	672	65	1025	113.04	4100	2.43	0.00
362	1	24	2009/12/12	00:17:09	3.10	230	0	672	62	1028	107.83	4112	3.26	0.00
363	1	24	2009/12/12	00:17:11	3.00	230	0	672	60	1030	104.35	4120	3.49	0.00
364	1	24	2009/12/12	00:17:14	2.90	230	0	672	60	1033	104.35	4132	3.49	0.00
365	1	24	2009/12/12	00:17:17	2.80	230	0	672	60	1036	104.35	4144	3.49	0.00
366	1	24	2009/12/12	00:17:19	2.70	230	0	672	56	1038	97.39	4152	3.83	0.00
367	1	24	2009/12/12	00:17:22	2.60	230	0	672	53	1041	92.17	4164	4.29	0.00
368	1	24	2009/12/12	00:17:24	2.50	230	0	672	51	1043	88.70	4172	4.51	0.00
369	1	24	2009/12/12	00:17:27	2.40	230	0	672	46	1045	80.00	4180	4.86	0.00
370	1	24	2009/12/12	00:17:30	2.30	230	0	672	45	1047	78.26	4188	5.20	0.00
371	1	24	2009/12/12	00:17:32	2.20	230	0	672	47	1049	81.74	4196	4.97	0.00
372	1	24	2009/12/12	00:17:35	2.10	230	0	672	46	1051	80.00	4204	5.08	0.00
373	1	24	2009/12/12	00:17:37	2.00	230	0	672	48	1053	83.48	4212	4.86	0.00
374	1	24	2009/12/12	00:17:40	1.90	230	0	672	53	1055	92.17	4220	4.63	0.00
375	1	24	2009/12/12	00:17:43	1.80	230	0	672	53	1058	92.17	4232	4.29	0.00
376	1	24	2009/12/12	00:17:45	1.70	230	0	672	57	1060	99.13	4240	3.83	0.00
377	1	24	2009/12/12	00:17:48	1.60	230	0	672	55	1063	95.65	4252	4.06	0.00
378	1	24	2009/12/12	00:17:51	1.50	237	0	672	62	1065	104.64	4260	2.40	0.00
379	1	24	2009/12/12	00:17:53	1.40	230	0	672	63	1068	109.57	4272	2.29	0.00
380	1	24	2009/12/12	00:17:56	1.30	224	0	672	66	1071	117.86	4284	2.20	0.00
381	1	24	2009/12/12	00:17:58	1.20	237	0	672	66	1074	111.39	4296	2.30	0.00
382	1	24	2009/12/12	00:18:01	1.10	230	0	672	65	1077	113.04	4308	2.41	0.00
383	1	24	2009/12/12	00:18:03	1.00	230	0	672	66	1079	114.78	4316	1.96	0.00
384	1	24	2009/12/12	00:18:06	0.90	230	0	672	71	1082	123.48	4328	1.78	0.00
385	1	24	2009/12/12	00:18:09	0.80	230	0	672	70	1086	121.74	4344	1.95	0.00
386	1	24	2009/12/12	00:18:11	0.70	237	0	672	70	1089	118.14	4356	1.56	0.00
387	1	24	2009/12/12	00:18:14	0.60	230	0	672	71	1092	123.48	4368	1.67	0.00
388	1	24	2009/12/12	00:18:16	0.50	237	0	672	69	1095	116.46	4380	1.71	0.00
389	1	24	2009/12/12	00:18:19	0.40	230	0	672	72	1098	125.22	4392	1.25	0.00
390	1	24	2009/12/12	00:18:22	0.30	230	0	672	72	1101	125.22	4404	1.20	0.00
391	1	24	2009/12/12	00:18:24	0.20	230	0	672	33	1103	57.39	4412	2.28	0.00
392	1	24	2009/12/12	00:18:27	0.10	230	0	672	25	1104	43.48	4416	2.30	0.00
393	1	24	2009/12/12	00:18:34	0.10	291	0	672	25	1107	34.36	4428	0.75	12.65
394	1	24	2009/12/12	00:18:35	0.20	470	0	672	28	1107	23.83	4428	0.84	12.43
395	1	24	2009/12/12	00:18:36	0.30	493	0	672	42	1108	34.08	4432	0.98	12.65
396	1	24	2009/12/12	00:18:37	0.40	500	0	672	58	1110	46.40	4440	1.44	12.32
397	1	24	2009/12/12	00:18:38	0.50	488	0	672	71	1111	58.20	4444	1.49	12.54
398	1	24	2009/12/12	00:18:40	0.60	500	0	672	73	1113	58.40	4452	1.38	12.65
399	1	24	2009/12/12	00:18:41	0.70	493	0	672	71	1114	57.61	4456	1.78	12.54
400	1	24	2009/12/12	00:18:42	0.80	500	0	672	71	1115	56.80	4460	1.61	12.54
401	1	24	2009/12/12	00:18:43	0.90	500	0	672	71	1117	56.80	4468	2.09	12.43
402	1	24	2009/12/12	00:18:44	1.00	488	0	672	69	1118	56.56	4472	2.47	12.76
403	1	24	2009/12/12	00:18:48	0.90	421	0	672	70	1122	66.51	4488	1.85	0.00
404	1	24	2009/12/12	00:18:49	0.80	500	0	672	71	1124	56.80	4496	1.71	0.00
405	1	24	2009/12/12	00:18:50	0.70	475	0	672	69	1125	58.11	4500	1.65	0.00
406	1	24	2009/12/12	00:18:51	0.60	506	0	672	71	1126	56.13	4504	1.28	0.00
407	1	24	2009/12/12	00:18:53	0.50	515	0	672	71	1128	55.15	4512	1.21	0.00
408	1	24	2009/12/12	00:18:54	0.40	515	0	672	72	1129	55.92	4516	1.21	0.00
409	1	24	2009/12/12	00:18:55	0.30	510	0	672	71	1131	55.69	4524	1.16	0.00
410	1	24	2009/12/12	00:18:57	0.20	80	0	672	74	1134	370.00	4536	1.10	0.00
411	1	24	2009/12/12	00:18:59	0.10	363	0	672	72	1136	79.34	4544	1.07	0.00
412	1	24	2009/12/12	00:19:07	-0.43	475	0	672	0	1143	0.00	4572	0.00	12.54

施工データ

現場：唐津1現場A

担当：唐津太郎

	号棟	杭番	日付	時間	深度 (m)	フィード 速度 (cm/min)	瞬時 流量 (L/min)	積算 流量 (L)	回転数 (min ⁻¹)	積算 回転数 (Rev)	羽根 切回転数 (min ⁻¹)	羽根 切回数 (Rev)	回転 トルク (kN・m)	圧入力 (kN)
361	1	45	2009/12/11	00:17:36	2.30	230	0	661	59	1071	102.61	4284	3.60	0.00
362	1	45	2009/12/11	00:17:40	2.20	107	0	661	64	1076	239.25	4304	2.58	0.00
363	1	45	2009/12/11	00:17:43	2.10	230	0	661	58	1079	100.87	4316	2.43	0.00
364	1	45	2009/12/11	00:17:45	2.00	237	0	661	58	1081	97.89	4324	3.72	0.00
365	1	45	2009/12/11	00:17:48	1.90	230	0	661	61	1084	106.09	4336	3.37	0.00
366	1	45	2009/12/11	00:17:51	1.80	230	0	661	61	1087	106.09	4348	2.47	0.00
367	1	45	2009/12/11	00:17:53	1.70	230	0	661	62	1089	107.83	4356	2.37	0.00
368	1	45	2009/12/11	00:17:56	1.60	230	0	661	61	1092	106.09	4368	2.37	0.00
369	1	45	2009/12/11	00:17:58	1.50	230	0	661	62	1095	107.83	4380	3.26	0.00
370	1	45	2009/12/11	00:18:01	1.40	230	0	661	63	1097	109.57	4388	2.24	0.00
371	1	45	2009/12/11	00:18:04	1.30	230	0	661	62	1100	107.83	4400	2.48	0.00
372	1	45	2009/12/11	00:18:06	1.20	230	0	661	62	1103	107.83	4412	2.44	0.00
373	1	45	2009/12/11	00:18:09	1.10	230	0	661	65	1106	113.04	4424	2.22	0.00
374	1	45	2009/12/11	00:18:11	1.00	230	0	661	69	1109	120.00	4436	2.03	0.00
375	1	45	2009/12/11	00:18:14	0.90	237	0	661	71	1112	119.83	4448	2.08	0.00
376	1	45	2009/12/11	00:18:17	0.80	230	0	661	71	1115	123.48	4460	1.66	0.00
377	1	45	2009/12/11	00:18:19	0.70	230	0	661	71	1118	123.48	4472	1.55	0.00
378	1	45	2009/12/11	00:18:22	0.60	224	0	661	71	1121	126.79	4484	1.71	0.00
379	1	45	2009/12/11	00:18:24	0.50	230	0	661	72	1124	125.22	4496	1.73	0.00
380	1	45	2009/12/11	00:18:25	0.49	230	0	661	72	1124	125.22	4496	1.72	0.00
381	1	45	2009/12/11	00:18:30	0.50	0	0	661	73	1131	999.99	4524	1.54	12.87
382	1	45	2009/12/11	00:18:33	0.60	259	0	661	73	1134	112.74	4536	1.58	13.09
383	1	45	2009/12/11	00:18:34	0.70	466	0	661	72	1135	61.80	4540	1.68	13.09
384	1	45	2009/12/11	00:18:35	0.80	506	0	661	72	1137	56.92	4548	1.67	13.09
385	1	45	2009/12/11	00:18:36	0.90	506	0	661	72	1138	56.92	4552	1.74	12.65
386	1	45	2009/12/11	00:18:37	1.00	500	0	661	71	1140	56.80	4560	1.96	12.87
387	1	45	2009/12/11	00:18:39	1.10	500	0	661	71	1141	56.80	4564	2.19	12.87
388	1	45	2009/12/11	00:18:40	1.20	500	0	661	71	1143	56.80	4572	2.23	12.87
389	1	45	2009/12/11	00:18:41	1.30	488	0	661	69	1144	56.56	4576	2.46	12.98
390	1	45	2009/12/11	00:18:42	1.40	493	0	661	67	1145	54.36	4580	2.46	12.76
391	1	45	2009/12/11	00:18:43	1.50	500	0	661	66	1147	52.80	4588	2.80	12.87
392	1	45	2009/12/11	00:18:46	1.40	349	0	661	58	1150	66.48	4600	2.46	0.00
393	1	45	2009/12/11	00:18:48	1.30	519	0	661	58	1151	44.70	4604	2.47	0.00
394	1	45	2009/12/11	00:18:49	1.20	493	0	661	58	1152	47.06	4608	2.30	0.00
395	1	45	2009/12/11	00:18:50	1.10	506	0	661	60	1153	47.43	4612	2.20	0.00
396	1	45	2009/12/11	00:18:51	1.00	506	0	661	64	1155	50.59	4620	2.02	0.00
397	1	45	2009/12/11	00:18:52	0.90	500	0	661	65	1156	52.00	4624	1.98	0.00
398	1	45	2009/12/11	00:18:53	0.80	500	0	661	67	1157	53.60	4628	1.82	0.00
399	1	45	2009/12/11	00:18:55	0.70	488	0	661	67	1159	54.92	4636	1.71	0.00
400	1	45	2009/12/11	00:18:56	0.60	470	0	661	70	1160	59.57	4640	1.66	0.00
401	1	45	2009/12/11	00:18:57	0.50	493	0	661	70	1162	56.80	4648	1.73	0.00
402	1	45	2009/12/11	00:18:57	0.49	493	0	661	70	1162	56.80	4648	1.78	0.00
403	1	45	2009/12/11	00:19:01	0.40	201	0	661	72	1165	143.28	4660	1.75	0.00
404	1	45	2009/12/11	00:19:01	0.30	622	0	661	68	1166	43.73	4664	3.38	0.00
405	1	45	2009/12/11	00:19:02	0.20	636	0	661	52	1167	32.70	4668	2.76	0.00
406	1	45	2009/12/11	00:19:03	0.10	627	0	661	32	1168	20.41	4672	2.45	0.00
407	1	45	2009/12/11	00:19:14	-0.37	654	0	661	0	1173	0.00	4692	0.00	12.76

施工データ

現場：唐津1現場A

担当：唐津太郎

	号棟	杭番	日付	時間	深度 (m)	フィード 速度 (cm/min)	瞬時 流量 (L/min)	積算 流量 (L)	回転数 (min ⁻¹)	積算 回転数 (Rev)	羽根 切回転数 (min ⁻¹)	羽根 切回数 (Rev)	回転 トルク (kN・m)	圧入力 (kN)
361	1	17	2009/12/12	00:17:29	3.00	230	0	674	64	1024	111.30	4096	2.36	0.00
362	1	17	2009/12/12	00:17:31	2.90	224	0	674	59	1026	105.36	4104	3.60	0.00
363	1	17	2009/12/12	00:17:34	2.80	230	0	674	57	1029	99.13	4116	3.83	0.00
364	1	17	2009/12/12	00:17:36	2.70	230	0	674	52	1031	90.43	4124	4.40	0.00
365	1	17	2009/12/12	00:17:39	2.60	230	0	674	48	1033	83.48	4132	4.86	0.00
366	1	17	2009/12/12	00:17:42	2.50	230	0	674	46	1035	80.00	4140	5.08	0.00
367	1	17	2009/12/12	00:17:44	2.40	230	0	674	44	1037	76.52	4148	5.31	0.00
368	1	17	2009/12/12	00:17:47	2.30	230	0	674	41	1039	71.30	4156	5.54	0.00
369	1	17	2009/12/12	00:17:49	2.20	230	0	674	40	1041	69.57	4164	5.77	0.00
370	1	17	2009/12/12	00:17:52	2.10	230	0	674	39	1042	67.83	4168	5.88	0.00
371	1	17	2009/12/12	00:17:55	2.00	230	0	674	40	1044	69.57	4176	5.77	0.00
372	1	17	2009/12/12	00:17:57	1.90	230	0	674	42	1046	73.04	4184	5.54	0.00
373	1	17	2009/12/12	00:18:00	1.80	230	0	674	47	1048	81.74	4192	2.48	0.00
374	1	17	2009/12/12	00:18:03	1.70	230	0	674	51	1050	88.70	4200	4.51	0.00
375	1	17	2009/12/12	00:18:05	1.60	230	0	674	56	1053	97.39	4212	3.94	0.00
376	1	17	2009/12/12	00:18:08	1.50	230	0	674	60	1055	104.35	4220	2.44	0.00
377	1	17	2009/12/12	00:18:10	1.40	224	0	674	66	1058	117.86	4232	2.08	0.00
378	1	17	2009/12/12	00:18:13	1.30	230	0	674	70	1061	121.74	4244	1.94	0.00
379	1	17	2009/12/12	00:18:16	1.20	230	0	674	70	1064	121.74	4256	1.84	0.00
380	1	17	2009/12/12	00:18:18	1.10	230	0	674	70	1067	121.74	4268	1.47	0.00
381	1	17	2009/12/12	00:18:21	1.00	230	0	674	71	1070	123.48	4280	1.26	0.00
382	1	17	2009/12/12	00:18:23	0.90	230	0	674	72	1074	125.22	4296	1.26	0.00
383	1	17	2009/12/12	00:18:26	0.80	237	0	674	73	1077	123.21	4308	1.27	0.00
384	1	17	2009/12/12	00:18:28	0.70	230	0	674	73	1080	126.96	4320	1.27	0.00
385	1	17	2009/12/12	00:18:31	0.60	230	0	674	72	1083	125.22	4332	1.36	0.00
386	1	17	2009/12/12	00:18:34	0.50	230	0	674	72	1086	125.22	4344	1.33	0.00
387	1	17	2009/12/12	00:18:36	0.40	230	0	674	72	1089	125.22	4356	1.24	0.00
388	1	17	2009/12/12	00:18:39	0.30	230	0	674	73	1093	126.96	4372	1.19	0.00
389	1	17	2009/12/12	00:18:42	0.20	230	0	674	73	1096	126.96	4384	3.36	0.00
390	1	17	2009/12/12	00:18:44	0.10	230	0	674	29	1097	50.43	4388	0.74	0.00
391	1	17	2009/12/12	00:18:56	0.10	210	0	674	68	1108	129.52	4432	1.10	12.21
392	1	17	2009/12/12	00:18:57	0.20	398	0	674	61	1109	61.31	4436	2.44	12.54
393	1	17	2009/12/12	00:18:58	0.30	500	0	674	51	1110	40.80	4440	1.21	12.54
394	1	17	2009/12/12	00:19:00	0.40	506	0	674	68	1112	53.75	4448	1.24	12.65
395	1	17	2009/12/12	00:19:01	0.50	510	0	674	73	1113	57.25	4452	1.25	13.09
396	1	17	2009/12/12	00:19:02	0.60	510	0	674	73	1114	57.25	4456	3.98	12.76
397	1	17	2009/12/12	00:19:03	0.70	493	0	674	51	1116	41.38	4464	1.47	12.76
398	1	17	2009/12/12	00:19:04	0.80	500	0	674	74	1117	59.20	4468	0.41	12.65
399	1	17	2009/12/12	00:19:06	0.90	500	0	674	52	1118	41.60	4472	1.50	12.76
400	1	17	2009/12/12	00:19:07	1.00	506	0	674	73	1119	57.71	4476	0.27	12.65
401	1	17	2009/12/12	00:19:10	0.90	524	0	674	72	1123	54.96	4492	1.24	0.00
402	1	17	2009/12/12	00:19:11	0.80	506	0	674	72	1125	56.92	4500	1.24	0.00
403	1	17	2009/12/12	00:19:12	0.70	506	0	674	72	1126	56.92	4504	1.16	0.00
404	1	17	2009/12/12	00:19:14	0.60	500	0	674	71	1127	56.80	4508	1.34	0.00
405	1	17	2009/12/12	00:19:15	0.50	506	0	674	73	1129	57.71	4516	1.19	0.00
406	1	17	2009/12/12	00:19:16	0.40	500	0	674	73	1130	58.40	4520	1.18	0.00
407	1	17	2009/12/12	00:19:17	0.30	500	0	674	72	1132	57.60	4528	1.16	0.00
408	1	17	2009/12/12	00:19:18	0.20	510	0	674	73	1133	57.25	4532	1.14	0.00
409	1	17	2009/12/12	00:19:19	0.10	506	0	674	73	1135	57.71	4540	1.10	0.00
410	1	17	2009/12/12	00:19:30	-0.36	717	0	674	0	1144	0.00	4576	0.00	0.00

施工データ

現場：唐津1現場A
担当：唐津太郎

	号棟	杭番	日付	時間	深度 (m)	フィード 速度 (cm/min)	瞬時 流量 (L/min)	積算 流量 (L)	回転数 (min ⁻¹)	積算 回転数 (Rev)	羽根 切回転数 (min ⁻¹)	羽根 切回数 (Rev)	回転 トルク (kN・m)	圧入力 (kN)
361	1	37	2009/12/11	00:17:04	2.90	224	0	669	63	1014	112.50	4056	3.15	0.00
362	1	37	2009/12/11	00:17:07	2.80	224	0	669	63	1017	112.50	4068	3.15	0.00
363	1	37	2009/12/11	00:17:09	2.70	230	0	669	66	1020	114.78	4080	2.18	0.00
364	1	37	2009/12/11	00:17:12	2.60	230	0	669	67	1023	116.52	4092	2.12	0.00
365	1	37	2009/12/11	00:17:15	2.50	230	0	669	69	1026	120.00	4104	2.08	0.00
366	1	37	2009/12/11	00:17:17	2.40	224	0	669	63	1029	112.50	4116	3.15	0.00
367	1	37	2009/12/11	00:17:20	2.30	230	0	669	62	1032	107.83	4128	3.26	0.00
368	1	37	2009/12/11	00:17:22	2.20	230	0	669	59	1034	102.61	4136	3.60	0.00
369	1	37	2009/12/11	00:17:25	2.10	230	0	669	57	1037	99.13	4148	3.60	0.00
370	1	37	2009/12/11	00:17:28	2.00	230	0	669	59	1039	102.61	4156	3.60	0.00
371	1	37	2009/12/11	00:17:30	1.90	230	0	669	59	1042	102.61	4168	3.60	0.00
372	1	37	2009/12/11	00:17:33	1.80	230	0	669	59	1045	102.61	4180	3.60	0.00
373	1	37	2009/12/11	00:17:36	1.70	230	0	669	63	1047	109.57	4188	2.28	0.00
374	1	37	2009/12/11	00:17:38	1.60	230	0	669	62	1050	107.83	4200	2.41	0.00
375	1	37	2009/12/11	00:17:41	1.50	237	0	669	64	1053	108.02	4212	2.36	0.00
376	1	37	2009/12/11	00:17:43	1.40	230	0	669	64	1056	111.30	4224	2.13	0.00
377	1	37	2009/12/11	00:17:46	1.30	230	0	669	67	1059	116.52	4236	2.34	0.00
378	1	37	2009/12/11	00:17:49	1.20	230	0	669	69	1062	120.00	4248	2.05	0.00
379	1	37	2009/12/11	00:17:51	1.10	230	0	669	70	1065	121.74	4260	2.03	0.00
380	1	37	2009/12/11	00:17:54	1.00	230	0	669	70	1068	121.74	4272	2.16	0.00
381	1	37	2009/12/11	00:17:56	0.90	230	0	669	67	1071	116.52	4284	2.05	0.00
382	1	37	2009/12/11	00:17:59	0.80	210	0	669	66	1074	125.71	4296	2.05	0.00
383	1	37	2009/12/11	00:18:03	0.70	129	0	669	64	1078	198.45	4312	1.96	0.00
384	1	37	2009/12/11	00:18:06	0.60	230	0	669	69	1081	120.00	4324	1.68	0.00
385	1	37	2009/12/11	00:18:08	0.50	230	0	669	72	1084	125.22	4336	1.58	0.00
386	1	37	2009/12/11	00:18:11	0.40	237	0	669	72	1087	121.52	4348	1.52	0.00
387	1	37	2009/12/11	00:18:13	0.30	230	0	669	73	1090	126.96	4360	1.39	0.00
388	1	37	2009/12/11	00:18:16	0.20	230	0	669	72	1093	125.22	4372	1.34	0.00
389	1	37	2009/12/11	00:18:19	0.10	230	0	669	72	1097	125.22	4388	1.27	0.00
390	1	37	2009/12/11	00:18:27	0.10	286	0	669	74	1107	103.50	4428	1.27	12.76
391	1	37	2009/12/11	00:18:29	0.20	354	0	669	73	1109	82.49	4436	1.35	12.65
392	1	37	2009/12/11	00:18:30	0.30	479	0	669	74	1110	61.80	4440	1.48	12.87
393	1	37	2009/12/11	00:18:31	0.40	500	0	669	72	1112	57.60	4448	1.82	12.76
394	1	37	2009/12/11	00:18:32	0.50	500	0	669	71	1113	56.80	4452	1.67	12.76
395	1	37	2009/12/11	00:18:33	0.60	493	0	669	72	1115	58.42	4460	1.78	12.87
396	1	37	2009/12/11	00:18:35	0.70	484	0	669	68	1116	56.20	4464	1.95	12.87
397	1	37	2009/12/11	00:18:36	0.80	506	0	669	70	1118	55.34	4472	2.24	12.87
398	1	37	2009/12/11	00:18:37	0.90	506	0	669	71	1119	56.13	4476	2.24	12.87
399	1	37	2009/12/11	00:18:38	1.00	500	0	669	70	1120	56.00	4480	2.20	12.98
400	1	37	2009/12/11	00:18:41	0.90	510	0	669	65	1124	50.98	4496	1.99	0.00
401	1	37	2009/12/11	00:18:42	0.80	515	0	669	65	1125	50.49	4500	1.97	0.00
402	1	37	2009/12/11	00:18:44	0.70	500	0	669	66	1127	52.80	4508	1.93	0.00
403	1	37	2009/12/11	00:18:45	0.60	457	0	669	66	1128	57.77	4512	1.66	0.00
404	1	37	2009/12/11	00:18:46	0.50	537	0	669	71	1129	52.89	4516	1.65	0.00
405	1	37	2009/12/11	00:18:47	0.40	515	0	669	71	1131	55.15	4524	1.54	0.00
406	1	37	2009/12/11	00:18:48	0.30	524	0	669	72	1132	54.96	4528	1.45	0.00
407	1	37	2009/12/11	00:18:50	0.20	506	0	669	72	1133	56.92	4532	1.29	0.00
408	1	37	2009/12/11	00:18:51	0.10	510	0	669	73	1135	57.25	4540	1.25	0.00
409	1	37	2009/12/11	00:19:02	-0.43	654	0	669	0	1146	0.00	4584	0.00	0.00

施工データ

現場：唐津1現場A
担当：唐津太郎

	号棟	杭番	日付	時間	深度 (m)	フィード 速度 (cm/min)	瞬時 流量 (L/min)	積算 流量 (L)	回転数 (min ⁻¹)	積算 回転数 (Rev)	羽根 切回転数 (min ⁻¹)	羽根 切回数 (Rev)	回転 トルク (kN・m)	圧入力 (kN)
361	1	32	2009/12/12	00:17:40	3.10	230	0	684	64	1054	111.30	4216	2.44	0.00
362	1	32	2009/12/12	00:17:43	3.00	230	0	684	62	1057	107.83	4228	2.48	0.00
363	1	32	2009/12/12	00:17:45	2.90	230	0	684	62	1059	107.83	4236	2.37	0.00
364	1	32	2009/12/12	00:17:48	2.80	230	0	684	65	1062	113.04	4248	2.35	0.00
365	1	32	2009/12/12	00:17:51	2.70	230	0	684	64	1065	111.30	4260	2.47	0.00
366	1	32	2009/12/12	00:17:53	2.60	230	0	684	61	1068	106.09	4272	3.37	0.00
367	1	32	2009/12/12	00:17:56	2.50	224	0	684	61	1070	108.93	4280	3.37	0.00
368	1	32	2009/12/12	00:17:58	2.40	230	0	684	59	1073	102.61	4292	3.60	0.00
369	1	32	2009/12/12	00:18:01	2.30	230	0	684	59	1076	102.61	4304	2.42	0.00
370	1	32	2009/12/12	00:18:04	2.20	230	0	684	60	1078	104.35	4312	2.50	0.00
371	1	32	2009/12/12	00:18:06	2.10	237	0	684	58	1081	97.89	4324	2.46	0.00
372	1	32	2009/12/12	00:18:09	2.00	230	0	684	61	1083	106.09	4332	2.40	0.00
373	1	32	2009/12/12	00:18:11	1.90	230	0	684	60	1086	104.35	4344	2.43	0.00
374	1	32	2009/12/12	00:18:14	1.80	230	0	684	62	1089	107.83	4356	2.20	0.00
375	1	32	2009/12/12	00:18:17	1.70	230	0	684	63	1092	109.57	4368	2.33	0.00
376	1	32	2009/12/12	00:18:19	1.60	230	0	684	65	1094	113.04	4376	2.09	0.00
377	1	32	2009/12/12	00:18:22	1.50	230	0	684	67	1097	116.52	4388	2.00	0.00
378	1	32	2009/12/12	00:18:24	1.40	230	0	684	67	1100	116.52	4400	2.03	0.00
379	1	32	2009/12/12	00:18:27	1.30	230	0	684	67	1103	116.52	4412	2.08	0.00
380	1	32	2009/12/12	00:18:30	1.20	230	0	684	65	1106	113.04	4424	2.08	0.00
381	1	32	2009/12/12	00:18:32	1.10	230	0	684	67	1109	116.52	4436	2.09	0.00
382	1	32	2009/12/12	00:18:35	1.00	230	0	684	68	1112	118.26	4448	1.84	0.00
383	1	32	2009/12/12	00:18:38	0.90	230	0	684	69	1115	120.00	4460	1.80	0.00
384	1	32	2009/12/12	00:18:40	0.80	237	0	684	70	1118	118.14	4472	1.78	0.00
385	1	32	2009/12/12	00:18:43	0.70	230	0	684	70	1121	121.74	4484	1.87	0.00
386	1	32	2009/12/12	00:18:45	0.60	242	0	684	72	1124	119.01	4496	1.52	0.00
387	1	32	2009/12/12	00:18:48	0.50	224	0	684	71	1127	126.79	4508	1.42	0.00
388	1	32	2009/12/12	00:18:50	0.40	230	0	684	72	1130	125.22	4520	1.36	0.00
389	1	32	2009/12/12	00:18:53	0.30	230	0	684	72	1134	125.22	4536	1.24	0.00
390	1	32	2009/12/12	00:18:56	0.20	230	0	684	72	1137	125.22	4548	1.15	0.00
391	1	32	2009/12/12	00:18:58	0.10	230	0	684	73	1140	126.96	4560	1.11	0.00
392	1	32	2009/12/12	00:19:07	0.10	282	0	684	74	1151	104.96	4604	1.17	12.10
393	1	32	2009/12/12	00:19:09	0.20	475	0	684	73	1153	61.47	4612	1.24	12.65
394	1	32	2009/12/12	00:19:10	0.30	500	0	684	72	1154	57.60	4616	1.32	12.43
395	1	32	2009/12/12	00:19:11	0.40	500	0	684	73	1156	58.40	4624	1.34	12.65
396	1	32	2009/12/12	00:19:12	0.50	500	0	684	72	1157	57.60	4628	1.33	12.87
397	1	32	2009/12/12	00:19:13	0.60	500	0	684	73	1158	58.40	4632	1.42	12.76
398	1	32	2009/12/12	00:19:15	0.70	493	0	684	71	1160	57.61	4640	1.81	12.43
399	1	32	2009/12/12	00:19:16	0.80	484	0	684	70	1161	57.85	4644	1.76	12.54
400	1	32	2009/12/12	00:19:17	0.90	515	0	684	71	1163	55.15	4652	1.95	12.76
401	1	32	2009/12/12	00:19:18	1.00	500	0	684	71	1164	56.80	4656	1.96	12.43
402	1	32	2009/12/12	00:19:22	0.90	506	0	684	67	1168	52.96	4672	2.16	0.00
403	1	32	2009/12/12	00:19:23	0.80	510	0	684	69	1170	54.12	4680	1.59	0.00
404	1	32	2009/12/12	00:19:24	0.70	510	0	684	71	1171	55.69	4684	1.45	0.00
405	1	32	2009/12/12	00:19:25	0.60	510	0	684	70	1173	54.90	4692	1.39	0.00
406	1	32	2009/12/12	00:19:27	0.50	510	0	684	72	1174	56.47	4696	1.34	0.00
407	1	32	2009/12/12	00:19:28	0.40	506	0	684	72	1175	56.92	4700	1.31	0.00
408	1	32	2009/12/12	00:19:29	0.30	506	0	684	71	1177	56.13	4708	1.12	0.00
409	1	32	2009/12/12	00:19:30	0.20	510	0	684	73	1178	57.25	4712	1.19	0.00
410	1	32	2009/12/12	00:19:31	0.10	506	0	684	72	1180	56.92	4720	1.09	0.00
411	1	32	2009/12/12	00:19:39	-0.42	699	0	684	13	1188	7.44	4752	0.00	0.00

施工データ

現場：唐津1現場A

担当：唐津太郎

	号棟	杭番	日付	時間	深度 (m)	フィード 速度 (cm/min)	瞬時 流量 (L/min)	積算 流量 (L)	回転数 (min ⁻¹)	積算 回転数 (Rev)	羽根 切回転数 (min ⁻¹)	羽根 切回数 (Rev)	回転 トルク (kN・m)	圧入力 (kN)
361	1	29	2009/12/11	00:18:03	1.80	230	0	674	61	1064	106.09	4256	2.42	0.00
362	1	29	2009/12/11	00:18:06	1.70	224	0	674	61	1066	108.93	4264	2.46	0.00
363	1	29	2009/12/11	00:18:08	1.60	230	0	674	61	1069	106.09	4276	2.42	0.00
364	1	29	2009/12/11	00:18:11	1.50	230	0	674	63	1072	109.57	4288	2.44	0.00
365	1	29	2009/12/11	00:18:14	1.40	230	0	674	65	1075	113.04	4300	2.38	0.00
366	1	29	2009/12/11	00:18:16	1.30	230	0	674	66	1078	114.78	4312	2.12	0.00
367	1	29	2009/12/11	00:18:19	1.20	230	0	674	68	1080	118.26	4320	2.20	0.00
368	1	29	2009/12/11	00:18:22	1.10	230	0	674	68	1083	118.26	4332	2.18	0.00
369	1	29	2009/12/11	00:18:24	1.00	230	0	674	65	1086	113.04	4344	2.17	0.00
370	1	29	2009/12/11	00:18:27	0.90	224	0	674	68	1089	121.43	4356	2.05	0.00
371	1	29	2009/12/11	00:18:29	0.80	230	0	674	67	1092	116.52	4368	2.05	0.00
372	1	29	2009/12/11	00:18:32	0.70	230	0	674	69	1095	120.00	4380	1.87	0.00
373	1	29	2009/12/11	00:18:35	0.60	230	0	674	70	1098	121.74	4392	1.89	0.00
374	1	29	2009/12/11	00:18:37	0.50	237	0	674	71	1101	119.83	4404	1.83	0.00
375	1	29	2009/12/11	00:18:40	0.40	230	0	674	72	1105	125.22	4420	1.71	0.00
376	1	29	2009/12/11	00:18:42	0.30	230	0	674	72	1108	125.22	4432	1.41	0.00
377	1	29	2009/12/11	00:18:45	0.20	237	0	674	73	1111	123.21	4444	1.33	0.00
378	1	29	2009/12/11	00:18:47	0.10	230	0	674	73	1114	126.96	4456	1.23	0.00
379	1	29	2009/12/11	00:19:01	0.10	273	0	674	25	1122	36.63	4488	0.81	12.87
380	1	29	2009/12/11	00:19:03	0.20	479	0	674	26	1123	21.71	4492	0.87	12.76
381	1	29	2009/12/11	00:19:04	0.30	500	0	674	31	1123	24.80	4492	1.01	12.76
382	1	29	2009/12/11	00:19:05	0.40	488	0	674	50	1125	40.98	4500	1.73	12.87
383	1	29	2009/12/11	00:19:06	0.50	488	0	674	68	1126	55.74	4504	2.03	12.65
384	1	29	2009/12/11	00:19:07	0.60	493	0	674	70	1127	56.80	4508	1.88	13.09
385	1	29	2009/12/11	00:19:09	0.70	493	0	674	72	1129	58.42	4516	2.15	12.87
386	1	29	2009/12/11	00:19:10	0.80	493	0	674	70	1130	56.80	4520	2.08	12.76
387	1	29	2009/12/11	00:19:11	0.90	493	0	674	69	1132	55.98	4528	2.20	12.87
388	1	29	2009/12/11	00:19:12	1.00	500	0	674	71	1133	56.80	4532	2.15	12.76
389	1	29	2009/12/11	00:19:17	0.90	466	0	674	65	1139	55.79	4556	2.17	0.00
390	1	29	2009/12/11	00:19:18	0.80	488	0	674	66	1140	54.10	4560	2.06	0.00
391	1	29	2009/12/11	00:19:19	0.70	484	0	674	66	1141	54.55	4564	1.85	0.00
392	1	29	2009/12/11	00:19:21	0.60	510	0	674	68	1143	53.33	4572	1.77	0.00
393	1	29	2009/12/11	00:19:22	0.50	506	0	674	70	1144	55.34	4576	1.80	0.00
394	1	29	2009/12/11	00:19:23	0.40	493	0	674	70	1145	56.80	4580	1.52	0.00
395	1	29	2009/12/11	00:19:24	0.30	519	0	674	72	1147	55.49	4588	1.42	0.00
396	1	29	2009/12/11	00:19:25	0.20	500	0	674	72	1148	57.60	4592	1.30	0.00
397	1	29	2009/12/11	00:19:27	0.10	515	0	674	73	1150	56.70	4600	1.22	0.00
398	1	29	2009/12/11	00:19:35	-0.39	654	0	674	16	1158	9.79	4632	0.00	0.00

施工データ

現場：唐津1現場A
担当：唐津太郎

	号棟	杭番	日付	時間	深度 (m)	フィード 速度 (cm/min)	瞬時 流量 (L/min)	積算 流量 (L)	回転数 (min ⁻¹)	積算 回転数 (Rev)	羽根 切回転数 (min ⁻¹)	羽根 切回数 (Rev)	回転 トルク (kN・m)	圧入力 (kN)
361	1	25	2009/12/12	00:17:24	2.90	230	0	672	62	1034	107.83	4136	2.46	0.00
362	1	25	2009/12/12	00:17:26	2.80	230	0	672	59	1037	102.61	4148	3.60	0.00
363	1	25	2009/12/12	00:17:29	2.70	230	0	672	58	1040	100.87	4160	3.72	0.00
364	1	25	2009/12/12	00:17:31	2.60	230	0	672	56	1042	97.39	4168	3.94	0.00
365	1	25	2009/12/12	00:17:34	2.50	224	0	672	53	1044	94.64	4176	4.29	0.00
366	1	25	2009/12/12	00:17:37	2.40	230	0	672	52	1047	90.43	4188	4.40	0.00
367	1	25	2009/12/12	00:17:39	2.30	230	0	672	52	1049	90.43	4196	4.40	0.00
368	1	25	2009/12/12	00:17:42	2.20	230	0	672	53	1051	92.17	4204	4.17	0.00
369	1	25	2009/12/12	00:17:44	2.10	224	0	672	53	1054	94.64	4216	4.29	0.00
370	1	25	2009/12/12	00:17:47	2.00	230	0	672	53	1056	92.17	4224	4.29	0.00
371	1	25	2009/12/12	00:17:50	1.90	230	0	672	52	1058	90.43	4232	4.17	0.00
372	1	25	2009/12/12	00:17:52	1.80	230	0	672	55	1061	95.65	4244	4.06	0.00
373	1	25	2009/12/12	00:17:55	1.70	237	0	672	58	1063	97.89	4252	3.83	0.00
374	1	25	2009/12/12	00:17:57	1.60	230	0	672	61	1066	106.09	4264	2.47	0.00
375	1	25	2009/12/12	00:18:00	1.50	230	0	672	64	1069	111.30	4276	2.32	0.00
376	1	25	2009/12/12	00:18:03	1.40	230	0	672	65	1071	113.04	4284	2.47	0.00
377	1	25	2009/12/12	00:18:05	1.30	242	0	672	43	1074	71.07	4296	1.54	0.00
378	1	25	2009/12/12	00:18:08	1.20	215	0	672	66	1076	122.79	4304	2.04	0.00
379	1	25	2009/12/12	00:18:10	1.10	224	0	672	68	1079	121.43	4316	2.02	0.00
380	1	25	2009/12/12	00:18:13	1.00	237	0	672	69	1082	116.46	4328	1.78	0.00
381	1	25	2009/12/12	00:18:16	0.90	230	0	672	71	1085	123.48	4340	1.53	0.00
382	1	25	2009/12/12	00:18:18	0.80	230	0	672	71	1088	123.48	4352	1.23	0.00
383	1	25	2009/12/12	00:18:21	0.70	237	0	672	73	1092	123.21	4368	1.29	0.00
384	1	25	2009/12/12	00:18:23	0.60	230	0	672	72	1095	125.22	4380	1.19	0.00
385	1	25	2009/12/12	00:18:26	0.50	230	0	672	71	1098	123.48	4392	0.94	0.00
386	1	25	2009/12/12	00:18:29	0.40	230	0	672	72	1101	125.22	4404	1.19	0.00
387	1	25	2009/12/12	00:18:31	0.30	237	0	672	73	1104	123.21	4416	1.15	0.00
388	1	25	2009/12/12	00:18:34	0.20	230	0	672	72	1107	125.22	4428	1.11	0.00
389	1	25	2009/12/12	00:18:36	0.10	230	0	672	73	1111	126.96	4444	1.08	0.00
390	1	25	2009/12/12	00:18:43	0.10	277	0	672	25	1116	36.10	4464	0.75	12.65
391	1	25	2009/12/12	00:18:44	0.20	484	0	672	27	1116	22.31	4464	0.76	12.65
392	1	25	2009/12/12	00:18:47	0.30	0	0	672	55	1119	999.99	4476	1.17	12.21
393	1	25	2009/12/12	00:18:49	0.40	358	0	672	73	1121	81.56	4484	1.64	12.65
394	1	25	2009/12/12	00:18:50	0.50	470	0	672	72	1122	61.28	4488	1.38	12.76
395	1	25	2009/12/12	00:18:51	0.60	510	0	672	73	1124	57.25	4496	1.33	12.43
396	1	25	2009/12/12	00:18:52	0.70	500	0	672	72	1125	57.60	4500	1.30	12.43
397	1	25	2009/12/12	00:18:54	0.80	500	0	672	72	1127	57.60	4508	1.26	12.54
398	1	25	2009/12/12	00:18:55	0.90	506	0	672	73	1128	57.71	4512	1.39	12.54
399	1	25	2009/12/12	00:18:56	1.00	500	0	672	72	1130	57.60	4520	1.36	12.21
400	1	25	2009/12/12	00:18:59	0.90	430	0	672	72	1134	66.98	4536	1.28	0.00
401	1	25	2009/12/12	00:19:00	0.80	500	0	672	71	1135	56.80	4540	1.20	0.00
402	1	25	2009/12/12	00:19:02	0.70	500	0	672	72	1136	57.60	4544	1.20	0.00
403	1	25	2009/12/12	00:19:03	0.60	500	0	672	72	1138	57.60	4552	1.18	0.00
404	1	25	2009/12/12	00:19:04	0.50	500	0	672	72	1139	57.60	4556	1.22	0.00
405	1	25	2009/12/12	00:19:05	0.40	506	0	672	73	1141	57.71	4564	1.30	0.00
406	1	25	2009/12/12	00:19:06	0.30	506	0	672	70	1142	55.34	4568	0.86	0.00
407	1	25	2009/12/12	00:19:08	0.20	506	0	672	72	1144	56.92	4576	1.07	0.00
408	1	25	2009/12/12	00:19:09	0.10	506	0	672	73	1145	57.71	4580	1.07	0.00
409	1	25	2009/12/12	00:19:16	-0.36	717	0	672	22	1151	12.27	4604	0.00	12.65

施工データ

現場：唐津T現場A
担当：唐津太郎

Table with columns: 号棟, 杭番, 日付, 時間, 深度(m), フィット速度(cm/min), 瞬時流量(L/min), 積算流量(L), 回転数(min^-1), 積算回転数(Rev), 羽根切回転数(min^-1), 羽根切回数(Rev), 回転トルク(kN・m), 圧入力(kN). It contains 301 rows of data for pile driving logs.

施工データ

現場：唐津1現場A
担当：唐津太郎

	号棟	杭番	日付	時間	深度 (m)	フィード 速度 (cm/min)	瞬時 流量 (L/min)	積算 流量 (L)	回転数 (min ⁻¹)	積算 回転数 (Rev)	羽根 切回転数 (min ⁻¹)	羽根 切回数 (Rev)	回転 トルク (kN・m)	圧入力 (kN)
361	1	38	2009/12/11	00:17:05	3.00	230	0	672	63	988	109.57	3952	2.50	0.00
362	1	38	2009/12/11	00:17:08	2.90	230	0	672	62	991	107.83	3964	3.26	0.00
363	1	38	2009/12/11	00:17:10	2.80	230	0	672	63	994	109.57	3976	2.42	0.00
364	1	38	2009/12/11	00:17:13	2.70	230	0	672	65	996	113.04	3984	2.29	0.00
365	1	38	2009/12/11	00:17:15	2.60	230	0	672	62	999	107.83	3996	3.26	0.00
366	1	38	2009/12/11	00:17:18	2.50	230	0	672	63	1002	109.57	4008	2.50	0.00
367	1	38	2009/12/11	00:17:21	2.40	224	0	672	63	1005	112.50	4020	2.34	0.00
368	1	38	2009/12/11	00:17:23	2.30	230	0	672	66	1008	114.78	4032	2.28	0.00
369	1	38	2009/12/11	00:17:26	2.20	230	0	672	64	1010	111.30	4040	2.20	0.00
370	1	38	2009/12/11	00:17:28	2.10	230	0	672	63	1013	109.57	4052	2.19	0.00
371	1	38	2009/12/11	00:17:31	2.00	230	0	672	62	1016	107.83	4064	2.39	0.00
372	1	38	2009/12/11	00:17:34	1.90	230	0	672	64	1019	111.30	4076	2.29	0.00
373	1	38	2009/12/11	00:17:36	1.80	230	0	672	63	1022	109.57	4088	2.39	0.00
374	1	38	2009/12/11	00:17:39	1.70	230	0	672	64	1024	111.30	4096	2.25	0.00
375	1	38	2009/12/11	00:17:42	1.60	230	0	672	64	1027	111.30	4108	2.40	0.00
376	1	38	2009/12/11	00:17:44	1.50	224	0	672	65	1030	116.07	4120	2.22	0.00
377	1	38	2009/12/11	00:17:47	1.40	224	0	672	65	1033	116.07	4132	2.09	0.00
378	1	38	2009/12/11	00:17:49	1.30	230	0	672	66	1036	114.78	4144	2.20	0.00
379	1	38	2009/12/11	00:17:52	1.20	230	0	672	65	1039	113.04	4156	2.21	0.00
380	1	38	2009/12/11	00:17:55	1.10	230	0	672	66	1042	114.78	4168	2.21	0.00
381	1	38	2009/12/11	00:17:57	1.00	230	0	672	67	1044	116.52	4176	2.05	0.00
382	1	38	2009/12/11	00:18:00	0.90	230	0	672	69	1047	120.00	4188	2.02	0.00
383	1	38	2009/12/11	00:18:02	0.80	230	0	672	71	1051	123.48	4204	1.85	0.00
384	1	38	2009/12/11	00:18:05	0.70	230	0	672	70	1054	121.74	4216	1.63	0.00
385	1	38	2009/12/11	00:18:08	0.60	230	0	672	71	1057	123.48	4228	1.64	0.00
386	1	38	2009/12/11	00:18:10	0.50	230	0	672	72	1060	125.22	4240	1.41	0.00
387	1	38	2009/12/11	00:18:13	0.40	224	0	672	72	1063	128.57	4252	1.37	0.00
388	1	38	2009/12/11	00:18:15	0.30	230	0	672	73	1066	126.96	4264	1.32	0.00
389	1	38	2009/12/11	00:18:18	0.20	230	0	672	72	1069	125.22	4276	1.23	0.00
390	1	38	2009/12/11	00:18:20	0.10	230	0	672	73	1073	126.96	4292	1.24	0.00
391	1	38	2009/12/11	00:18:28	0.10	219	0	672	74	1081	135.16	4324	1.23	12.87
392	1	38	2009/12/11	00:18:29	0.20	403	0	672	74	1083	73.45	4332	1.27	12.65
393	1	38	2009/12/11	00:18:30	0.30	506	0	672	73	1085	57.71	4340	1.35	12.76
394	1	38	2009/12/11	00:18:31	0.40	515	0	672	74	1086	57.48	4344	1.42	12.98
395	1	38	2009/12/11	00:18:33	0.50	500	0	672	72	1088	57.60	4352	1.39	13.09
396	1	38	2009/12/11	00:18:34	0.60	500	0	672	72	1089	57.60	4356	1.61	12.76
397	1	38	2009/12/11	00:18:35	0.70	500	0	672	72	1090	57.60	4360	1.68	12.65
398	1	38	2009/12/11	00:18:36	0.80	500	0	672	71	1092	56.80	4368	1.91	12.43
399	1	38	2009/12/11	00:18:37	0.90	500	0	672	71	1093	56.80	4372	2.08	12.76
400	1	38	2009/12/11	00:18:39	1.00	488	0	672	70	1095	57.38	4380	2.11	12.87
401	1	38	2009/12/11	00:18:40	1.10	493	0	672	69	1096	55.98	4384	2.43	12.76
402	1	38	2009/12/11	00:18:41	1.00	80	0	672	70	1098	350.00	4392	1.99	0.00
403	1	38	2009/12/11	00:18:43	0.90	524	0	672	67	1099	51.15	4396	2.00	0.00
404	1	38	2009/12/11	00:18:44	0.80	506	0	672	70	1101	55.34	4404	1.72	0.00
405	1	38	2009/12/11	00:18:45	0.70	500	0	672	69	1102	55.20	4408	1.61	0.00
406	1	38	2009/12/11	00:18:46	0.60	500	0	672	71	1104	56.80	4416	1.52	0.00
407	1	38	2009/12/11	00:18:47	0.50	500	0	672	71	1105	56.80	4420	1.73	0.00
408	1	38	2009/12/11	00:18:49	0.40	515	0	672	72	1106	55.92	4424	1.39	0.00
409	1	38	2009/12/11	00:18:50	0.30	510	0	672	73	1108	57.25	4432	1.37	0.00
410	1	38	2009/12/11	00:18:51	0.20	500	0	672	72	1109	57.60	4436	1.31	0.00
411	1	38	2009/12/11	00:18:52	0.10	506	0	672	73	1111	57.71	4444	1.30	0.00
412	1	38	2009/12/11	00:19:01	-0.46	578	0	672	0	1119	0.00	4476	0.00	12.87

施工データ

現場：唐津1現場A
担当：唐津太郎

	号棟	杭番	日付	時間	深度 (m)	フィード 速度 (cm/min)	瞬時 流量 (L/min)	積算 流量 (L)	回転数 (min ⁻¹)	積算 回転数 (Rev)	羽根 切回転数 (min ⁻¹)	羽根 切回数 (Rev)	回転 トルク (kN・m)	圧入力 (kN)
361	1	18	2009/12/12	00:17:38	2.40	224	0	676	53	1063	94.64	4252	4.29	0.00
362	1	18	2009/12/12	00:17:41	2.30	230	0	676	56	1066	97.39	4264	3.94	0.00
363	1	18	2009/12/12	00:17:44	2.20	230	0	676	58	1068	100.87	4272	3.72	0.00
364	1	18	2009/12/12	00:17:46	2.10	230	0	676	53	1071	92.17	4284	4.29	0.00
365	1	18	2009/12/12	00:17:49	2.00	230	0	676	51	1073	88.70	4292	4.51	0.00
366	1	18	2009/12/12	00:17:51	1.90	237	0	676	50	1075	84.39	4300	4.51	0.00
367	1	18	2009/12/12	00:17:54	1.80	230	0	676	49	1077	85.22	4308	4.74	0.00
368	1	18	2009/12/12	00:17:57	1.70	230	0	676	49	1080	85.22	4320	4.74	0.00
369	1	18	2009/12/12	00:17:59	1.60	230	0	676	51	1082	88.70	4328	4.51	0.00
370	1	18	2009/12/12	00:18:02	1.50	230	0	676	56	1084	97.39	4336	3.94	0.00
371	1	18	2009/12/12	00:18:05	1.40	230	0	676	61	1087	106.09	4348	3.72	0.00
372	1	18	2009/12/12	00:18:07	1.30	230	0	676	59	1090	102.61	4360	3.60	0.00
373	1	18	2009/12/12	00:18:10	1.20	230	0	676	66	1092	114.78	4368	2.11	0.00
374	1	18	2009/12/12	00:18:12	1.10	230	0	676	69	1095	120.00	4380	1.94	0.00
375	1	18	2009/12/12	00:18:15	1.00	230	0	676	71	1098	123.48	4392	1.78	0.00
376	1	18	2009/12/12	00:18:18	0.90	230	0	676	72	1102	125.22	4408	1.47	0.00
377	1	18	2009/12/12	00:18:20	0.80	237	0	676	72	1105	121.52	4420	1.54	0.00
378	1	18	2009/12/12	00:18:23	0.70	230	0	676	72	1108	125.22	4432	1.29	0.00
379	1	18	2009/12/12	00:18:25	0.60	224	0	676	72	1111	128.57	4444	1.20	0.00
380	1	18	2009/12/12	00:18:28	0.50	230	0	676	74	1114	128.70	4456	1.16	0.00
381	1	18	2009/12/12	00:18:30	0.40	230	0	676	74	1117	128.70	4468	1.14	0.00
382	1	18	2009/12/12	00:18:33	0.30	230	0	676	74	1121	128.70	4484	1.17	0.00
383	1	18	2009/12/12	00:18:36	0.20	230	0	676	73	1124	126.96	4496	1.12	0.00
384	1	18	2009/12/12	00:18:38	0.10	230	0	676	64	1126	111.30	4504	2.19	0.00
385	1	18	2009/12/12	00:18:45	0.10	403	0	676	26	1129	25.81	4516	0.85	12.65
386	1	18	2009/12/12	00:18:46	0.20	500	0	676	32	1130	25.60	4520	1.07	12.65
387	1	18	2009/12/12	00:18:47	0.30	493	0	676	41	1131	33.27	4524	1.11	12.54
388	1	18	2009/12/12	00:18:48	0.40	506	0	676	58	1132	45.85	4528	1.27	12.76
389	1	18	2009/12/12	00:18:49	0.50	493	0	676	72	1134	58.42	4536	0.72	12.65
390	1	18	2009/12/12	00:18:51	0.60	488	0	676	68	1135	55.74	4540	0.49	12.65
391	1	18	2009/12/12	00:18:52	0.70	500	0	676	70	1136	56.00	4544	1.51	12.54
392	1	18	2009/12/12	00:18:53	0.80	500	0	676	72	1138	57.60	4552	1.31	12.43
393	1	18	2009/12/12	00:18:54	0.90	500	0	676	71	1139	56.80	4556	1.46	12.65
394	1	18	2009/12/12	00:18:55	1.00	506	0	676	73	1141	57.71	4564	1.72	12.98
395	1	18	2009/12/12	00:18:58	0.90	434	0	676	71	1144	65.44	4576	1.96	0.00
396	1	18	2009/12/12	00:18:59	0.80	524	0	676	71	1145	54.20	4580	1.49	0.00
397	1	18	2009/12/12	00:19:00	0.70	510	0	676	73	1147	57.25	4588	1.14	0.00
398	1	18	2009/12/12	00:19:02	0.60	500	0	676	72	1148	57.60	4592	1.32	0.00
399	1	18	2009/12/12	00:19:03	0.50	515	0	676	73	1150	56.70	4600	1.10	0.00
400	1	18	2009/12/12	00:19:04	0.40	500	0	676	72	1151	57.60	4604	1.40	0.00
401	1	18	2009/12/12	00:19:05	0.30	510	0	676	73	1153	57.25	4612	1.14	0.00
402	1	18	2009/12/12	00:19:06	0.20	500	0	676	73	1154	58.40	4616	1.07	0.00
403	1	18	2009/12/12	00:19:08	0.10	506	0	676	74	1156	58.50	4624	1.05	0.00
404	1	18	2009/12/12	00:19:16	-0.41	744	0	676	29	1163	15.59	4652	0.00	0.00

施工データ

現場：唐津T1現場A
担当：唐津太郎

Table with 13 columns: 号棟, 杭番, 日付, 時間, 深度(m), フォード速度(cm/min), 瞬時流量(L/min), 積算流量(L), 回転数(mi-n-1), 積算回転数(Rev), 羽根切回転数(mi-n-1), 羽根切回数(Rev), 回転トルク(kN・m), 圧入力(kN). Rows 181-270.

施工データ

現場：唐津1現場A
担当：唐津太郎

	号棟	杭番	日付	時間	深度 (m)	フィード 速度 (cm/min)	瞬時 流量 (L/min)	積算 流量 (L)	回転数 (min ⁻¹)	積算 回転数 (Rev)	羽根 切回転数 (min ⁻¹)	羽根 切回数 (Rev)	回転 トルク (kN・m)	圧入力 (kN)
361	1	10	2009/12/11	00:16:26	2.50	230	0	636	52	959	90.43	3836	4.40	0.00
362	1	10	2009/12/11	00:16:29	2.40	230	0	636	53	961	92.17	3844	4.29	0.00
363	1	10	2009/12/11	00:16:31	2.30	224	0	636	58	964	103.57	3856	3.72	0.00
364	1	10	2009/12/11	00:16:34	2.20	230	0	636	59	966	102.61	3864	3.60	0.00
365	1	10	2009/12/11	00:16:37	2.10	230	0	636	59	969	102.61	3876	2.44	0.00
366	1	10	2009/12/11	00:16:39	2.00	230	0	636	59	971	102.61	3884	2.44	0.00
367	1	10	2009/12/11	00:16:42	1.90	230	0	636	60	974	104.35	3896	2.38	0.00
368	1	10	2009/12/11	00:16:44	1.80	230	0	636	60	976	104.35	3904	2.47	0.00
369	1	10	2009/12/11	00:16:47	1.70	230	0	636	64	979	111.30	3916	2.33	0.00
370	1	10	2009/12/11	00:16:49	1.60	230	0	636	64	982	111.30	3928	2.30	0.00
371	1	10	2009/12/11	00:16:52	1.50	237	0	636	64	985	108.02	3940	2.38	0.00
372	1	10	2009/12/11	00:16:55	1.40	230	0	636	66	988	114.78	3952	2.16	0.00
373	1	10	2009/12/11	00:16:57	1.30	230	0	636	69	991	120.00	3964	1.91	0.00
374	1	10	2009/12/11	00:17:00	1.20	230	0	636	71	994	123.48	3976	1.76	0.00
375	1	10	2009/12/11	00:17:02	1.10	230	0	636	72	997	125.22	3988	1.72	0.00
376	1	10	2009/12/11	00:17:05	1.00	230	0	636	72	1000	125.22	4000	1.66	0.00
377	1	10	2009/12/11	00:17:08	0.90	230	0	636	69	1003	120.00	4012	3.50	0.00
378	1	10	2009/12/11	00:17:10	0.80	237	0	636	27	1004	45.57	4016	2.85	0.00
379	1	10	2009/12/11	00:17:13	0.70	230	0	636	25	1006	43.48	4024	2.85	0.00
380	1	10	2009/12/11	00:17:15	0.60	230	0	636	25	1007	43.48	4028	2.69	0.00
381	1	10	2009/12/11	00:17:18	0.50	230	0	636	24	1008	41.74	4032	2.52	0.00
382	1	10	2009/12/11	00:17:18	0.49	230	0	636	24	1008	41.74	4032	2.47	0.00
383	1	10	2009/12/11	00:17:20	0.50	0	0	636	25	1009	999.99	4036	2.47	12.87
384	1	10	2009/12/11	00:17:22	0.60	237	0	636	25	1009	42.19	4036	4.73	12.87
385	1	10	2009/12/11	00:17:24	0.70	510	0	636	25	1010	19.61	4040	1.09	12.87
386	1	10	2009/12/11	00:17:29	0.80	0	0	636	52	1014	999.99	4056	1.50	12.65
387	1	10	2009/12/11	00:17:30	0.90	354	0	636	72	1015	81.36	4060	1.58	12.76
388	1	10	2009/12/11	00:17:31	1.00	466	0	636	73	1017	62.66	4068	1.56	12.87
389	1	10	2009/12/11	00:17:33	1.10	500	0	636	72	1018	57.60	4072	1.63	12.65
390	1	10	2009/12/11	00:17:34	1.20	500	0	636	72	1020	57.60	4080	1.65	12.76
391	1	10	2009/12/11	00:17:35	1.30	500	0	636	72	1021	57.60	4084	1.73	12.65
392	1	10	2009/12/11	00:17:36	1.40	500	0	636	71	1023	56.80	4092	2.24	13.09
393	1	10	2009/12/11	00:17:37	1.50	493	0	636	70	1024	56.80	4096	2.45	12.76
394	1	10	2009/12/11	00:17:41	1.40	524	0	636	62	1028	47.33	4112	2.19	0.00
395	1	10	2009/12/11	00:17:42	1.30	506	0	636	65	1029	51.38	4116	1.90	0.00
396	1	10	2009/12/11	00:17:43	1.20	510	0	636	69	1030	54.12	4120	1.82	0.00
397	1	10	2009/12/11	00:17:45	1.10	500	0	636	69	1032	55.20	4128	1.81	0.00
398	1	10	2009/12/11	00:17:46	1.00	500	0	636	70	1033	56.00	4132	1.71	0.00
399	1	10	2009/12/11	00:17:47	0.90	510	0	636	71	1035	55.69	4140	1.64	0.00
400	1	10	2009/12/11	00:17:48	0.80	500	0	636	71	1036	56.80	4144	1.59	0.00
401	1	10	2009/12/11	00:17:49	0.70	506	0	636	72	1038	56.92	4152	1.61	0.00
402	1	10	2009/12/11	00:17:51	0.60	500	0	636	71	1039	56.80	4156	1.46	0.00
403	1	10	2009/12/11	00:17:52	0.50	500	0	636	72	1040	57.60	4160	1.45	0.00
404	1	10	2009/12/11	00:17:52	0.49	500	0	636	72	1041	57.60	4164	1.45	0.00
405	1	10	2009/12/11	00:17:54	0.40	201	0	636	73	1043	145.27	4172	1.34	0.00
406	1	10	2009/12/11	00:17:56	0.30	210	0	636	74	1045	140.95	4180	1.15	0.00
407	1	10	2009/12/11	00:17:58	0.20	309	0	636	60	1048	77.67	4192	2.42	0.00
408	1	10	2009/12/11	00:17:59	0.10	640	0	636	4	1048	2.50	4192	0.00	0.00
409	1	10	2009/12/11	00:18:01	-0.18	636	0	636	0	1048	0.00	4192	0.00	0.00

施工データ

現場：唐津1現場A

担当：唐津太郎

	号棟	杭番	日付	時間	深度 (m)	フィード 速度 (cm/min)	瞬時 流量 (L/min)	積算 流量 (L)	回転数 (min ⁻¹)	積算 回転数 (Rev)	羽根 切回転数 (min ⁻¹)	羽根 切回数 (Rev)	回転 トルク (kN・m)	圧入力 (kN)
361	1	33	2009/12/12	00:32:56	2.20	230	0	670	45	1434	78.26	5736	5.20	0.00
362	1	33	2009/12/12	00:32:59	2.10	230	0	670	42	1436	73.04	5744	5.54	0.00
363	1	33	2009/12/12	00:33:02	2.00	230	0	670	45	1438	78.26	5752	5.20	0.00
364	1	33	2009/12/12	00:33:04	1.90	230	0	670	51	1440	88.70	5760	4.63	0.00
365	1	33	2009/12/12	00:33:07	1.80	219	0	670	57	1442	104.11	5768	2.29	0.00
366	1	33	2009/12/12	00:33:10	1.70	230	0	670	64	1445	111.30	5780	2.00	0.00
367	1	33	2009/12/12	00:33:12	1.60	230	0	670	65	1448	113.04	5792	2.27	0.00
368	1	33	2009/12/12	00:33:15	1.50	230	0	670	65	1451	113.04	5804	2.28	0.00
369	1	33	2009/12/12	00:33:17	1.40	230	0	670	70	1454	121.74	5816	2.00	0.00
370	1	33	2009/12/12	00:33:20	1.30	230	0	670	72	1457	125.22	5828	1.77	0.00
371	1	33	2009/12/12	00:33:22	1.20	224	0	670	71	1460	126.79	5840	1.75	0.00
372	1	33	2009/12/12	00:33:25	1.10	230	0	670	71	1463	123.48	5852	1.61	0.00
373	1	33	2009/12/12	00:33:28	1.00	230	0	670	73	1466	126.96	5864	1.44	0.00
374	1	33	2009/12/12	00:33:30	0.90	224	0	670	71	1469	126.79	5876	1.87	0.00
375	1	33	2009/12/12	00:33:33	0.80	230	0	670	72	1472	125.22	5888	1.28	0.00
376	1	33	2009/12/12	00:33:35	0.70	230	0	670	74	1476	128.70	5904	1.25	0.00
377	1	33	2009/12/12	00:33:38	0.60	230	0	670	74	1479	128.70	5916	1.17	0.00
378	1	33	2009/12/12	00:33:41	0.50	230	0	670	73	1482	126.96	5928	1.13	0.00
379	1	33	2009/12/12	00:33:43	0.40	230	0	670	74	1485	128.70	5940	1.10	0.00
380	1	33	2009/12/12	00:33:46	0.30	230	0	670	74	1489	128.70	5956	1.08	0.00
381	1	33	2009/12/12	00:33:48	0.20	230	0	670	34	1491	59.13	5964	2.31	0.00
382	1	33	2009/12/12	00:33:51	0.10	230	0	670	25	1492	43.48	5968	2.31	0.00
383	1	33	2009/12/12	00:33:57	0.10	273	0	670	25	1494	36.63	5976	0.74	12.43
384	1	33	2009/12/12	00:33:58	0.20	506	0	670	33	1495	26.09	5980	0.81	12.54
385	1	33	2009/12/12	00:33:59	0.30	510	0	670	43	1496	33.73	5984	0.95	12.65
386	1	33	2009/12/12	00:34:03	0.40	62	0	670	74	1500	477.42	6000	1.15	12.32
387	1	33	2009/12/12	00:34:04	0.50	484	0	670	74	1501	61.16	6004	1.21	12.54
388	1	33	2009/12/12	00:34:05	0.60	500	0	670	73	1503	58.40	6012	1.17	12.32
389	1	33	2009/12/12	00:34:06	0.70	500	0	670	73	1504	58.40	6016	1.26	12.54
390	1	33	2009/12/12	00:34:07	0.80	506	0	670	74	1505	58.50	6020	1.28	12.43
391	1	33	2009/12/12	00:34:09	0.90	493	0	670	73	1507	59.23	6028	1.52	12.54
392	1	33	2009/12/12	00:34:10	1.00	500	0	670	73	1508	58.40	6032	1.30	12.76
393	1	33	2009/12/12	00:34:13	0.90	452	0	670	73	1513	64.60	6052	1.20	0.00
394	1	33	2009/12/12	00:34:15	0.80	484	0	670	72	1514	59.50	6056	1.21	0.00
395	1	33	2009/12/12	00:34:16	0.70	500	0	670	73	1516	58.40	6064	1.13	0.00
396	1	33	2009/12/12	00:34:17	0.60	500	0	670	72	1517	57.60	6068	1.16	0.00
397	1	33	2009/12/12	00:34:18	0.50	500	0	670	73	1519	58.40	6076	0.88	0.00
398	1	33	2009/12/12	00:34:19	0.40	500	0	670	73	1520	58.40	6080	1.52	0.00
399	1	33	2009/12/12	00:34:20	0.30	506	0	670	74	1522	58.50	6088	1.11	0.00
400	1	33	2009/12/12	00:34:22	0.20	500	0	670	73	1523	58.40	6092	1.09	0.00
401	1	33	2009/12/12	00:34:23	0.10	506	0	670	74	1524	58.50	6096	1.07	0.00
402	1	33	2009/12/12	00:34:29	-0.40	569	0	670	0	1529	0.00	6116	0.00	12.54

施工データ

現場：唐津17現場A
担当：唐津太郎

	号棟	杭番	日付	時間	深度(m)	フィード速度(cm/min)	瞬時流量(L/min)	積算流量(L)	回転数(mi n-1)	積算回転数(Rev)	羽根切回転数(mi n-1)	羽根切回数(Rev)	回転トルク(kN・m)	圧入力(kN)
271	1	19	2009/12/11	00:13:05	1.30	230	75	600	60	726	104.35	2904	3.49	0.00
272	1	19	2009/12/11	00:13:08	1.20	230	76	604	60	729	104.35	2916	3.49	0.00
273	1	19	2009/12/11	00:13:11	1.10	230	76	607	59	732	102.61	2928	3.60	0.00
274	1	19	2009/12/11	00:13:13	1.00	230	78	610	61	734	106.09	2936	2.50	0.00
275	1	19	2009/12/11	00:13:16	0.90	230	78	614	63	737	109.57	2948	2.43	0.00
276	1	19	2009/12/11	00:13:18	0.80	230	77	617	62	740	107.83	2960	2.38	0.00
277	1	19	2009/12/11	00:13:21	0.70	230	77	620	67	743	116.52	2972	2.08	0.00
278	1	19	2009/12/11	00:13:24	0.60	230	76	624	69	746	120.00	2984	1.85	0.00
279	1	19	2009/12/11	00:13:26	0.50	237	76	627	71	749	119.83	2996	3.46	0.00
280	1	19	2009/12/11	00:13:26	0.49	237	76	627	71	749	119.83	2996	3.15	0.00
281	1	19	2009/12/11	00:13:28	0.50	215	77	629	50	750	93.02	3000	2.59	12.76
282	1	19	2009/12/11	00:13:30	0.60	230	48	632	24	751	41.74	3004	1.04	12.76
283	1	19	2009/12/11	00:13:33	0.70	230	19	634	38	752	66.09	3008	1.36	12.65
284	1	19	2009/12/11	00:13:36	0.80	230	7	634	73	755	126.96	3020	1.61	12.76
285	1	19	2009/12/11	00:13:44	0.90	215	0	634	73	765	135.81	3060	1.53	12.76
286	1	19	2009/12/11	00:13:47	1.00	224	0	634	72	769	128.57	3076	1.56	12.76
287	1	19	2009/12/11	00:13:49	1.10	224	0	634	72	772	128.57	3088	1.94	12.98
288	1	19	2009/12/11	00:13:52	1.20	230	0	634	71	775	123.48	3100	1.98	12.98
289	1	19	2009/12/11	00:13:55	1.30	224	0	634	71	778	126.79	3112	1.89	12.65
290	1	19	2009/12/11	00:13:57	1.40	219	0	634	70	781	127.85	3124	2.17	12.76
291	1	19	2009/12/11	00:14:00	1.50	230	0	634	70	784	121.74	3136	2.18	12.87
292	1	19	2009/12/11	00:14:03	1.60	230	0	634	70	787	121.74	3148	2.37	12.76
293	1	19	2009/12/11	00:14:05	1.70	230	0	634	70	790	121.74	3160	2.35	12.87
294	1	19	2009/12/11	00:14:08	1.80	230	0	634	69	793	120.00	3172	2.22	12.76
295	1	19	2009/12/11	00:14:10	1.90	230	0	634	70	796	121.74	3184	2.30	12.76
296	1	19	2009/12/11	00:14:13	2.00	230	0	634	69	799	120.00	3196	2.46	12.76
297	1	19	2009/12/11	00:14:16	2.10	237	0	634	70	802	118.14	3208	2.22	12.76
298	1	19	2009/12/11	00:14:18	2.20	224	0	634	66	805	117.86	3220	2.26	12.87
299	1	19	2009/12/11	00:14:21	2.30	224	0	634	70	808	125.00	3232	2.47	12.76
300	1	19	2009/12/11	00:14:23	2.40	237	0	634	71	812	119.83	3248	2.22	12.65
301	1	19	2009/12/11	00:14:26	2.50	219	0	634	69	815	126.03	3260	2.21	12.76
302	1	19	2009/12/11	00:14:29	2.60	224	0	634	68	818	121.43	3272	2.46	12.76
303	1	19	2009/12/11	00:14:31	2.70	230	0	634	70	821	121.74	3284	2.33	12.87
304	1	19	2009/12/11	00:14:34	2.80	237	0	634	70	824	118.14	3296	2.48	12.65
305	1	19	2009/12/11	00:14:36	2.90	230	0	634	70	827	121.74	3308	2.21	12.87
306	1	19	2009/12/11	00:14:39	3.00	230	0	634	71	830	123.48	3320	1.87	12.65
307	1	19	2009/12/11	00:14:39	3.00	230	0	634	71	830	123.48	3320	1.87	12.65
308	1	19	2009/12/11	00:14:42	3.10	230	0	634	71	833	123.48	3332	2.05	12.54
309	1	19	2009/12/11	00:14:44	3.20	230	0	634	71	836	123.48	3344	2.04	12.65
310	1	19	2009/12/11	00:14:47	3.30	237	0	634	71	839	119.83	3356	1.69	12.87
311	1	19	2009/12/11	00:14:49	3.40	224	0	634	71	842	126.79	3368	1.70	12.76
312	1	19	2009/12/11	00:14:52	3.50	230	0	634	73	845	126.96	3380	1.66	13.09
313	1	19	2009/12/11	00:14:55	3.60	224	0	634	71	849	126.79	3396	1.85	13.09
314	1	19	2009/12/11	00:14:57	3.70	230	0	634	71	852	123.48	3408	1.95	12.87
315	1	19	2009/12/11	00:15:00	3.80	230	0	634	72	855	125.22	3420	1.86	12.76
316	1	19	2009/12/11	00:15:02	3.90	230	0	634	72	858	125.22	3432	1.67	12.76
317	1	19	2009/12/11	00:15:05	4.00	224	0	634	71	861	126.79	3444	1.83	12.76
318	1	19	2009/12/11	00:15:08	4.10	230	0	634	72	864	125.22	3456	2.02	12.76
319	1	19	2009/12/11	00:15:10	4.20	230	0	634	72	867	125.22	3468	1.99	13.09
320	1	19	2009/12/11	00:15:13	4.30	230	0	634	70	870	121.74	3480	2.09	12.87
321	1	19	2009/12/11	00:15:16	4.40	224	0	634	70	874	125.00	3496	2.13	12.76
322	1	19	2009/12/11	00:15:18	4.50	237	0	634	71	877	119.83	3508	2.02	12.65
323	1	19	2009/12/11	00:15:21	4.60	230	0	634	70	880	121.74	3520	2.10	12.76
324	1	19	2009/12/11	00:15:23	4.70	230	0	634	70	883	121.74	3532	2.22	12.87
325	1	19	2009/12/11	00:15:26	4.80	237	0	634	71	886	119.83	3544	2.16	12.65
326	1	19	2009/12/11	00:15:29	4.90	230	0	634	70	889	121.74	3556	2.13	12.76
327	1	19	2009/12/11	00:15:31	5.00	219	0	634	69	892	126.03	3568	2.03	12.65
328	1	19	2009/12/11	00:15:34	5.10	230	0	634	71	895	123.48	3580	2.18	12.76
329	1	19	2009/12/11	00:15:36	5.20	230	0	634	71	898	123.48	3592	2.24	12.76
330	1	19	2009/12/11	00:15:39	5.30	224	0	634	70	901	125.00	3604	2.18	12.98
331	1	19	2009/12/11	00:15:42	5.40	230	0	634	71	904	123.48	3616	2.08	12.76
332	1	19	2009/12/11	00:15:54	5.30	230	0	634	67	917	116.52	3668	2.26	0.00
333	1	19	2009/12/11	00:15:56	5.20	230	0	634	67	920	116.52	3680	2.28	0.00
334	1	19	2009/12/11	00:15:59	5.10	230	0	634	68	923	118.26	3692	2.21	0.00
335	1	19	2009/12/11	00:16:01	5.00	230	0	634	68	926	118.26	3704	2.12	0.00
336	1	19	2009/12/11	00:16:04	4.90	224	0	634	68	929	121.43	3716	2.29	0.00
337	1	19	2009/12/11	00:16:07	4.80	230	0	634	68	932	118.26	3728	2.31	0.00
338	1	19	2009/12/11	00:16:09	4.70	230	0	634	68	935	118.26	3740	2.33	0.00
339	1	19	2009/12/11	00:16:12	4.60	230	0	634	66	938	114.78	3752	2.36	0.00
340	1	19	2009/12/11	00:16:14	4.50	230	0	634	66	941	114.78	3764	2.34	0.00
341	1	19	2009/12/11	00:16:17	4.40	230	0	634	66	944	114.78	3776	2.32	0.00
342	1	19	2009/12/11	00:16:20	4.30	230	0	634	66	947	114.78	3788	2.33	0.00
343	1	19	2009/12/11	00:16:22	4.20	230	0	634	66	950	114.78	3800	2.30	0.00
344	1	19	2009/12/11	00:16:25	4.10	230	0	634	68	953	118.26	3812	2.24	0.00
345	1	19	2009/12/11	00:16:28	4.00	230	0	634	68	956	118.26	3824	2.12	0.00
346	1	19	2009/12/11	00:16:30	3.90	230	0	634	68	959	118.26	3836	2.05	0.00
347	1	19	2009/12/11	00:16:33	3.80	230	0	634	69	962	120.00	3848	2.12	0.00
348	1	19	2009/12/11	00:16:35	3.70	230	0	634	71	965	123.48	3860	1.94	0.00
349	1	19	2009/12/11	00:16:38	3.60	230	0	634	70	968	121.74	3872	1.92	0.00
350	1	19	2009/12/11	00:16:41	3.50	230	0	634	70	971	121.74	3884	1.97	0.00
351	1	19	2009/12/11	00:16:43	3.40	230	0	634	71	974	123.48	3896	1.90	0.00
352	1	19	2009/12/11	00:16:46	3.30	230	0	634	70	977	121.74	3908	1.87	0.00
353	1	19	2009/12/11	00:16:48	3.20	230	0	634	69	980	120.00	3920	1.99	0.00
354	1	19	2009/12/11	00:16:51	3.10	230	0	634	70	983	121.74	3932	2.02	0.00
355	1	19	2009/12/11	00:16:54	3.00	230	0	634	68	986	118.26	3944	2.00	0.00
356	1	19	2009/12/11	00:16:56	2.90	224	0	634	67	989	119.64	3956	2.08	0.00
357	1	19	2009/12/11	00:16:59	2.80	237	0	634	68	992	114.77	3968	2.05	0.00
358	1	19	2009/12/11	00:17:01	2.70	230	0	634	69	995	120.00</			

施工データ

現場：唐津1現場A
担当：唐津太郎

	号棟	杭番	日付	時間	深度 (m)	フィード 速度 (cm/min)	瞬時 流量 (L/min)	積算 流量 (L)	回転数 (min ⁻¹)	積算 回転数 (Rev)	羽根 切回転数 (min ⁻¹)	羽根 切回数 (Rev)	回転 トルク (kN・m)	圧入力 (kN)
361	1	19	2009/12/11	00:17:09	2.40	230	0	634	62	1003	107.83	4012	3.26	0.00
362	1	19	2009/12/11	00:17:12	2.30	230	0	634	61	1006	106.09	4024	3.37	0.00
363	1	19	2009/12/11	00:17:15	2.20	224	0	634	60	1009	107.14	4036	2.48	0.00
364	1	19	2009/12/11	00:17:17	2.10	230	0	634	61	1011	106.09	4044	2.41	0.00
365	1	19	2009/12/11	00:17:20	2.00	230	0	634	60	1014	104.35	4056	2.36	0.00
366	1	19	2009/12/11	00:17:22	1.90	230	0	634	59	1017	102.61	4068	2.47	0.00
367	1	19	2009/12/11	00:17:25	1.80	230	0	634	60	1019	104.35	4076	3.49	0.00
368	1	19	2009/12/11	00:17:28	1.70	230	0	634	59	1022	102.61	4088	2.39	0.00
369	1	19	2009/12/11	00:17:30	1.60	230	0	634	61	1024	106.09	4096	3.37	0.00
370	1	19	2009/12/11	00:17:33	1.50	230	0	634	66	1027	114.78	4108	2.09	0.00
371	1	19	2009/12/11	00:17:35	1.40	230	0	634	65	1030	113.04	4120	2.25	0.00
372	1	19	2009/12/11	00:17:38	1.30	230	0	634	64	1033	111.30	4132	2.25	0.00
373	1	19	2009/12/11	00:17:41	1.20	230	0	634	64	1036	111.30	4144	2.30	0.00
374	1	19	2009/12/11	00:17:43	1.10	230	0	634	64	1038	111.30	4152	2.30	0.00
375	1	19	2009/12/11	00:17:46	1.00	230	0	634	65	1041	113.04	4164	2.24	0.00
376	1	19	2009/12/11	00:17:48	0.90	224	0	634	64	1044	114.29	4176	2.25	0.00
377	1	19	2009/12/11	00:17:51	0.80	230	0	634	69	1047	120.00	4188	2.07	0.00
378	1	19	2009/12/11	00:17:54	0.70	224	0	634	69	1050	123.21	4200	1.99	0.00
379	1	19	2009/12/11	00:17:56	0.60	230	0	634	69	1053	120.00	4212	2.04	0.00
380	1	19	2009/12/11	00:17:59	0.50	246	0	634	56	1056	91.06	4224	3.45	0.00
381	1	19	2009/12/11	00:17:59	0.49	246	0	634	56	1056	91.06	4224	3.22	0.00
382	1	19	2009/12/11	00:18:04	0.50	0	0	634	25	1058	999.99	4232	2.74	12.76
383	1	19	2009/12/11	00:18:06	0.60	219	0	634	25	1059	45.66	4236	1.08	12.87
384	1	19	2009/12/11	00:18:08	0.70	349	0	634	28	1060	32.09	4240	1.49	12.87
385	1	19	2009/12/11	00:18:09	0.80	470	0	634	37	1061	31.49	4244	1.50	12.87
386	1	19	2009/12/11	00:18:10	0.90	506	0	634	48	1062	37.94	4248	2.11	12.87
387	1	19	2009/12/11	00:18:12	1.00	493	0	634	70	1064	56.80	4256	2.04	12.87
388	1	19	2009/12/11	00:18:13	1.10	493	0	634	70	1065	56.80	4260	2.30	12.65
389	1	19	2009/12/11	00:18:14	1.20	493	0	634	69	1066	55.98	4264	2.49	12.87
390	1	19	2009/12/11	00:18:15	1.30	500	0	634	70	1068	56.00	4272	2.35	12.76
391	1	19	2009/12/11	00:18:17	1.40	500	0	634	68	1069	54.40	4276	2.58	12.87
392	1	19	2009/12/11	00:18:18	1.50	493	0	634	67	1071	54.36	4284	2.58	12.65
393	1	19	2009/12/11	00:18:21	1.40	519	0	634	57	1074	43.93	4296	3.83	0.00
394	1	19	2009/12/11	00:18:22	1.30	515	0	634	57	1075	44.27	4300	3.83	0.00
395	1	19	2009/12/11	00:18:24	1.20	500	0	634	58	1076	46.40	4304	3.72	0.00
396	1	19	2009/12/11	00:18:25	1.10	510	0	634	60	1077	47.06	4308	2.33	0.00
397	1	19	2009/12/11	00:18:26	1.00	500	0	634	61	1078	48.80	4312	2.33	0.00
398	1	19	2009/12/11	00:18:27	0.90	506	0	634	63	1080	49.80	4320	2.13	0.00
399	1	19	2009/12/11	00:18:28	0.80	500	0	634	63	1081	50.40	4324	2.09	0.00
400	1	19	2009/12/11	00:18:30	0.70	500	0	634	66	1082	52.80	4328	2.01	0.00
401	1	19	2009/12/11	00:18:31	0.60	506	0	634	68	1084	53.75	4336	1.96	0.00
402	1	19	2009/12/11	00:18:32	0.50	500	0	634	69	1085	55.20	4340	1.73	0.00
403	1	19	2009/12/11	00:18:32	0.49	500	0	634	69	1085	55.20	4340	1.72	0.00
404	1	19	2009/12/11	00:18:34	0.40	224	0	634	72	1087	128.57	4348	3.72	0.00
405	1	19	2009/12/11	00:18:35	0.30	640	0	634	48	1088	30.00	4352	2.66	0.00
406	1	19	2009/12/11	00:18:36	0.20	645	0	634	31	1089	19.22	4356	2.36	0.00
407	1	19	2009/12/11	00:18:37	0.10	649	0	634	25	1089	15.41	4356	2.35	0.00
408	1	19	2009/12/11	00:18:38	0.10	206	0	634	25	1089	48.54	4356	2.50	12.76
409	1	19	2009/12/11	00:18:44	-0.19	658	0	634	0	1091	0.00	4364	0.00	0.00

施工データ

現場：唐津P1現場A
担当：唐津太郎

号棟	杭番	日付	時間	深度(m)	フィード速度(cm/min)	瞬時流量(L/min)	積算流量(L)	回転数(min ⁻¹)	積算回転数(Rev)	羽根切回転数(min ⁻¹)	羽根切回数(Rev)	回転トルク(kN・m)	圧入力(kN)
1	1	11	2009/12/11	13:13:01	0.00	94	0	0	0	0.00	0	0.00	12.76
2	1	11	2009/12/11	00:00:01	0.10	1093	0	0	0	0.00	0	0.00	12.76
3	1	11	2009/12/11	00:00:01	0.20	1093	0	0	0	0.00	0	0.00	12.87
4	1	11	2009/12/11	00:00:03	0.30	76	0	24	0	126.32	0	3.38	12.76
5	1	11	2009/12/11	00:00:04	0.40	76	0	24	0	126.32	0	3.38	12.76
6	1	11	2009/12/11	00:00:05	0.50	165	0	24	1	58.18	4	4.63	12.87
7	1	11	2009/12/11	00:00:19	0.60	206	74	8	61	118.45	48	2.58	12.65
8	1	11	2009/12/11	00:00:21	0.70	220	74	12	55	100.00	60	4.06	12.87
9	1	11	2009/12/11	00:00:24	0.80	220	75	15	53	96.36	68	4.29	12.87
10	1	11	2009/12/11	00:00:27	0.90	220	77	19	50	90.91	80	4.63	13.09
11	1	11	2009/12/11	00:00:30	1.00	220	76	22	49	89.09	88	4.74	13.09
12	1	11	2009/12/11	00:00:32	1.10	220	75	26	53	96.36	96	4.29	12.65
13	1	11	2009/12/11	00:00:35	1.20	220	76	29	63	114.55	108	3.15	12.76
14	1	11	2009/12/11	00:00:38	1.30	220	78	32	67	121.82	120	2.92	12.76
15	1	11	2009/12/11	00:00:40	1.40	220	76	36	67	121.82	132	2.69	13.20
16	1	11	2009/12/11	00:00:43	1.50	220	75	39	66	120.00	144	2.80	12.76
17	1	11	2009/12/11	00:00:46	1.60	220	77	43	58	105.45	156	3.72	12.76
18	1	11	2009/12/11	00:00:49	1.70	220	78	46	45	81.82	164	4.74	12.54
19	1	11	2009/12/11	00:00:51	1.80	220	77	50	39	70.91	172	5.88	12.87
20	1	11	2009/12/11	00:00:54	1.90	220	76	53	40	72.73	180	5.77	12.76
21	1	11	2009/12/11	00:00:57	2.00	220	77	57	42	76.36	188	5.54	12.65
22	1	11	2009/12/11	00:01:00	2.10	220	78	61	36	65.45	196	6.00	12.87
23	1	11	2009/12/11	00:01:02	2.20	220	76	64	32	58.18	200	6.68	12.87
24	1	11	2009/12/11	00:01:05	2.30	220	75	68	30	54.55	208	6.91	12.76
25	1	11	2009/12/11	00:01:08	2.40	220	76	71	29	52.73	212	7.02	12.65
26	1	11	2009/12/11	00:01:11	2.50	220	76	75	27	49.09	216	7.25	12.76
27	1	11	2009/12/11	00:01:13	2.60	220	75	78	27	49.09	224	7.25	12.76
28	1	11	2009/12/11	00:01:16	2.70	220	74	81	28	50.91	228	7.14	12.65
29	1	11	2009/12/11	00:01:19	2.80	220	77	85	31	56.36	232	6.91	12.65
30	1	11	2009/12/11	00:01:21	2.90	220	77	88	35	63.64	240	2.44	12.76
31	1	11	2009/12/11	00:01:24	3.00	220	76	92	41	74.55	248	5.65	13.09
32	1	11	2009/12/11	00:01:24	3.00	220	76	92	41	74.55	248	5.65	13.09
33	1	11	2009/12/11	00:01:27	3.10	220	75	95	44	80.00	256	5.31	12.87
34	1	11	2009/12/11	00:01:30	3.20	220	77	99	48	87.27	264	4.97	12.98
35	1	11	2009/12/11	00:01:32	3.30	220	77	102	50	90.91	272	4.63	12.76
36	1	11	2009/12/11	00:01:35	3.40	220	76	106	55	100.00	284	4.06	12.87
37	1	11	2009/12/11	00:01:38	3.50	220	74	109	56	101.82	292	3.94	12.65
38	1	11	2009/12/11	00:01:41	3.60	220	76	113	63	114.55	304	3.37	12.87
39	1	11	2009/12/11	00:01:43	3.70	220	76	116	62	112.73	316	3.26	12.76
40	1	11	2009/12/11	00:01:46	3.80	220	75	120	61	110.91	328	3.37	12.76
41	1	11	2009/12/11	00:01:49	3.90	220	73	123	61	110.91	340	3.37	12.65
42	1	11	2009/12/11	00:01:52	4.00	220	75	127	62	112.73	348	3.37	12.87
43	1	11	2009/12/11	00:01:54	4.10	220	77	130	65	118.18	360	2.92	12.76
44	1	11	2009/12/11	00:01:57	4.20	220	76	134	64	116.36	372	3.03	13.09
45	1	11	2009/12/11	00:02:00	4.30	220	75	137	65	118.18	384	2.92	12.65
46	1	11	2009/12/11	00:02:02	4.40	220	76	140	65	118.18	396	2.92	12.65
47	1	11	2009/12/11	00:02:05	4.50	220	78	144	64	116.36	408	3.03	12.87
48	1	11	2009/12/11	00:02:08	4.60	220	77	148	64	116.36	420	3.03	12.76
49	1	11	2009/12/11	00:02:11	4.70	220	75	151	63	114.55	432	3.15	12.87
50	1	11	2009/12/11	00:02:13	4.80	220	76	155	63	114.55	444	3.15	12.76
51	1	11	2009/12/11	00:02:16	4.90	220	77	158	61	110.91	456	3.37	12.65
52	1	11	2009/12/11	00:02:19	5.00	220	76	161	63	114.55	468	3.15	12.76
53	1	11	2009/12/11	00:02:22	5.10	220	73	165	63	114.55	480	3.15	12.76
54	1	11	2009/12/11	00:02:24	5.20	220	75	168	63	114.55	492	3.15	12.87
55	1	11	2009/12/11	00:02:27	5.30	220	77	172	64	116.36	500	3.03	12.87
56	1	11	2009/12/11	00:03:13	5.40	62	71	187	68	134.55	536	2.58	12.87
57	1	11	2009/12/11	00:03:16	5.50	220	75	190	64	116.36	548	3.03	13.09
58	1	11	2009/12/11	00:03:19	5.60	220	75	193	67	121.82	560	2.80	12.76
59	1	11	2009/12/11	00:03:21	5.70	220	75	197	65	118.18	572	2.92	12.76
60	1	11	2009/12/11	00:03:24	5.80	220	76	200	63	114.55	584	3.15	12.76
61	1	11	2009/12/11	00:03:27	5.90	220	78	204	61	110.91	596	3.37	12.87
62	1	11	2009/12/11	00:03:30	6.00	220	75	207	61	110.91	608	3.49	12.65
63	1	11	2009/12/11	00:03:32	6.10	220	74	211	60	109.09	620	3.49	12.76
64	1	11	2009/12/11	00:03:35	6.20	220	75	214	59	107.27	628	3.60	12.76
65	1	11	2009/12/11	00:03:38	6.30	220	76	218	60	109.09	640	3.49	12.76
66	1	11	2009/12/11	00:03:40	6.40	220	75	221	60	109.09	652	3.49	12.76
67	1	11	2009/12/11	00:03:43	6.50	220	73	224	60	109.09	664	3.49	12.76
68	1	11	2009/12/11	00:03:46	6.60	220	76	228	63	114.55	676	3.15	12.87
69	1	11	2009/12/11	00:03:49	6.70	220	76	231	64	116.36	684	3.26	12.76
70	1	11	2009/12/11	00:03:51	6.80	220	74	235	63	114.55	696	3.15	12.76
71	1	11	2009/12/11	00:03:54	6.90	220	75	238	63	114.55	708	3.15	12.87
72	1	11	2009/12/11	00:03:57	7.00	220	76	242	61	110.91	720	3.37	12.87
73	1	11	2009/12/11	00:04:00	7.10	220	77	245	63	114.55	732	3.26	12.65
74	1	11	2009/12/11	00:04:02	7.20	220	76	249	61	110.91	744	3.37	12.87
75	1	11	2009/12/11	00:04:05	7.30	220	74	252	61	110.91	756	3.37	12.76
76	1	11	2009/12/11	00:04:08	7.40	220	77	256	60	109.09	764	3.49	12.76
77	1	11	2009/12/11	00:04:11	7.50	220	76	259	58	105.45	776	3.49	12.98
78	1	11	2009/12/11	00:04:13	7.60	220	74	262	57	103.64	788	3.83	12.87
79	1	11	2009/12/11	00:04:16	7.70	220	72	266	59	107.27	796	3.60	12.54
80	1	11	2009/12/11	00:04:19	7.80	220	74	269	61	110.91	808	3.37	12.65
81	1	11	2009/12/11	00:04:21	7.90	220	76	273	61	110.91	820	3.37	12.76
82	1	11	2009/12/11	00:04:24	8.00	220	75	276	61	110.91	832	3.37	12.98
83	1	11	2009/12/11	00:04:27	8.10	220	74	280	59	107.27	844	3.60	12.87
84	1	11	2009/12/11	00:04:30	8.20	220	75	283	61	110.91	852	3.37	12.76
85	1	11	2009/12/11	00:04:32	8.30	220	77	286	60	109.09	864	3.49	12.87
86	1	11	2009/12/11	00:04:35	8.40	220	77	290	58	105.45	876	3.72	12.76
87	1	11	2009/12/11	00:04:38	8.50	220	74	293	55	100.00	884	4.06	12.87
88	1	11	2009/12/11	00:04:41	8.60	220	76	297	58	105.45	896	3.72	12.87
89	1	11	2009/12/11	00:04:43	8.70	220	78	300	55	100.00	904	4.06	12.87
90	1	11	2009/12/11	00:04:46	8.80	220	75	304	56	101.82	916	3.94	12.76

施工データ

現場：唐津1現場A
担当：唐津太郎

	号棟	杭番	日付	時間	深度 (m)	フィード 速度 (cm/min)	瞬時 流量 (L/min)	積算 流量 (L)	回転数 (min ⁻¹)	積算 回転数 (Rev)	羽根 切回転数 (min ⁻¹)	羽根 切回数 (Rev)	回転 トルク (kN・m)	圧入力 (kN)
361	1	11	2009/12/11	00:16:48	2.30	230	0	630	53	983	92.17	3932	4.29	0.00
362	1	11	2009/12/11	00:16:50	2.20	230	0	630	53	986	92.17	3944	4.17	0.00
363	1	11	2009/12/11	00:16:53	2.10	230	0	630	51	988	88.70	3952	4.51	0.00
364	1	11	2009/12/11	00:16:56	2.00	230	0	630	51	990	88.70	3960	4.51	0.00
365	1	11	2009/12/11	00:16:58	1.90	230	0	630	50	992	86.96	3968	4.63	0.00
366	1	11	2009/12/11	00:17:01	1.80	230	0	630	52	995	90.43	3980	4.40	0.00
367	1	11	2009/12/11	00:17:04	1.70	230	0	630	56	997	97.39	3988	4.17	0.00
368	1	11	2009/12/11	00:17:06	1.60	230	0	630	59	1000	102.61	4000	3.60	0.00
369	1	11	2009/12/11	00:17:09	1.50	230	0	630	62	1002	107.83	4008	3.26	0.00
370	1	11	2009/12/11	00:17:11	1.40	230	0	630	62	1005	107.83	4020	3.26	0.00
371	1	11	2009/12/11	00:17:14	1.30	230	0	630	64	1008	111.30	4032	2.42	0.00
372	1	11	2009/12/11	00:17:17	1.20	224	0	630	64	1010	114.29	4040	2.29	0.00
373	1	11	2009/12/11	00:17:19	1.10	230	0	630	64	1013	111.30	4052	2.33	0.00
374	1	11	2009/12/11	00:17:22	1.00	230	0	630	64	1016	111.30	4064	2.29	0.00
375	1	11	2009/12/11	00:17:24	0.90	230	0	630	63	1019	109.57	4076	2.36	0.00
376	1	11	2009/12/11	00:17:27	0.80	230	0	630	61	1021	106.09	4084	2.25	0.00
377	1	11	2009/12/11	00:17:30	0.70	230	0	630	63	1024	109.57	4096	2.24	0.00
378	1	11	2009/12/11	00:17:32	0.60	230	0	630	65	1027	113.04	4108	2.04	0.00
379	1	11	2009/12/11	00:17:35	0.50	237	0	630	71	1030	119.83	4120	1.88	0.00
380	1	11	2009/12/11	00:17:35	0.49	237	0	630	71	1030	119.83	4120	1.78	0.00
381	1	11	2009/12/11	00:17:37	0.50	0	0	630	72	1033	999.99	4132	1.68	12.76
382	1	11	2009/12/11	00:17:40	0.60	255	0	630	72	1035	112.94	4140	1.80	12.76
383	1	11	2009/12/11	00:17:41	0.70	340	0	630	71	1037	83.53	4148	1.87	12.87
384	1	11	2009/12/11	00:17:42	0.80	466	0	630	72	1039	61.80	4156	2.25	12.76
385	1	11	2009/12/11	00:17:43	0.90	500	0	630	71	1040	56.80	4160	2.17	12.76
386	1	11	2009/12/11	00:17:45	1.00	493	0	630	70	1041	56.80	4164	2.22	12.65
387	1	11	2009/12/11	00:17:46	1.10	506	0	630	70	1043	55.34	4172	2.21	12.76
388	1	11	2009/12/11	00:17:47	1.20	493	0	630	69	1044	55.98	4176	2.33	12.87
389	1	11	2009/12/11	00:17:48	1.30	500	0	630	70	1046	56.00	4184	2.35	12.87
390	1	11	2009/12/11	00:17:49	1.40	500	0	630	68	1047	54.40	4188	2.58	12.65
391	1	11	2009/12/11	00:17:51	1.50	493	0	630	64	1048	51.93	4192	3.03	12.76
392	1	11	2009/12/11	00:17:54	1.40	430	0	630	51	1051	47.44	4204	4.51	0.00
393	1	11	2009/12/11	00:17:55	1.30	524	0	630	55	1053	41.98	4212	2.47	0.00
394	1	11	2009/12/11	00:17:57	1.20	506	0	630	60	1054	47.43	4216	2.42	0.00
395	1	11	2009/12/11	00:17:58	1.10	500	0	630	60	1055	48.00	4220	2.38	0.00
396	1	11	2009/12/11	00:17:59	1.00	506	0	630	62	1056	49.01	4224	2.29	0.00
397	1	11	2009/12/11	00:18:00	0.90	500	0	630	62	1057	49.60	4228	2.14	0.00
398	1	11	2009/12/11	00:18:01	0.80	506	0	630	64	1059	50.59	4236	2.11	0.00
399	1	11	2009/12/11	00:18:03	0.70	506	0	630	66	1060	52.17	4240	2.01	0.00
400	1	11	2009/12/11	00:18:04	0.60	506	0	630	67	1061	52.96	4244	2.01	0.00
401	1	11	2009/12/11	00:18:05	0.50	500	0	630	67	1063	53.60	4252	1.90	0.00
402	1	11	2009/12/11	00:18:05	0.49	500	0	630	67	1063	53.60	4252	1.90	0.00
403	1	11	2009/12/11	00:18:07	0.40	0	0	630	72	1066	999.99	4264	1.70	0.00
404	1	11	2009/12/11	00:18:08	0.30	622	0	630	69	1067	44.37	4268	1.46	0.00
405	1	11	2009/12/11	00:18:09	0.20	649	0	630	71	1068	43.76	4272	1.36	0.00
406	1	11	2009/12/11	00:18:10	0.10	654	0	630	72	1069	44.04	4276	1.26	0.00
407	1	11	2009/12/11	00:18:15	-0.19	658	0	630	0	1073	0.00	4292	0.00	0.00

施工データ

現場：唐津汚水処理場A
担当：唐津太郎

号棟	杭番	日付	時間	深度 (m)	フィード 速度 (cm/min)	瞬時 流量 (L/min)	積算 流量 (L)	回転数 (min ⁻¹)	積算 回転数 (Rev)	羽根 切回数 (mi ⁻¹)	羽根 切回数 (Rev)	回転 トルク (kN・m)	圧入力 (kN)	
1	1	26	2009/12/12	13:23:00	0.00	8	0	25	1	999.99	4	2.66	12.65	
2	1	26	2009/12/12	00:00:05	0.10	0	67	4	25	3	999.99	12	2.50	12.65
3	1	26	2009/12/12	00:00:10	0.20	242	72	9	25	5	41.32	20	0.84	12.65
4	1	26	2009/12/12	00:00:12	0.30	220	74	13	38	7	69.09	28	1.20	12.43
5	1	26	2009/12/12	00:00:15	0.40	220	77	16	68	10	123.64	40	2.07	12.65
6	1	26	2009/12/12	00:00:18	0.50	220	77	20	71	13	129.09	52	1.63	12.32
7	1	26	2009/12/12	00:00:21	0.60	220	74	23	68	16	123.64	64	2.37	12.43
8	1	26	2009/12/12	00:00:23	0.70	220	73	27	70	20	127.27	80	2.15	12.54
9	1	26	2009/12/12	00:00:26	0.80	220	76	30	71	23	129.09	92	2.02	12.54
10	1	26	2009/12/12	00:00:29	0.90	210	76	33	69	26	131.43	104	1.94	12.54
11	1	26	2009/12/12	00:00:32	1.00	220	74	37	70	29	127.27	116	2.35	12.43
12	1	26	2009/12/12	00:00:34	1.10	220	74	40	69	33	125.45	132	2.46	12.65
13	1	26	2009/12/12	00:00:37	1.20	233	76	44	71	36	121.89	144	1.89	12.32
14	1	26	2009/12/12	00:00:40	1.30	220	78	47	71	39	129.09	156	2.44	12.65
15	1	26	2009/12/12	00:00:43	1.40	220	75	51	69	42	125.45	168	2.45	12.65
16	1	26	2009/12/12	00:00:45	1.50	220	75	54	64	45	116.36	180	2.80	12.65
17	1	26	2009/12/12	00:00:48	1.60	220	77	58	56	48	101.82	192	3.94	12.54
18	1	26	2009/12/12	00:00:51	1.70	220	77	61	50	50	90.91	200	4.63	12.65
19	1	26	2009/12/12	00:00:54	1.80	220	75	65	46	52	83.64	208	5.08	12.43
20	1	26	2009/12/12	00:00:56	1.90	220	73	68	43	54	78.18	216	5.54	12.76
21	1	26	2009/12/12	00:00:59	2.00	220	76	72	45	56	81.82	224	5.20	12.54
22	1	26	2009/12/12	00:01:02	2.10	220	76	75	40	58	72.73	232	5.77	12.65
23	1	26	2009/12/12	00:01:04	2.20	220	75	79	35	60	63.64	240	6.34	12.76
24	1	26	2009/12/12	00:01:07	2.30	220	74	82	34	61	61.82	244	6.45	12.43
25	1	26	2009/12/12	00:01:10	2.40	220	76	85	33	63	60.00	252	6.57	12.54
26	1	26	2009/12/12	00:01:13	2.50	220	78	89	31	64	56.36	256	6.79	12.54
27	1	26	2009/12/12	00:01:15	2.60	220	76	92	31	66	56.36	264	6.79	12.54
28	1	26	2009/12/12	00:01:18	2.70	220	74	96	31	67	56.36	268	6.79	12.43
29	1	26	2009/12/12	00:01:21	2.80	220	76	99	35	69	63.64	276	6.34	12.65
30	1	26	2009/12/12	00:01:24	2.90	220	77	103	40	71	72.73	284	5.77	12.65
31	1	26	2009/12/12	00:01:26	3.00	210	75	106	44	73	83.81	292	5.43	12.54
32	1	26	2009/12/12	00:01:26	3.00	210	75	106	44	73	83.81	292	5.31	12.54
33	1	26	2009/12/12	00:01:29	3.10	220	72	110	46	75	83.64	300	5.08	12.54
34	1	26	2009/12/12	00:01:32	3.20	220	74	113	48	77	87.27	308	4.86	12.76
35	1	26	2009/12/12	00:01:34	3.30	220	76	116	50	79	90.91	316	4.63	12.54
36	1	26	2009/12/12	00:01:37	3.40	220	76	120	56	82	101.82	328	4.29	12.65
37	1	26	2009/12/12	00:01:40	3.50	220	74	123	60	84	109.09	336	3.49	12.54
38	1	26	2009/12/12	00:01:43	3.60	220	74	127	67	87	121.82	348	2.69	12.32
39	1	26	2009/12/12	00:01:45	3.70	220	78	130	66	91	120.00	364	2.80	12.54
40	1	26	2009/12/12	00:01:48	3.80	220	77	134	65	94	118.18	376	2.92	13.09
41	1	26	2009/12/12	00:01:51	3.90	220	75	137	62	96	112.73	384	3.26	12.54
42	1	26	2009/12/12	00:01:54	4.00	220	73	141	63	99	114.55	396	3.15	12.65
43	1	26	2009/12/12	00:01:56	4.10	220	76	144	64	102	116.36	408	3.03	12.65
44	1	26	2009/12/12	00:01:59	4.20	220	76	147	64	105	116.36	420	3.03	12.54
45	1	26	2009/12/12	00:02:02	4.30	220	74	151	64	108	116.36	432	3.03	12.87
46	1	26	2009/12/12	00:02:05	4.40	220	73	154	64	111	116.36	444	3.03	12.76
47	1	26	2009/12/12	00:02:07	4.50	220	75	158	67	114	121.82	456	2.80	12.43
48	1	26	2009/12/12	00:02:10	4.60	220	77	161	67	117	121.82	468	2.69	12.65
49	1	26	2009/12/12	00:02:13	4.70	220	75	165	67	120	121.82	480	2.69	12.54
50	1	26	2009/12/12	00:02:16	4.80	220	74	168	65	123	118.18	492	2.92	12.87
51	1	26	2009/12/12	00:02:18	4.90	220	75	172	62	126	112.73	504	3.03	12.54
52	1	26	2009/12/12	00:02:21	5.00	220	77	175	61	129	110.91	516	3.37	12.65
53	1	26	2009/12/12	00:02:24	5.10	220	76	178	64	132	116.36	528	3.03	12.65
54	1	26	2009/12/12	00:02:26	5.20	220	73	182	64	135	116.36	540	3.03	12.65
55	1	26	2009/12/12	00:02:29	5.30	220	73	185	62	138	112.73	552	3.03	12.54
56	1	26	2009/12/12	00:02:32	5.40	220	75	189	63	141	114.55	564	3.15	12.65
57	1	26	2009/12/12	00:02:42	5.49	0	15	199	0	145	0.00	580	0.00	12.54
58	1	26	2009/12/12	00:03:16	5.50	0	70	205	71	150	999.99	600	1.95	12.65
59	1	26	2009/12/12	00:03:18	5.60	228	73	208	70	153	122.81	612	2.39	12.54
60	1	26	2009/12/12	00:03:21	5.70	220	77	211	69	156	125.45	624	2.26	12.87
61	1	26	2009/12/12	00:03:24	5.80	220	75	214	69	159	125.45	636	2.46	12.65
62	1	26	2009/12/12	00:03:27	5.90	220	74	218	68	163	123.64	652	2.58	12.65
63	1	26	2009/12/12	00:03:29	6.00	220	76	221	66	166	120.00	664	2.58	12.87
64	1	26	2009/12/12	00:03:32	6.10	210	76	225	65	169	123.81	676	2.92	12.65
65	1	26	2009/12/12	00:03:35	6.20	220	74	228	64	172	116.36	688	3.03	12.76
66	1	26	2009/12/12	00:03:37	6.30	220	72	232	66	175	120.00	700	2.80	12.10
67	1	26	2009/12/12	00:03:40	6.40	220	74	235	66	178	120.00	712	2.92	12.76
68	1	26	2009/12/12	00:03:43	6.50	220	76	238	66	181	120.00	724	2.80	12.21
69	1	26	2009/12/12	00:03:46	6.60	220	75	242	65	184	118.18	736	2.92	12.21
70	1	26	2009/12/12	00:03:48	6.70	220	74	245	65	187	118.18	748	2.92	12.43
71	1	26	2009/12/12	00:03:51	6.80	220	75	249	65	190	118.18	760	2.92	12.21
72	1	26	2009/12/12	00:03:54	6.90	220	78	252	64	193	116.36	772	3.03	12.43
73	1	26	2009/12/12	00:03:57	7.00	220	77	256	65	196	118.18	784	2.92	12.98
74	1	26	2009/12/12	00:03:59	7.10	220	74	259	65	199	118.18	796	2.92	12.87
75	1	26	2009/12/12	00:04:02	7.20	220	73	263	66	202	120.00	808	2.80	12.43
76	1	26	2009/12/12	00:04:05	7.30	220	74	266	65	205	118.18	820	2.92	12.65
77	1	26	2009/12/12	00:04:08	7.40	220	76	269	64	207	116.36	828	3.03	12.54
78	1	26	2009/12/12	00:04:10	7.50	220	73	273	66	211	120.00	844	2.92	12.54
79	1	26	2009/12/12	00:04:13	7.60	220	72	276	64	213	116.36	852	3.03	12.54
80	1	26	2009/12/12	00:04:16	7.70	220	75	280	62	216	112.73	864	3.26	12.65
81	1	26	2009/12/12	00:04:18	7.80	220	77	283	61	219	110.91	876	3.37	12.54
82	1	26	2009/12/12	00:04:21	7.90	220	76	286	62	222	112.73	888	3.15	12.54
83	1	26	2009/12/12	00:04:24	8.00	220	74	290	62	225	112.73	900	3.26	12.76
84	1	26	2009/12/12	00:04:27	8.10	220	76	293	61	228	110.91	912	3.37	12.76
85	1	26	2009/12/12	00:04:29	8.20	220	77	297	62	231	112.73	924	3.26	12.65
86	1	26	2009/12/12	00:04:32	8.30	220	75	300	64	233	116.36	932	3.03	12.43
87	1	26	2009/12/12	00:04:35	8.40	220	73	304	64	236	116.36	944	3.03	12.54
88	1	26	2009/12/12	00:04:38	8.50	220	72	307	64	239	116.36	956	3.03	12.65
89	1													

施工データ

現場：唐津工現場A
担当：唐津太郎

	号棟	杭番	日付	時間	深度 (m)	フィード 速度 (cm/min)	瞬時 流量 (L/min)	積算 流量 (L)	回転数 (min ⁻¹)	積算 回転数 (Rev)	羽根 切回転数 (min ⁻¹)	羽根 切回数 (Rev)	回転 トルク (kN・m)	圧入力 (kN)
91	1	26	2009/12/12	00:04:46	8.80	220	74	317	59	248	107.27	992	3.60	12.54
92	1	26	2009/12/12	00:04:49	8.90	220	73	321	56	250	101.82	1000	3.94	12.87
93	1	26	2009/12/12	00:04:52	9.00	198	77	325	51	254	103.03	1016	4.06	12.65
94	1	26	2009/12/12	00:04:53	9.01	198	73	326	51	254	103.03	1016	4.51	12.65
95	1	26	2009/12/12	00:04:57	9.00	0	77	331	68	258	999.99	1032	2.39	0.00
96	1	26	2009/12/12	00:05:00	8.90	201	77	335	69	262	137.31	1048	2.37	0.00
97	1	26	2009/12/12	00:05:03	8.80	210	73	338	66	265	125.71	1060	2.37	0.00
98	1	26	2009/12/12	00:05:06	8.70	210	73	342	66	268	125.71	1072	2.41	0.00
99	1	26	2009/12/12	00:05:08	8.60	210	76	346	66	271	125.71	1084	2.43	0.00
100	1	26	2009/12/12	00:05:11	8.50	210	71	349	67	274	127.62	1096	2.38	0.00
101	1	26	2009/12/12	00:05:14	8.40	210	74	353	66	278	125.71	1112	2.40	0.00
102	1	26	2009/12/12	00:05:17	8.30	210	75	356	66	281	125.71	1124	2.45	0.00
103	1	26	2009/12/12	00:05:20	8.20	210	73	360	65	284	123.81	1136	2.42	0.00
104	1	26	2009/12/12	00:05:23	8.10	210	76	363	65	287	123.81	1148	2.44	0.00
105	1	26	2009/12/12	00:05:26	8.00	210	75	367	66	290	125.71	1160	2.44	0.00
106	1	26	2009/12/12	00:05:28	7.90	210	73	371	65	293	123.81	1172	2.42	0.00
107	1	26	2009/12/12	00:05:31	7.80	210	75	374	66	296	125.71	1184	2.34	0.00
108	1	26	2009/12/12	00:05:34	7.70	210	73	378	66	300	125.71	1200	2.35	0.00
109	1	26	2009/12/12	00:05:37	7.60	210	73	381	67	303	127.62	1212	2.31	0.00
110	1	26	2009/12/12	00:05:40	7.50	210	75	385	68	306	129.52	1224	2.29	0.00
111	1	26	2009/12/12	00:05:43	7.40	210	73	388	68	309	129.52	1236	2.29	0.00
112	1	26	2009/12/12	00:05:45	7.30	210	75	392	66	312	125.71	1248	2.30	0.00
113	1	26	2009/12/12	00:05:48	7.20	210	76	395	67	316	127.62	1264	2.33	0.00
114	1	26	2009/12/12	00:05:51	7.10	210	73	399	67	319	127.62	1276	2.30	0.00
115	1	26	2009/12/12	00:05:54	7.00	210	77	403	67	322	127.62	1288	2.31	0.00
116	1	26	2009/12/12	00:05:57	6.90	210	75	406	68	325	129.52	1300	2.29	0.00
117	1	26	2009/12/12	00:06:00	6.80	210	73	410	68	328	129.52	1312	2.29	0.00
118	1	26	2009/12/12	00:06:03	6.70	210	76	413	67	332	127.62	1328	2.33	0.00
119	1	26	2009/12/12	00:06:05	6.60	210	72	417	67	335	127.62	1340	2.28	0.00
120	1	26	2009/12/12	00:06:08	6.50	210	74	420	68	338	129.52	1352	2.30	0.00
121	1	26	2009/12/12	00:06:11	6.40	210	75	424	67	341	127.62	1364	2.31	0.00
122	1	26	2009/12/12	00:06:14	6.30	210	73	427	68	345	129.52	1380	2.34	0.00
123	1	26	2009/12/12	00:06:17	6.20	210	76	431	67	348	127.62	1392	2.29	0.00
124	1	26	2009/12/12	00:06:20	6.10	210	75	435	67	351	127.62	1404	2.28	0.00
125	1	26	2009/12/12	00:06:22	6.00	210	74	438	67	354	127.62	1416	2.24	0.00
126	1	26	2009/12/12	00:06:25	5.90	210	78	442	70	357	133.33	1428	2.16	0.00
127	1	26	2009/12/12	00:06:28	5.80	210	74	445	70	361	133.33	1444	2.03	0.00
128	1	26	2009/12/12	00:06:31	5.70	210	75	449	71	364	135.24	1456	2.01	0.00
129	1	26	2009/12/12	00:06:34	5.60	210	75	452	70	368	133.33	1472	1.93	0.00
130	1	26	2009/12/12	00:06:37	5.50	210	73	456	71	371	135.24	1484	1.80	0.00
131	1	26	2009/12/12	00:06:37	5.49	210	74	456	71	371	135.24	1484	1.78	0.00
132	1	26	2009/12/12	00:06:41	5.50	0	76	461	56	375	999.99	1500	1.85	12.87
133	1	26	2009/12/12	00:06:43	5.60	230	37	464	72	379	125.22	1516	1.90	12.43
134	1	26	2009/12/12	00:06:46	5.70	230	15	465	72	382	125.22	1528	1.82	12.32
135	1	26	2009/12/12	00:06:49	5.80	237	0	465	73	385	123.21	1540	1.57	12.87
136	1	26	2009/12/12	00:06:51	5.90	230	0	465	74	388	128.70	1552	1.42	12.76
137	1	26	2009/12/12	00:06:54	6.00	224	0	465	72	391	128.57	1564	1.47	12.43
138	1	26	2009/12/12	00:06:56	6.10	230	0	465	72	394	125.22	1576	1.57	13.09
139	1	26	2009/12/12	00:06:59	6.20	224	0	465	72	397	128.57	1588	1.61	12.54
140	1	26	2009/12/12	00:07:02	6.30	230	0	465	72	401	125.22	1604	1.87	12.76
141	1	26	2009/12/12	00:07:04	6.40	230	0	465	71	404	123.48	1616	1.94	12.54
142	1	26	2009/12/12	00:07:07	6.50	230	0	465	71	407	123.48	1628	1.78	12.43
143	1	26	2009/12/12	00:07:09	6.60	230	0	465	72	410	125.22	1640	1.83	12.54
144	1	26	2009/12/12	00:07:12	6.70	230	0	465	72	413	125.22	1652	1.77	12.65
145	1	26	2009/12/12	00:07:15	6.80	230	0	465	71	416	123.48	1664	1.76	12.43
146	1	26	2009/12/12	00:07:17	6.90	230	0	465	72	419	125.22	1676	1.75	12.87
147	1	26	2009/12/12	00:07:20	7.00	230	0	465	72	423	125.22	1692	1.70	12.65
148	1	26	2009/12/12	00:07:22	7.10	224	0	465	71	426	126.79	1704	1.87	12.10
149	1	26	2009/12/12	00:07:25	7.20	230	0	465	71	429	123.48	1716	1.86	12.32
150	1	26	2009/12/12	00:07:28	7.30	230	0	465	72	432	125.22	1728	1.89	12.76
151	1	26	2009/12/12	00:07:30	7.40	230	0	465	71	435	123.48	1740	1.80	12.54
152	1	26	2009/12/12	00:07:33	7.50	230	0	465	72	438	125.22	1752	1.95	12.98
153	1	26	2009/12/12	00:07:35	7.60	230	0	465	71	441	123.48	1764	1.98	12.32
154	1	26	2009/12/12	00:07:38	7.70	230	0	465	71	444	123.48	1776	1.96	12.76
155	1	26	2009/12/12	00:07:41	7.80	230	0	465	72	448	125.22	1792	1.91	12.43
156	1	26	2009/12/12	00:07:43	7.90	230	0	465	71	451	123.48	1804	1.92	12.65
157	1	26	2009/12/12	00:07:46	8.00	224	0	465	70	454	125.00	1816	2.22	12.54
158	1	26	2009/12/12	00:07:49	8.10	230	0	465	70	457	121.74	1828	2.13	12.54
159	1	26	2009/12/12	00:07:51	8.20	230	0	465	70	460	121.74	1840	2.19	12.54
160	1	26	2009/12/12	00:07:54	8.30	230	0	465	70	463	121.74	1852	2.16	12.54
161	1	26	2009/12/12	00:07:56	8.40	224	0	465	69	466	123.21	1864	2.22	12.43
162	1	26	2009/12/12	00:07:59	8.50	230	0	465	69	469	120.00	1876	2.43	12.54
163	1	26	2009/12/12	00:08:02	8.60	237	0	465	70	472	118.14	1888	2.16	12.54
164	1	26	2009/12/12	00:08:04	8.70	230	0	465	70	475	121.74	1900	2.04	12.76
165	1	26	2009/12/12	00:08:07	8.80	224	0	465	70	478	125.00	1912	2.08	12.54
166	1	26	2009/12/12	00:08:09	8.90	230	0	465	71	481	123.48	1924	2.13	12.65
167	1	26	2009/12/12	00:08:12	9.00	230	0	465	71	484	123.48	1936	2.23	12.54
168	1	26	2009/12/12	00:08:12	9.01	224	0	465	70	485	125.00	1940	2.19	12.65
169	1	26	2009/12/12	00:08:15	9.00	4	0	465	50	488	999.99	1952	2.18	0.00
170	1	26	2009/12/12	00:08:17	8.90	340	0	465	68	490	80.00	1960	2.08	0.00
171	1	26	2009/12/12	00:08:19	8.80	466	0	465	66	492	56.65	1968	2.13	0.00
172	1	26	2009/12/12	00:08:20	8.70	506	0	465	65	493	51.38	1972	2.18	0.00
173	1	26	2009/12/12	00:08:21	8.60	500	0	465	63	494	50.40	1976	2.15	0.00
174	1	26	2009/12/12	00:08:22	8.50	500	0	465	63	496	50.40	1984	2.18	0.00
175	1	26	2009/12/12	00:08:25	8.60	506	0	465	69	499	54.55	1996	2.48	12.54
176	1	26	2009/12/12	00:08:26	8.70	500	0	465	68	500	54.40	2000	2.58	12.76
177	1	26	2009/12/12	00:08:28	8.80	506	0</							

施工データ

現場：唐津1st現場A
担当：唐津太郎

	号棟	杭番	日付	時間	深度 (m)	フィード 速度 (cm/min)	瞬時 流量 (L/min)	積算 流量 (L)	回転数 (min ⁻¹)	積算 回転数 (Rev)	羽根 切回転数 (min ⁻¹)	羽根 切回数 (Rev)	回転 トルク (kN・m)	圧入力 (kN)
361	1	26	2009/12/12	00:17:09	3.10	224	0	673	63	1038	112.50	4152	2.47	0.00
362	1	26	2009/12/12	00:17:11	3.00	230	0	673	62	1041	107.83	4164	3.26	0.00
363	1	26	2009/12/12	00:17:14	2.90	230	0	673	61	1044	106.09	4176	3.37	0.00
364	1	26	2009/12/12	00:17:16	2.80	230	0	673	61	1046	106.09	4184	3.37	0.00
365	1	26	2009/12/12	00:17:19	2.70	230	0	673	59	1049	102.61	4196	3.49	0.00
366	1	26	2009/12/12	00:17:22	2.60	230	0	673	59	1052	102.61	4208	3.60	0.00
367	1	26	2009/12/12	00:17:24	2.50	230	0	673	60	1054	104.35	4216	3.49	0.00
368	1	26	2009/12/12	00:17:27	2.40	230	0	673	62	1057	107.83	4228	2.46	0.00
369	1	26	2009/12/12	00:17:30	2.30	230	0	673	60	1060	104.35	4240	3.49	0.00
370	1	26	2009/12/12	00:17:32	2.20	224	0	673	58	1062	103.57	4248	3.83	0.00
371	1	26	2009/12/12	00:17:35	2.10	230	0	673	59	1065	102.61	4260	3.60	0.00
372	1	26	2009/12/12	00:17:37	2.00	230	0	673	59	1067	102.61	4268	3.60	0.00
373	1	26	2009/12/12	00:17:40	1.90	230	0	673	59	1070	102.61	4280	3.60	0.00
374	1	26	2009/12/12	00:17:43	1.80	230	0	673	59	1072	102.61	4288	2.48	0.00
375	1	26	2009/12/12	00:17:45	1.70	230	0	673	59	1075	102.61	4300	3.60	0.00
376	1	26	2009/12/12	00:17:48	1.60	224	0	673	60	1078	107.14	4312	2.48	0.00
377	1	26	2009/12/12	00:17:50	1.50	230	0	673	62	1080	107.83	4320	2.39	0.00
378	1	26	2009/12/12	00:17:53	1.40	230	0	673	64	1083	111.30	4332	2.42	0.00
379	1	26	2009/12/12	00:17:56	1.30	230	0	673	66	1086	114.78	4344	2.16	0.00
380	1	26	2009/12/12	00:17:58	1.20	230	0	673	70	1089	121.74	4356	1.91	0.00
381	1	26	2009/12/12	00:18:01	1.10	230	0	673	70	1092	121.74	4368	1.71	0.00
382	1	26	2009/12/12	00:18:03	1.00	230	0	673	69	1095	120.00	4380	1.59	0.00
383	1	26	2009/12/12	00:18:06	0.90	230	0	673	71	1098	123.48	4392	1.32	0.00
384	1	26	2009/12/12	00:18:09	0.80	230	0	673	73	1101	126.96	4404	1.45	0.00
385	1	26	2009/12/12	00:18:11	0.70	230	0	673	72	1105	125.22	4420	1.35	0.00
386	1	26	2009/12/12	00:18:14	0.60	230	0	673	72	1108	125.22	4432	1.34	0.00
387	1	26	2009/12/12	00:18:16	0.50	230	0	673	74	1111	128.70	4444	1.16	0.00
388	1	26	2009/12/12	00:18:19	0.40	230	0	673	73	1114	126.96	4456	1.20	0.00
389	1	26	2009/12/12	00:18:22	0.30	230	0	673	74	1117	128.70	4468	1.23	0.00
390	1	26	2009/12/12	00:18:24	0.20	230	0	673	73	1121	126.96	4484	1.17	0.00
391	1	26	2009/12/12	00:18:27	0.10	230	0	673	73	1124	126.96	4496	1.11	0.00
392	1	26	2009/12/12	00:18:33	0.10	407	0	673	25	1129	24.57	4516	0.76	12.54
393	1	26	2009/12/12	00:18:34	0.20	510	0	673	28	1129	21.96	4516	0.80	12.43
394	1	26	2009/12/12	00:18:35	0.30	500	0	673	34	1130	27.20	4520	0.99	12.32
395	1	26	2009/12/12	00:18:38	0.40	367	0	673	73	1133	79.56	4532	1.21	12.54
396	1	26	2009/12/12	00:18:39	0.50	479	0	673	74	1134	61.80	4536	1.34	12.65
397	1	26	2009/12/12	00:18:41	0.60	484	0	673	72	1136	59.50	4544	1.32	12.54
398	1	26	2009/12/12	00:18:42	0.70	500	0	673	73	1137	58.40	4548	1.24	12.54
399	1	26	2009/12/12	00:18:43	0.80	500	0	673	72	1139	57.60	4556	1.35	12.65
400	1	26	2009/12/12	00:18:44	0.90	500	0	673	72	1140	57.60	4560	1.63	12.54
401	1	26	2009/12/12	00:18:45	1.00	500	0	673	72	1142	57.60	4568	2.12	12.43
402	1	26	2009/12/12	00:18:49	0.90	537	0	673	73	1146	54.38	4584	1.34	0.00
403	1	26	2009/12/12	00:18:50	0.80	500	0	673	72	1147	57.60	4588	1.17	0.00
404	1	26	2009/12/12	00:18:51	0.70	510	0	673	72	1149	56.47	4596	2.12	0.00
405	1	26	2009/12/12	00:18:53	0.60	493	0	673	69	1150	55.98	4600	1.48	0.00
406	1	26	2009/12/12	00:18:54	0.50	493	0	673	73	1152	59.23	4608	1.17	0.00
407	1	26	2009/12/12	00:18:55	0.40	510	0	673	73	1153	57.25	4612	1.20	0.00
408	1	26	2009/12/12	00:18:56	0.30	500	0	673	72	1155	57.60	4620	1.17	0.00
409	1	26	2009/12/12	00:18:57	0.20	510	0	673	74	1156	58.04	4624	1.18	0.00
410	1	26	2009/12/12	00:18:59	0.10	500	0	673	73	1158	58.40	4632	1.07	0.00
411	1	26	2009/12/12	00:19:08	-0.41	726	0	673	24	1167	13.22	4668	0.00	0.00

施工データ

現場：唐津T1現場A
担当：唐津太郎

	号棟	杭番	日付	時間	深度 (m)	フィード 速度 (cm/min)	瞬時 流量 (L/min)	積算 流量 (L)	回転数 (min ⁻¹)	積算 回転数 (Rev)	羽根 切回転数 (min ⁻¹)	羽根 切回数 (Rev)	回転 トルク (kN・m)	圧入力 (kN)
271	1	20	2009/12/11	00:13:01	1.20	230	76	623	50	681	86.96	2724	4.63	0.00
272	1	20	2009/12/11	00:13:04	1.10	230	77	626	43	683	74.78	2732	5.43	0.00
273	1	20	2009/12/11	00:13:07	1.00	224	76	629	34	684	60.71	2736	6.22	0.00
274	1	20	2009/12/11	00:13:09	0.90	210	75	633	37	686	70.48	2744	6.11	0.00
275	1	20	2009/12/11	00:13:12	0.80	210	76	637	41	688	78.10	2752	2.48	0.00
276	1	20	2009/12/11	00:13:15	0.70	210	76	640	46	690	87.62	2760	5.08	0.00
277	1	20	2009/12/11	00:13:18	0.60	210	73	644	57	693	108.57	2772	3.83	0.00
278	1	20	2009/12/11	00:13:21	0.50	210	75	647	67	696	127.62	2784	2.35	0.00
279	1	20	2009/12/11	00:13:23	0.40	224	74	651	51	699	91.07	2796	3.48	0.00
280	1	20	2009/12/11	00:13:26	0.30	210	73	654	24	700	45.71	2800	2.83	0.00
281	1	20	2009/12/11	00:13:29	0.20	210	76	658	24	701	45.71	2804	2.78	0.00
282	1	20	2009/12/11	00:13:32	0.10	121	76	662	25	703	82.64	2812	2.50	0.00
283	1	20	2009/12/11	00:13:35	0.10	0	74	666	25	704	999.99	2816	2.50	12.76
284	1	20	2009/12/11	00:13:39	0.20	215	52	669	25	705	46.51	2820	3.21	12.76
285	1	20	2009/12/11	00:13:41	0.30	230	21	671	25	706	43.28	2824	2.66	12.87
286	1	20	2009/12/11	00:13:44	0.40	230	8	672	27	707	46.96	2828	1.01	12.87
287	1	20	2009/12/11	00:13:49	0.50	40	0	672	73	713	730.00	2852	1.58	12.76
288	1	20	2009/12/11	00:13:52	0.60	230	0	672	73	716	126.96	2864	1.62	12.76
289	1	20	2009/12/11	00:13:54	0.70	224	0	672	71	719	126.79	2876	1.65	12.65
290	1	20	2009/12/11	00:13:57	0.80	230	0	672	71	722	123.48	2888	1.74	12.76
291	1	20	2009/12/11	00:14:00	0.90	224	0	672	70	725	125.00	2900	2.17	12.76
292	1	20	2009/12/11	00:14:02	1.00	230	0	672	70	728	121.74	2912	2.33	13.09
293	1	20	2009/12/11	00:14:05	1.10	230	0	672	71	731	123.48	2924	2.29	12.54
294	1	20	2009/12/11	00:14:08	1.20	230	0	672	69	735	120.00	2940	2.35	12.65
295	1	20	2009/12/11	00:14:10	1.30	230	0	672	68	738	118.26	2952	2.58	12.76
296	1	20	2009/12/11	00:14:13	1.40	237	0	672	70	741	118.14	2964	2.26	12.87
297	1	20	2009/12/11	00:14:15	1.50	224	0	672	67	744	119.64	2976	2.69	12.76
298	1	20	2009/12/11	00:14:18	1.60	230	0	672	70	747	121.74	2988	2.35	12.87
299	1	20	2009/12/11	00:14:21	1.70	230	0	672	67	750	116.52	3000	2.69	12.76
300	1	20	2009/12/11	00:14:23	1.80	230	0	672	65	752	113.04	3008	2.92	12.76
301	1	20	2009/12/11	00:14:26	1.90	230	0	672	59	755	102.61	3020	3.60	12.87
302	1	20	2009/12/11	00:14:28	2.00	230	0	672	56	758	97.39	3032	3.83	12.65
303	1	20	2009/12/11	00:14:31	2.10	230	0	672	54	760	93.91	3040	4.17	12.76
304	1	20	2009/12/11	00:14:34	2.20	230	0	672	55	762	95.65	3048	4.06	12.65
305	1	20	2009/12/11	00:14:36	2.30	224	0	672	58	765	103.57	3060	3.72	12.76
306	1	20	2009/12/11	00:14:39	2.40	230	0	672	57	767	99.13	3068	3.83	12.98
307	1	20	2009/12/11	00:14:41	2.50	230	0	672	61	770	106.09	3080	3.60	12.87
308	1	20	2009/12/11	00:14:44	2.60	230	0	672	64	773	111.30	3092	3.03	12.65
309	1	20	2009/12/11	00:14:47	2.70	230	0	672	68	776	118.26	3104	2.58	12.87
310	1	20	2009/12/11	00:14:49	2.80	224	0	672	67	779	119.64	3116	2.69	12.87
311	1	20	2009/12/11	00:14:52	2.90	230	0	672	69	782	120.00	3128	2.46	12.76
312	1	20	2009/12/11	00:14:54	3.00	242	0	672	72	785	119.01	3140	1.93	12.87
313	1	20	2009/12/11	00:14:57	3.10	230	0	672	70	788	121.74	3152	2.11	12.87
314	1	20	2009/12/11	00:15:00	3.20	230	0	672	71	791	123.48	3164	2.26	12.98
315	1	20	2009/12/11	00:15:02	3.30	230	0	672	71	794	123.48	3176	2.10	12.87
316	1	20	2009/12/11	00:15:05	3.40	230	0	672	71	797	123.48	3188	2.01	12.76
317	1	20	2009/12/11	00:15:07	3.50	224	0	672	70	800	125.00	3200	2.12	12.76
318	1	20	2009/12/11	00:15:10	3.60	224	0	672	70	803	125.00	3212	2.29	12.76
319	1	20	2009/12/11	00:15:13	3.70	230	0	672	70	806	121.74	3224	2.29	12.98
320	1	20	2009/12/11	00:15:15	3.80	237	0	672	71	809	119.83	3236	2.37	12.76
321	1	20	2009/12/11	00:15:18	3.90	230	0	672	71	813	123.48	3252	2.42	12.87
322	1	20	2009/12/11	00:15:21	4.00	230	0	672	70	816	121.74	3264	2.25	13.09
323	1	20	2009/12/11	00:15:23	4.10	230	0	672	71	819	123.48	3276	1.84	12.87
324	1	20	2009/12/11	00:15:26	4.20	230	0	672	72	822	125.22	3288	1.93	12.87
325	1	20	2009/12/11	00:15:28	4.30	230	0	672	71	825	123.48	3300	1.91	12.65
326	1	20	2009/12/11	00:15:31	4.40	230	0	672	72	828	125.22	3312	1.98	12.76
327	1	20	2009/12/11	00:15:33	4.50	230	0	672	71	831	123.48	3324	2.03	12.76
328	1	20	2009/12/11	00:15:36	4.60	230	0	672	70	834	121.74	3336	2.02	12.87
329	1	20	2009/12/11	00:15:39	4.70	230	0	672	71	837	123.48	3348	2.12	12.76
330	1	20	2009/12/11	00:15:41	4.80	230	0	672	71	840	123.48	3360	2.24	12.87
331	1	20	2009/12/11	00:15:44	4.90	237	0	672	71	844	119.83	3376	2.31	12.54
332	1	20	2009/12/11	00:15:47	5.00	224	0	672	70	847	125.00	3388	2.09	12.76
333	1	20	2009/12/11	00:15:49	5.10	230	0	672	69	850	120.00	3400	2.16	12.65
334	1	20	2009/12/11	00:15:52	5.20	230	0	672	71	853	123.48	3412	2.00	12.76
335	1	20	2009/12/11	00:15:54	5.30	230	0	672	71	856	123.48	3424	2.22	12.76
336	1	20	2009/12/11	00:15:57	5.40	230	0	672	71	859	123.48	3436	2.21	12.76
337	1	20	2009/12/11	00:16:07	5.30	230	0	672	67	870	116.52	3480	2.36	0.00
338	1	20	2009/12/11	00:16:09	5.20	230	0	672	67	872	116.52	3488	2.33	0.00
339	1	20	2009/12/11	00:16:12	5.10	230	0	672	68	875	118.26	3500	2.29	0.00
340	1	20	2009/12/11	00:16:14	5.00	224	0	672	68	878	121.43	3512	2.22	0.00
341	1	20	2009/12/11	00:16:17	4.90	230	0	672	67	881	116.52	3524	2.35	0.00
342	1	20	2009/12/11	00:16:20	4.80	230	0	672	68	884	118.26	3536	2.26	0.00
343	1	20	2009/12/11	00:16:22	4.70	230	0	672	67	887	116.52	3548	2.29	0.00
344	1	20	2009/12/11	00:16:25	4.60	230	0	672	67	890	116.52	3560	2.29	0.00
345	1	20	2009/12/11	00:16:27	4.50	230	0	672	67	893	116.52	3572	2.33	0.00
346	1	20	2009/12/11	00:16:30	4.40	230	0	672	66	896	114.78	3584	2.35	0.00
347	1	20	2009/12/11	00:16:33	4.30	230	0	672	67	899	116.52	3596	2.37	0.00
348	1	20	2009/12/11	00:16:35	4.20	230	0	672	67	902	116.52	3608	2.35	0.00
349	1	20	2009/12/11	00:16:38	4.10	230	0	672	66	905	114.78	3620	2.35	0.00
350	1	20	2009/12/11	00:16:41	4.00	230	0	672	66	908	114.78	3632	2.37	0.00
351	1	20	2009/12/11	00:16:43	3.90	230	0	672	66	911	114.78	3644	2.28	0.00
352	1	20	2009/12/11	00:16:46	3.80	230	0	672	68	914	118.26	3656	2.37	0.00
353	1	20	2009/12/11	00:16:48	3.70	230	0	672	66	917	114.78	3668	2.33	0.00
354	1	20	2009/12/11	00:16:51	3.60	230	0	672	67	919	116.52	3676	2.35	0.00
355	1	20	2009/12/11	00:16:54	3.50	230	0	672	67	922	116.52	3688	2.34	0.00
356	1	20	2009/12/11	00:16:56	3.40	230	0	672	66	925	114.78	3700	2.30	0.00
357	1	20	2009/12/11	00:16:59	3.30	230	0	672	67	928				

施工データ

現場：唐津1現場A
担当：唐津太郎

	号棟	杭番	日付	時間	深度 (m)	フィード 速度 (cm/min)	瞬時 流量 (L/min)	積算 流量 (L)	回転数 (min ⁻¹)	積算 回転数 (Rev)	羽根 切回転数 (min ⁻¹)	羽根 切回数 (Rev)	回転 トルク (kN・m)	圧入力 (kN)
361	1	20	2009/12/11	00:17:09	2.90	224	0	672	65	940	116.07	3760	2.17	0.00
362	1	20	2009/12/11	00:17:12	2.80	230	0	672	66	943	114.78	3772	2.23	0.00
363	1	20	2009/12/11	00:17:14	2.70	230	0	672	61	945	106.09	3780	3.37	0.00
364	1	20	2009/12/11	00:17:17	2.60	230	0	672	61	948	106.09	3792	3.37	0.00
365	1	20	2009/12/11	00:17:20	2.50	230	0	672	56	951	97.39	3804	3.94	0.00
366	1	20	2009/12/11	00:17:22	2.40	230	0	672	54	953	93.91	3812	4.17	0.00
367	1	20	2009/12/11	00:17:25	2.30	230	0	672	51	955	88.70	3820	4.51	0.00
368	1	20	2009/12/11	00:17:27	2.20	230	0	672	49	957	85.22	3828	4.74	0.00
369	1	20	2009/12/11	00:17:30	2.10	237	0	672	47	959	79.32	3836	4.97	0.00
370	1	20	2009/12/11	00:17:33	2.00	230	0	672	46	961	80.00	3844	5.08	0.00
371	1	20	2009/12/11	00:17:35	1.90	230	0	672	44	963	76.52	3852	5.31	0.00
372	1	20	2009/12/11	00:17:38	1.80	230	0	672	44	965	76.52	3860	5.31	0.00
373	1	20	2009/12/11	00:17:40	1.70	230	0	672	44	967	76.52	3868	5.31	0.00
374	1	20	2009/12/11	00:17:43	1.60	230	0	672	46	969	80.00	3876	5.08	0.00
375	1	20	2009/12/11	00:17:46	1.50	224	0	672	47	971	83.93	3884	4.97	0.00
376	1	20	2009/12/11	00:17:48	1.40	230	0	672	48	973	83.48	3892	4.86	0.00
377	1	20	2009/12/11	00:17:51	1.30	230	0	672	51	976	88.70	3904	4.51	0.00
378	1	20	2009/12/11	00:17:54	1.20	230	0	672	51	978	88.70	3912	2.40	0.00
379	1	20	2009/12/11	00:17:56	1.10	230	0	672	55	980	95.65	3920	4.06	0.00
380	1	20	2009/12/11	00:17:59	1.00	230	0	672	60	983	104.35	3932	3.49	0.00
381	1	20	2009/12/11	00:18:01	0.90	230	0	672	60	986	104.35	3944	3.49	0.00
382	1	20	2009/12/11	00:18:04	0.80	230	0	672	65	989	113.04	3956	2.26	0.00
383	1	20	2009/12/11	00:18:07	0.70	230	0	672	69	991	120.00	3964	2.01	0.00
384	1	20	2009/12/11	00:18:09	0.60	230	0	672	70	995	121.74	3980	1.85	0.00
385	1	20	2009/12/11	00:18:12	0.50	230	0	672	71	998	123.48	3992	1.76	0.00
386	1	20	2009/12/11	00:18:14	0.40	230	0	672	72	1001	125.22	4004	1.55	0.00
387	1	20	2009/12/11	00:18:17	0.30	230	0	672	73	1004	126.96	4016	1.41	0.00
388	1	20	2009/12/11	00:18:20	0.20	230	0	672	73	1007	126.96	4028	1.32	0.00
389	1	20	2009/12/11	00:18:22	0.10	230	0	672	74	1010	128.70	4040	1.23	0.00
390	1	20	2009/12/11	00:18:28	0.10	246	0	672	27	1016	43.90	4064	2.40	12.76
391	1	20	2009/12/11	00:18:30	0.20	367	0	672	25	1016	27.25	4064	2.48	12.87
392	1	20	2009/12/11	00:18:31	0.30	488	0	672	25	1017	20.49	4068	0.89	12.65
393	1	20	2009/12/11	00:18:32	0.40	500	0	672	29	1017	23.20	4068	1.04	12.76
394	1	20	2009/12/11	00:18:36	0.50	0	0	672	73	1021	999.99	4084	1.69	12.87
395	1	20	2009/12/11	00:18:38	0.60	138	0	672	72	1024	208.70	4096	1.94	12.65
396	1	20	2009/12/11	00:18:40	0.70	551	0	672	71	1026	51.54	4104	2.15	12.76
397	1	20	2009/12/11	00:18:41	0.80	500	0	672	70	1027	56.00	4108	2.26	12.87
398	1	20	2009/12/11	00:18:42	0.90	500	0	672	70	1028	56.00	4112	2.48	12.76
399	1	20	2009/12/11	00:18:43	1.00	493	0	672	68	1030	55.17	4120	2.58	12.65
400	1	20	2009/12/11	00:18:47	0.90	519	0	672	61	1035	47.01	4140	2.37	0.00
401	1	20	2009/12/11	00:18:49	0.80	515	0	672	61	1036	47.38	4144	2.17	0.00
402	1	20	2009/12/11	00:18:50	0.70	510	0	672	65	1037	50.98	4148	2.04	0.00
403	1	20	2009/12/11	00:18:51	0.60	506	0	672	66	1038	52.17	4152	1.91	0.00
404	1	20	2009/12/11	00:18:52	0.50	510	0	672	69	1040	54.12	4160	1.77	0.00
405	1	20	2009/12/11	00:18:53	0.40	510	0	672	72	1041	56.47	4164	1.55	0.00
406	1	20	2009/12/11	00:18:55	0.30	506	0	672	71	1043	56.13	4172	1.37	0.00
407	1	20	2009/12/11	00:18:56	0.20	515	0	672	73	1044	56.70	4176	1.35	0.00
408	1	20	2009/12/11	00:18:57	0.10	510	0	672	73	1046	57.25	4184	1.20	0.00
409	1	20	2009/12/11	00:19:05	-0.21	500	0	672	0	1051	0.00	4204	0.00	0.00

施工データ

現場：唐津社現場A
担当：唐津太郎

	号棟	杭番	日付	時間	深度 (m)	フィード 速度 (cm/min)	瞬時 流量 (L/min)	積算 流量 (L)	回転数 (min ⁻¹)	積算 回転数 (Rev)	羽根 切回転数 (min ⁻¹)	羽根 切回数 (Rev)	回転 トルク (kN・m)	圧入力 (kN)
1	1	1	2009/12/12	13:44:50	0.00	425	0	0	18	0	16.94	0	2.36	12.43
2	1	1	2009/12/12	00:00:01	0.10	425	0	0	18	0	16.94	0	2.38	12.54
3	1	1	2009/12/12	00:00:01	0.20	1084	0	0	24	0	8.86	0	2.45	12.54
4	1	1	2009/12/12	00:00:02	0.30	1084	0	0	24	1	8.86	4	2.71	12.54
5	1	1	2009/12/12	00:00:03	0.40	1093	0	0	24	1	8.78	4	3.50	12.65
6	1	1	2009/12/12	00:00:15	0.50	40	73	8	72	11	720.00	44	1.39	12.54
7	1	1	2009/12/12	00:00:18	0.60	220	75	11	68	14	123.64	56	2.26	12.43
8	1	1	2009/12/12	00:00:20	0.70	220	74	14	71	17	129.09	68	2.08	12.65
9	1	1	2009/12/12	00:00:23	0.80	220	74	17	70	20	127.27	80	2.08	12.76
10	1	1	2009/12/12	00:00:26	0.90	220	75	21	72	24	130.91	96	1.67	12.43
11	1	1	2009/12/12	00:00:28	1.00	220	77	24	72	27	130.91	108	1.83	12.54
12	1	1	2009/12/12	00:00:31	1.10	220	76	28	71	30	129.09	120	1.69	12.65
13	1	1	2009/12/12	00:00:34	1.20	220	75	31	71	33	129.09	132	2.17	12.54
14	1	1	2009/12/12	00:00:37	1.30	220	76	35	69	37	125.45	148	2.30	12.65
15	1	1	2009/12/12	00:00:40	1.40	210	77	38	63	40	120.00	160	3.15	12.43
16	1	1	2009/12/12	00:00:42	1.50	220	75	42	54	42	98.18	168	4.17	12.65
17	1	1	2009/12/12	00:00:45	1.60	220	73	45	52	45	94.55	180	4.40	12.32
18	1	1	2009/12/12	00:00:48	1.70	220	75	49	45	47	81.82	188	5.20	12.76
19	1	1	2009/12/12	00:00:50	1.80	220	76	52	39	49	70.91	196	5.88	12.54
20	1	1	2009/12/12	00:00:53	1.90	220	76	56	43	51	78.18	204	5.65	12.98
21	1	1	2009/12/12	00:00:56	2.00	220	74	59	42	53	76.36	212	5.54	12.65
22	1	1	2009/12/12	00:00:59	2.10	220	75	63	36	54	65.45	216	6.22	12.76
23	1	1	2009/12/12	00:01:01	2.20	220	77	66	32	56	58.18	224	6.68	12.54
24	1	1	2009/12/12	00:01:04	2.30	220	77	69	31	57	56.36	228	6.68	12.65
25	1	1	2009/12/12	00:01:07	2.40	220	75	73	30	59	54.55	236	6.91	12.43
26	1	1	2009/12/12	00:01:10	2.50	220	74	76	30	60	54.55	240	6.91	12.54
27	1	1	2009/12/12	00:01:12	2.60	220	76	80	31	61	56.36	244	6.79	12.76
28	1	1	2009/12/12	00:01:15	2.70	220	76	83	32	63	58.18	252	6.68	12.54
29	1	1	2009/12/12	00:01:18	2.80	220	74	87	34	64	61.82	256	6.45	12.65
30	1	1	2009/12/12	00:01:20	2.90	220	73	90	38	66	69.09	264	6.00	12.54
31	1	1	2009/12/12	00:01:23	3.00	220	75	93	41	68	74.55	272	5.65	12.54
32	1	1	2009/12/12	00:01:23	3.00	220	76	94	41	68	74.55	272	5.65	12.43
33	1	1	2009/12/12	00:01:26	3.10	220	77	97	41	70	74.55	280	5.65	12.54
34	1	1	2009/12/12	00:01:29	3.20	220	75	100	41	72	74.55	288	5.65	12.65
35	1	1	2009/12/12	00:01:31	3.30	220	74	104	46	74	83.64	296	5.08	12.54
36	1	1	2009/12/12	00:01:34	3.40	220	75	107	52	76	94.55	304	4.63	12.65
37	1	1	2009/12/12	00:01:37	3.50	220	78	111	54	79	98.18	316	4.17	12.54
38	1	1	2009/12/12	00:01:40	3.60	220	77	114	59	81	107.27	324	3.60	12.54
39	1	1	2009/12/12	00:01:42	3.70	220	74	118	64	84	116.36	336	3.03	12.21
40	1	1	2009/12/12	00:01:45	3.80	220	74	121	64	87	116.36	348	3.03	12.43
41	1	1	2009/12/12	00:01:48	3.90	220	75	125	64	90	116.36	360	3.03	12.43
42	1	1	2009/12/12	00:01:51	4.00	220	76	128	66	93	120.00	372	2.80	12.54
43	1	1	2009/12/12	00:01:53	4.10	220	74	131	65	96	118.18	384	2.92	12.54
44	1	1	2009/12/12	00:01:56	4.20	220	73	135	64	99	116.36	396	3.03	12.32
45	1	1	2009/12/12	00:01:59	4.30	220	75	138	64	102	116.36	408	3.03	12.65
46	1	1	2009/12/12	00:02:01	4.40	220	77	142	63	105	114.55	420	3.15	12.54
47	1	1	2009/12/12	00:02:04	4.50	220	76	145	63	108	114.55	432	3.15	12.43
48	1	1	2009/12/12	00:02:07	4.60	220	74	149	63	111	114.55	444	3.15	12.65
49	1	1	2009/12/12	00:02:10	4.70	220	75	152	62	113	112.73	452	3.26	12.54
50	1	1	2009/12/12	00:02:12	4.80	220	77	156	62	116	112.73	464	3.26	12.65
51	1	1	2009/12/12	00:02:15	4.90	220	76	159	59	119	107.27	476	3.37	12.76
52	1	1	2009/12/12	00:02:18	5.00	220	73	162	60	122	109.09	488	3.49	12.54
53	1	1	2009/12/12	00:02:21	5.10	220	73	166	61	125	110.91	500	3.37	12.76
54	1	1	2009/12/12	00:02:23	5.20	220	76	169	62	127	112.73	508	3.26	12.54
55	1	1	2009/12/12	00:02:26	5.30	220	76	173	63	130	114.55	520	3.37	12.54
56	1	1	2009/12/12	00:02:29	5.40	220	74	176	62	133	112.73	532	3.26	12.65
57	1	1	2009/12/12	00:03:12	5.50	286	73	190	64	143	89.51	572	3.03	12.54
58	1	1	2009/12/12	00:03:15	5.60	220	74	194	65	146	118.18	584	2.92	12.54
59	1	1	2009/12/12	00:03:18	5.70	220	74	197	67	149	121.82	596	2.69	12.43
60	1	1	2009/12/12	00:03:20	5.80	220	75	201	64	152	116.36	608	3.03	12.43
61	1	1	2009/12/12	00:03:23	5.90	220	77	204	62	154	112.73	616	3.26	12.54
62	1	1	2009/12/12	00:03:26	6.00	220	76	208	61	157	110.91	628	3.37	12.65
63	1	1	2009/12/12	00:03:28	6.10	220	74	211	60	160	109.09	640	3.49	12.65
64	1	1	2009/12/12	00:03:31	6.20	220	73	214	61	163	110.91	652	3.49	12.54
65	1	1	2009/12/12	00:03:34	6.30	220	75	218	61	166	110.91	664	3.37	12.43
66	1	1	2009/12/12	00:03:37	6.40	220	76	221	61	168	110.91	672	3.37	12.54
67	1	1	2009/12/12	00:03:39	6.50	220	74	225	60	171	109.09	684	3.49	12.65
68	1	1	2009/12/12	00:03:42	6.60	220	73	228	58	174	105.45	696	3.72	12.21
69	1	1	2009/12/12	00:03:45	6.70	220	76	231	58	177	105.45	708	3.72	12.76
70	1	1	2009/12/12	00:03:48	6.80	220	78	235	57	179	103.64	716	3.83	12.65
71	1	1	2009/12/12	00:03:50	6.90	220	78	238	59	182	107.27	728	3.60	12.87
72	1	1	2009/12/12	00:03:53	7.00	220	74	242	60	185	109.09	740	3.37	12.54
73	1	1	2009/12/12	00:03:56	7.10	220	76	245	62	187	112.73	748	3.26	12.54
74	1	1	2009/12/12	00:03:58	7.20	220	76	249	61	190	110.91	760	3.37	12.65
75	1	1	2009/12/12	00:04:01	7.30	220	75	252	60	193	109.09	772	3.49	12.54
76	1	1	2009/12/12	00:04:04	7.40	220	73	256	59	196	107.27	784	3.60	12.98
77	1	1	2009/12/12	00:04:07	7.50	220	73	259	59	198	107.27	792	3.60	12.10
78	1	1	2009/12/12	00:04:09	7.60	220	76	262	59	201	107.27	804	3.60	12.43
79	1	1	2009/12/12	00:04:12	7.70	220	76	266	58	204	105.45	816	3.60	12.43
80	1	1	2009/12/12	00:04:15	7.80	220	75	269	59	206	107.27	824	3.60	12.87
81	1	1	2009/12/12	00:04:18	7.90	220	73	273	58	209	105.45	836	3.72	12.76
82	1	1	2009/12/12	00:04:20	8.00	220	76	276	57	212	103.64	848	3.83	12.76
83	1	1	2009/12/12	00:04:23	8.10	220	78	280	56	214	101.82	856	4.06	12.76
84	1	1	2009/12/12	00:04:26	8.20	220	76	283	56	217	101.82	868	3.94	12.54
85	1	1	2009/12/12	00:04:29	8.30	220	74	287	56	219	101.82	876	3.94	12.76
86	1	1	2009/12/12	00:04:31	8.40	220	74	290	53	222	96.36	888	4.29	12.76
87	1	1	2009/12/12	00:04:34	8.50	220	76	293	48	224	87.27	896	2.46	12.43
88	1	1	2009/12/12	00:04:37	8.60	220	75	297	53	227	96.36	908	2.46	12.54
89	1	1	2009/12/12	00:04:39	8.70	220	73	300	51	229	92.73			

施工データ

現場：唐津工現場A
 担当：唐津太郎

	号棟	杭番	日付	時間	深度 (m)	フィード 速度 (cm/min)	瞬時 流量 (L/min)	積算 流量 (L)	回転数 (min ⁻¹)	積算 回転数 (Rev)	羽根 切回転数 (min ⁻¹)	羽根 切回数 (Rev)	回転 トルク (kN・m)	圧入力 (kN)
271	1	1	2009/12/12	00:13:06	1.30	210	73	613	59	718	112.38	2872	3.94	0.00
272	1	1	2009/12/12	00:13:09	1.20	210	76	617	61	721	116.19	2884	2.36	0.00
273	1	1	2009/12/12	00:13:12	1.10	210	73	620	65	724	123.81	2896	2.23	0.00
274	1	1	2009/12/12	00:13:15	1.00	210	73	624	65	727	123.81	2908	2.16	0.00
275	1	1	2009/12/12	00:13:17	0.90	210	76	627	65	730	123.81	2920	2.08	0.00
276	1	1	2009/12/12	00:13:20	0.80	210	73	631	67	733	127.62	2932	2.04	0.00
277	1	1	2009/12/12	00:13:23	0.70	224	76	634	64	736	114.29	2944	2.12	0.00
278	1	1	2009/12/12	00:13:26	0.60	210	77	638	68	739	129.52	2956	1.88	0.00
279	1	1	2009/12/12	00:13:29	0.50	210	74	641	72	743	137.14	2972	1.63	0.00
280	1	1	2009/12/12	00:13:29	0.49	210	76	642	71	743	135.24	2972	1.69	0.00
281	1	1	2009/12/12	00:13:32	0.50	0	77	645	73	746	999.99	2984	1.32	12.54
282	1	1	2009/12/12	00:13:34	0.60	219	49	648	71	749	129.68	2996	1.53	12.32
283	1	1	2009/12/12	00:13:37	0.70	230	20	650	73	752	126.96	3008	1.61	12.43
284	1	1	2009/12/12	00:13:40	0.80	230	8	650	72	756	125.22	3024	1.74	12.65
285	1	1	2009/12/12	00:13:42	0.90	230	0	650	74	759	128.70	3036	1.34	12.43
286	1	1	2009/12/12	00:13:45	1.00	230	0	650	74	762	128.70	3048	1.25	12.65
287	1	1	2009/12/12	00:13:47	1.10	230	0	650	72	765	125.22	3060	1.47	12.65
288	1	1	2009/12/12	00:13:50	1.20	219	0	650	70	768	127.85	3072	2.19	13.09
289	1	1	2009/12/12	00:13:53	1.30	230	0	650	70	772	121.74	3088	2.17	12.76
290	1	1	2009/12/12	00:13:55	1.40	242	0	650	72	775	119.01	3100	1.82	12.65
291	1	1	2009/12/12	00:13:58	1.50	230	0	650	70	778	121.74	3112	1.82	12.65
292	1	1	2009/12/12	00:14:01	1.60	224	0	650	70	781	125.00	3124	2.15	12.65
293	1	1	2009/12/12	00:14:03	1.70	237	0	650	71	784	119.83	3136	2.08	12.54
294	1	1	2009/12/12	00:14:06	1.80	224	0	650	71	787	126.79	3148	1.89	12.54
295	1	1	2009/12/12	00:14:08	1.90	224	0	650	69	790	123.21	3160	2.40	12.54
296	1	1	2009/12/12	00:14:11	2.00	230	0	650	68	793	118.26	3172	2.42	12.54
297	1	1	2009/12/12	00:14:14	2.10	230	0	650	69	796	120.00	3184	2.48	12.54
298	1	1	2009/12/12	00:14:16	2.20	230	0	650	69	799	120.00	3196	2.42	12.10
299	1	1	2009/12/12	00:14:19	2.30	230	0	650	68	802	118.26	3208	2.44	12.65
300	1	1	2009/12/12	00:14:21	2.40	230	0	650	69	805	120.00	3220	2.49	12.54
301	1	1	2009/12/12	00:14:24	2.50	230	0	650	69	808	120.00	3232	2.29	12.65
302	1	1	2009/12/12	00:14:27	2.60	224	0	650	67	811	119.64	3244	2.37	12.65
303	1	1	2009/12/12	00:14:29	2.70	230	0	650	67	814	116.52	3256	2.69	12.76
304	1	1	2009/12/12	00:14:32	2.80	230	0	650	68	817	118.26	3268	2.44	12.43
305	1	1	2009/12/12	00:14:34	2.90	237	0	650	70	820	118.14	3280	2.13	12.65
306	1	1	2009/12/12	00:14:37	3.00	237	0	650	71	823	119.83	3292	1.89	12.65
307	1	1	2009/12/12	00:14:40	3.10	230	0	650	70	826	121.74	3304	1.77	12.76
308	1	1	2009/12/12	00:14:42	3.20	230	0	650	71	829	123.48	3316	2.03	12.87
309	1	1	2009/12/12	00:14:45	3.30	230	0	650	71	832	123.48	3328	2.09	12.65
310	1	1	2009/12/12	00:14:48	3.40	230	0	650	70	835	121.74	3340	2.17	13.09
311	1	1	2009/12/12	00:14:50	3.50	230	0	650	71	839	123.48	3356	1.99	12.65
312	1	1	2009/12/12	00:14:53	3.60	230	0	650	70	842	121.74	3368	1.89	12.76
313	1	1	2009/12/12	00:14:55	3.70	230	0	650	71	845	123.48	3380	1.86	12.65
314	1	1	2009/12/12	00:14:58	3.80	237	0	650	72	848	121.52	3392	1.85	12.76
315	1	1	2009/12/12	00:15:01	3.90	230	0	650	70	851	121.74	3404	2.04	12.32
316	1	1	2009/12/12	00:15:03	4.00	230	0	650	72	854	125.22	3416	1.91	12.43
317	1	1	2009/12/12	00:15:06	4.10	230	0	650	71	857	123.48	3428	1.72	12.76
318	1	1	2009/12/12	00:15:08	4.20	230	0	650	72	860	125.22	3440	1.64	12.54
319	1	1	2009/12/12	00:15:11	4.30	224	0	650	71	863	126.79	3452	1.84	12.00
320	1	1	2009/12/12	00:15:14	4.40	230	0	650	70	867	121.74	3468	1.85	12.76
321	1	1	2009/12/12	00:15:16	4.50	230	0	650	72	870	125.22	3480	1.93	12.54
322	1	1	2009/12/12	00:15:19	4.60	230	0	650	71	873	123.48	3492	2.12	12.65
323	1	1	2009/12/12	00:15:21	4.70	224	0	650	69	876	123.21	3504	2.25	12.43
324	1	1	2009/12/12	00:15:24	4.80	237	0	650	70	879	118.14	3516	1.96	12.76
325	1	1	2009/12/12	00:15:27	4.90	230	0	650	70	882	121.74	3528	2.08	12.65
326	1	1	2009/12/12	00:15:29	5.00	230	0	650	70	885	121.74	3540	2.05	12.65
327	1	1	2009/12/12	00:15:32	5.10	230	0	650	71	888	123.48	3552	2.02	12.65
328	1	1	2009/12/12	00:15:34	5.20	230	0	650	70	891	121.74	3564	2.19	12.54
329	1	1	2009/12/12	00:15:37	5.30	230	0	650	70	894	121.74	3576	2.43	12.65
330	1	1	2009/12/12	00:15:40	5.40	230	0	650	70	897	121.74	3588	2.16	12.76
331	1	1	2009/12/12	00:15:50	5.30	230	0	650	68	908	118.26	3632	2.26	0.00
332	1	1	2009/12/12	00:15:52	5.20	230	0	650	68	911	118.26	3644	2.30	0.00
333	1	1	2009/12/12	00:15:55	5.10	230	0	650	68	914	118.26	3656	2.30	0.00
334	1	1	2009/12/12	00:15:57	5.00	230	0	650	69	917	120.00	3668	2.13	0.00
335	1	1	2009/12/12	00:16:00	4.90	237	0	650	69	920	116.46	3680	2.24	0.00
336	1	1	2009/12/12	00:16:03	4.80	230	0	650	68	923	118.26	3692	2.30	0.00
337	1	1	2009/12/12	00:16:05	4.70	224	0	650	67	926	119.64	3704	2.28	0.00
338	1	1	2009/12/12	00:16:08	4.60	230	0	650	67	929	116.52	3716	2.25	0.00
339	1	1	2009/12/12	00:16:10	4.50	230	0	650	69	932	120.00	3728	2.20	0.00
340	1	1	2009/12/12	00:16:13	4.40	224	0	650	69	935	123.21	3740	2.09	0.00
341	1	1	2009/12/12	00:16:16	4.30	230	0	650	70	938	121.74	3752	2.00	0.00
342	1	1	2009/12/12	00:16:18	4.20	230	0	650	71	941	123.48	3764	1.89	0.00
343	1	1	2009/12/12	00:16:21	4.10	230	0	650	71	944	123.48	3776	1.91	0.00
344	1	1	2009/12/12	00:16:23	4.00	230	0	650	69	947	120.00	3788	1.95	0.00
345	1	1	2009/12/12	00:16:26	3.90	230	0	650	70	950	121.74	3800	1.94	0.00
346	1	1	2009/12/12	00:16:29	3.80	230	0	650	71	953	123.48	3812	1.93	0.00
347	1	1	2009/12/12	00:16:31	3.70	224	0	650	70	957	125.00	3828	1.92	0.00
348	1	1	2009/12/12	00:16:34	3.60	224	0	650	70	960	125.00	3840	2.02	0.00
349	1	1	2009/12/12	00:16:36	3.50	230	0	650	69	963	120.00	3852	2.19	0.00
350	1	1	2009/12/12	00:16:39	3.40	230	0	650	67	966	116.52	3864	2.30	0.00
351	1	1	2009/12/12	00:16:42	3.30	224	0	650	66	969	117.86	3876	2.26	0.00
352	1	1	2009/12/12	00:16:44	3.20	230	0	650	67	971	116.52	3888	2.26	0.00
353	1	1	2009/12/12	00:16:47	3.10	230	0	650	66	974	114.78	3896	2.30	0.00
354	1	1	2009/12/12	00:16:49	3.00	230	0	650	65	977	113.04	3908	2.12	0.00
355	1	1	2009/12/12	00:16:52	2.90	230	0	650	67	980	116.52	3920	2.15	0.00
356	1	1	2009/12/12	00:16:55	2.80	230	0	650	64	983	111.30	3932	2.40	0.00
357	1	1	2009/12/12	00:16:57	2.70	230	0	650	63	986	109.57	3944	2.33	0.00
358	1													

施工データ

現場：唐津1現場A
担当：唐津太郎

	号棟	杭番	日付	時間	深度 (m)	フィード 速度 (cm/min)	瞬時 流量 (L/min)	積算 流量 (L)	回転数 (min ⁻¹)	積算 回転数 (Rev)	羽根 切回転数 (min ⁻¹)	羽根 切回数 (Rev)	回転 トルク (kN・m)	圧入力 (kN)
361	1	1	2009/12/12	00:17:08	2.30	230	0	650	57	996	99.13	3984	3.83	0.00
362	1	1	2009/12/12	00:17:10	2.20	230	0	650	59	999	102.61	3996	3.60	0.00
363	1	1	2009/12/12	00:17:13	2.10	230	0	650	61	1002	106.09	4008	2.31	0.00
364	1	1	2009/12/12	00:17:16	2.00	230	0	650	62	1004	107.83	4016	2.30	0.00
365	1	1	2009/12/12	00:17:18	1.90	230	0	650	63	1007	109.57	4028	2.24	0.00
366	1	1	2009/12/12	00:17:21	1.80	230	0	650	62	1010	107.83	4040	2.15	0.00
367	1	1	2009/12/12	00:17:23	1.70	230	0	650	64	1013	111.30	4052	2.08	0.00
368	1	1	2009/12/12	00:17:26	1.60	230	0	650	66	1015	114.78	4060	2.21	0.00
369	1	1	2009/12/12	00:17:29	1.50	230	0	650	64	1018	111.30	4072	2.10	0.00
370	1	1	2009/12/12	00:17:31	1.40	224	0	650	67	1021	119.64	4084	2.03	0.00
371	1	1	2009/12/12	00:17:34	1.30	230	0	650	65	1024	113.04	4096	2.17	0.00
372	1	1	2009/12/12	00:17:36	1.20	230	0	650	66	1027	114.78	4108	2.32	0.00
373	1	1	2009/12/12	00:17:39	1.10	230	0	650	64	1030	111.30	4120	2.28	0.00
374	1	1	2009/12/12	00:17:42	1.00	230	0	650	67	1033	116.52	4132	2.13	0.00
375	1	1	2009/12/12	00:17:44	0.90	230	0	650	70	1036	121.74	4144	1.95	0.00
376	1	1	2009/12/12	00:17:47	0.80	230	0	650	71	1039	123.48	4156	1.77	0.00
377	1	1	2009/12/12	00:17:49	0.70	230	0	650	71	1042	123.48	4168	1.45	0.00
378	1	1	2009/12/12	00:17:52	0.60	230	0	650	72	1045	125.22	4180	1.48	0.00
379	1	1	2009/12/12	00:17:55	0.50	230	0	650	72	1048	125.22	4192	1.46	0.00
380	1	1	2009/12/12	00:17:55	0.49	230	0	650	72	1048	125.22	4192	1.30	0.00
381	1	1	2009/12/12	00:17:58	0.50	0	0	650	74	1052	999.99	4208	1.27	12.87
382	1	1	2009/12/12	00:18:00	0.60	286	0	650	73	1054	102.10	4216	1.42	12.76
383	1	1	2009/12/12	00:18:01	0.70	354	0	650	73	1056	82.49	4224	1.29	12.65
384	1	1	2009/12/12	00:18:03	0.80	470	0	650	73	1058	62.13	4232	1.53	12.65
385	1	1	2009/12/12	00:18:04	0.90	500	0	650	71	1059	56.80	4236	1.80	12.43
386	1	1	2009/12/12	00:18:05	1.00	488	0	650	70	1061	57.38	4244	1.99	12.43
387	1	1	2009/12/12	00:18:06	1.10	500	0	650	70	1062	56.00	4248	2.24	12.65
388	1	1	2009/12/12	00:18:08	1.20	488	0	650	69	1063	56.56	4252	2.45	12.43
389	1	1	2009/12/12	00:18:09	1.30	500	0	650	69	1065	55.20	4260	2.46	12.54
390	1	1	2009/12/12	00:18:10	1.40	500	0	650	68	1066	54.40	4264	2.58	12.32
391	1	1	2009/12/12	00:18:11	1.50	500	0	650	65	1067	52.00	4268	2.92	12.87
392	1	1	2009/12/12	00:18:16	1.40	519	0	650	55	1072	42.39	4288	2.49	0.00
393	1	1	2009/12/12	00:18:17	1.30	506	0	650	57	1073	45.06	4292	2.49	0.00
394	1	1	2009/12/12	00:18:18	1.20	510	0	650	59	1074	46.27	4296	3.60	0.00
395	1	1	2009/12/12	00:18:19	1.10	506	0	650	61	1075	48.22	4300	2.30	0.00
396	1	1	2009/12/12	00:18:20	1.00	500	0	650	62	1076	49.60	4304	2.13	0.00
397	1	1	2009/12/12	00:18:22	0.90	506	0	650	64	1078	50.59	4312	1.93	0.00
398	1	1	2009/12/12	00:18:23	0.80	500	0	650	68	1079	54.40	4316	1.81	0.00
399	1	1	2009/12/12	00:18:24	0.70	515	0	650	71	1080	55.15	4320	1.50	0.00
400	1	1	2009/12/12	00:18:25	0.60	515	0	650	72	1082	55.92	4328	1.33	0.00
401	1	1	2009/12/12	00:18:26	0.50	500	0	650	72	1083	57.60	4332	1.34	0.00
402	1	1	2009/12/12	00:18:26	0.49	500	0	650	72	1083	57.60	4332	1.38	0.00
403	1	1	2009/12/12	00:18:29	0.40	367	0	650	73	1087	79.56	4348	1.37	0.00
404	1	1	2009/12/12	00:18:30	0.30	367	0	650	73	1088	79.56	4352	3.84	0.00
405	1	1	2009/12/12	00:18:31	0.20	730	0	650	72	1088	39.45	4352	2.67	0.00
406	1	1	2009/12/12	00:18:31	0.10	735	0	650	47	1089	25.58	4356	2.28	0.00
407	1	1	2009/12/12	00:18:41	-0.30	757	0	650	0	1094	0.00	4376	0.00	0.00

施工データ

現場：唐津T1現場A
担当：唐津太郎

	号棟	杭番	日付	時間	深度 (m)	フィード 速度 (cm/min)	瞬時 流量 (L/min)	積算 流量 (L)	回転数 (min ⁻¹)	積算 回転数 (Rev)	羽根 切回転数 (min ⁻¹)	羽根 切回数 (Rev)	回転 トルク (kN・m)	圧入力 (kN)
1	1	12	2009/12/11	13:58:26	0.00	618	0	0	0	0	0.00	0	8.29	12.76
2	1	12	2009/12/11	00:00:01	0.10	1066	0	0	12	0	4.50	0	4.44	12.76
3	1	12	2009/12/11	00:00:01	0.20	1066	0	0	12	0	4.50	0	3.79	12.87
4	1	12	2009/12/11	00:00:02	0.30	1089	0	0	24	0	8.82	0	3.39	12.87
5	1	12	2009/12/11	00:00:03	0.40	389	0	0	25	1	25.71	4	3.39	12.76
6	1	12	2009/12/11	00:00:06	0.50	0	0	0	24	2	999.99	8	4.18	12.76
7	1	12	2009/12/11	00:00:21	0.60	210	76	9	58	17	110.48	68	2.58	12.76
8	1	12	2009/12/11	00:00:24	0.70	220	75	13	41	19	74.55	76	5.65	12.76
9	1	12	2009/12/11	00:00:26	0.80	220	75	16	37	20	67.27	80	6.11	12.76
10	1	12	2009/12/11	00:00:29	0.90	220	76	19	40	22	72.73	88	5.77	12.87
11	1	12	2009/12/11	00:00:32	1.00	220	78	23	42	24	76.36	96	5.77	12.87
12	1	12	2009/12/11	00:00:35	1.10	220	78	27	41	26	74.55	104	5.65	12.87
13	1	12	2009/12/11	00:00:37	1.20	220	76	30	44	28	80.00	112	5.31	12.87
14	1	12	2009/12/11	00:00:40	1.30	220	77	34	51	30	92.73	120	4.51	12.98
15	1	12	2009/12/11	00:00:43	1.40	220	78	37	51	33	92.73	132	4.40	12.76
16	1	12	2009/12/11	00:00:45	1.50	220	77	41	52	35	94.55	140	4.40	12.76
17	1	12	2009/12/11	00:00:48	1.60	220	75	44	47	37	85.45	148	4.97	12.87
18	1	12	2009/12/11	00:00:51	1.70	220	75	48	42	39	76.36	156	5.54	12.65
19	1	12	2009/12/11	00:00:54	1.80	220	77	51	39	41	70.91	164	5.88	12.76
20	1	12	2009/12/11	00:00:56	1.90	220	77	55	40	43	72.73	172	5.77	12.76
21	1	12	2009/12/11	00:00:59	2.00	220	75	58	41	45	74.55	180	5.65	12.76
22	1	12	2009/12/11	00:01:02	2.10	220	76	62	39	47	70.91	188	5.77	12.87
23	1	12	2009/12/11	00:01:05	2.20	220	78	65	37	48	67.27	192	6.11	12.65
24	1	12	2009/12/11	00:01:07	2.30	220	78	69	36	50	65.45	200	6.22	12.98
25	1	12	2009/12/11	00:01:10	2.40	220	76	72	35	52	63.64	208	6.34	12.98
26	1	12	2009/12/11	00:01:13	2.50	220	77	76	35	53	63.64	212	6.22	12.98
27	1	12	2009/12/11	00:01:16	2.60	220	79	79	34	55	61.82	220	6.45	12.54
28	1	12	2009/12/11	00:01:18	2.70	220	77	83	34	57	61.82	228	6.45	12.65
29	1	12	2009/12/11	00:01:21	2.80	220	75	86	37	58	67.27	232	6.11	12.65
30	1	12	2009/12/11	00:01:24	2.90	220	75	90	39	60	70.91	240	5.88	12.87
31	1	12	2009/12/11	00:01:26	3.00	220	78	93	44	62	80.00	248	5.31	12.87
32	1	12	2009/12/11	00:01:27	3.00	220	78	93	44	62	80.00	248	5.31	12.87
33	1	12	2009/12/11	00:01:29	3.10	220	76	97	46	64	83.64	256	5.08	12.76
34	1	12	2009/12/11	00:01:32	3.20	220	75	100	46	66	83.64	264	4.97	12.76
35	1	12	2009/12/11	00:01:35	3.30	220	76	104	47	68	85.45	272	4.97	12.76
36	1	12	2009/12/11	00:01:37	3.40	220	78	107	49	71	89.09	284	4.74	12.98
37	1	12	2009/12/11	00:01:40	3.50	220	77	111	53	73	96.36	292	4.29	12.87
38	1	12	2009/12/11	00:01:43	3.60	220	75	114	54	76	98.18	304	4.06	12.76
39	1	12	2009/12/11	00:01:46	3.70	220	76	118	56	78	101.82	312	3.94	13.09
40	1	12	2009/12/11	00:01:48	3.80	220	79	121	56	81	101.82	324	3.94	12.76
41	1	12	2009/12/11	00:01:51	3.90	220	78	125	55	83	100.00	332	4.06	12.98
42	1	12	2009/12/11	00:01:54	4.00	220	76	128	57	86	103.64	344	4.06	12.65
43	1	12	2009/12/11	00:01:56	4.10	220	74	132	56	89	101.82	356	3.94	12.65
44	1	12	2009/12/11	00:01:59	4.20	220	77	135	57	91	103.64	364	3.83	12.54
45	1	12	2009/12/11	00:02:02	4.30	220	76	139	57	94	103.64	376	3.83	12.65
46	1	12	2009/12/11	00:02:05	4.40	220	74	142	57	97	103.64	388	3.83	12.87
47	1	12	2009/12/11	00:02:07	4.50	220	75	146	57	99	103.64	396	3.83	12.98
48	1	12	2009/12/11	00:02:10	4.60	220	77	149	57	102	103.64	408	3.83	12.87
49	1	12	2009/12/11	00:02:13	4.70	220	77	153	57	104	103.64	416	3.83	12.98
50	1	12	2009/12/11	00:02:16	4.80	220	76	156	56	107	101.82	428	3.94	12.76
51	1	12	2009/12/11	00:02:18	4.90	220	76	160	57	110	103.64	440	3.83	12.87
52	1	12	2009/12/11	00:02:21	5.00	220	79	163	57	112	103.64	448	3.83	12.65
53	1	12	2009/12/11	00:02:24	5.10	220	77	167	59	115	107.27	460	3.83	12.76
54	1	12	2009/12/11	00:02:27	5.20	220	76	170	58	118	105.45	472	3.72	12.65
55	1	12	2009/12/11	00:02:29	5.30	220	76	174	59	120	107.27	480	3.60	12.87
56	1	12	2009/12/11	00:02:32	5.40	220	77	177	59	123	107.27	492	3.60	12.76
57	1	12	2009/12/11	00:02:35	5.50	220	77	181	60	126	109.09	504	3.49	12.87
58	1	12	2009/12/11	00:02:38	5.60	220	74	184	62	129	112.73	516	3.26	12.87
59	1	12	2009/12/11	00:03:30	5.70	210	74	210	63	135	120.00	540	3.15	12.76
60	1	12	2009/12/11	00:03:32	5.80	220	76	213	64	138	116.36	552	3.03	12.76
61	1	12	2009/12/11	00:03:35	5.90	220	78	217	61	140	110.91	560	3.37	12.65
62	1	12	2009/12/11	00:03:38	6.00	220	77	220	60	143	109.09	572	3.37	12.87
63	1	12	2009/12/11	00:03:41	6.10	220	75	224	58	146	105.45	584	3.72	12.87
64	1	12	2009/12/11	00:03:43	6.20	220	77	227	56	148	101.82	592	3.94	12.76
65	1	12	2009/12/11	00:03:46	6.30	220	78	231	54	151	98.18	604	4.17	12.76
66	1	12	2009/12/11	00:03:49	6.40	220	77	234	54	153	98.18	612	4.17	12.76
67	1	12	2009/12/11	00:03:52	6.50	220	75	238	55	156	100.00	624	4.06	12.87
68	1	12	2009/12/11	00:03:54	6.60	220	76	241	55	158	100.00	632	4.06	12.87
69	1	12	2009/12/11	00:03:57	6.70	220	77	245	55	161	100.00	644	4.06	12.76
70	1	12	2009/12/11	00:04:00	6.80	220	75	248	56	164	101.82	656	4.06	12.76
71	1	12	2009/12/11	00:04:02	6.90	220	74	252	56	166	101.82	664	3.94	12.87
72	1	12	2009/12/11	00:04:05	7.00	220	75	255	56	169	101.82	676	3.94	13.09
73	1	12	2009/12/11	00:04:08	7.10	220	78	259	58	171	105.45	684	3.72	12.87
74	1	12	2009/12/11	00:04:11	7.20	220	77	262	58	174	105.45	696	3.72	12.76
75	1	12	2009/12/11	00:04:13	7.30	220	75	266	58	177	105.45	708	3.72	12.43
76	1	12	2009/12/11	00:04:16	7.40	220	77	269	57	179	103.64	716	3.83	12.87
77	1	12	2009/12/11	00:04:19	7.50	220	78	273	55	182	100.00	728	4.06	12.76
78	1	12	2009/12/11	00:04:22	7.60	220	77	276	54	184	98.18	736	4.17	12.76
79	1	12	2009/12/11	00:04:24	7.70	220	75	280	53	187	96.36	748	4.29	12.87
80	1	12	2009/12/11	00:04:27	7.80	220	76	283	51	189	92.73	756	4.51	12.87
81	1	12	2009/12/11	00:04:30	7.90	220	78	287	51	191	92.73	764	4.40	12.65
82	1	12	2009/12/11	00:04:33	8.00	220	75	290	52	194	94.55	776	4.40	12.87
83	1	12	2009/12/11	00:04:35	8.10	220	74	294	52	196	94.55	784	4.40	12.76
84	1	12	2009/12/11	00:04:38	8.20	220	75	297	52	199	94.55	796	4.40	12.87
85	1	12	2009/12/11	00:04:41	8.30	220	77	301	52	201	94.55	804	4.40	12.87
86	1	12	2009/12/11	00:04:43	8.40	220	76	304	52	203	94.55	812	4.40	12.76
87	1	12	2009/12/11	00:04:46	8.50	220	75	308	49	206	89.09	824	4.74	12.87
88	1	12	2009/12/11	00:04:49	8.60	220	76	311	50	208	90.91	832	4.63	12.76
89	1	12	2009/12/11	00:04:52</										

施工データ

現場：唐津T1現場A
担当：唐津太郎

	号棟	杭番	日付	時間	深度 (m)	フィード 速度 (cm/min)	瞬時 流量 (L/min)	積算 流量 (L)	回転数 (min ⁻¹)	積算 回転数 (Rev)	羽根 切回転数 (min ⁻¹)	羽根 切回数 (Rev)	回転 トルク (kN・m)	圧入力 (kN)
91	1	12	2009/12/11	00:04:57	8.90	220	76	322	48	215	87.27	860	4.86	12.87
92	1	12	2009/12/11	00:05:01	9.00	174	75	327	35	217	80.46	868	2.42	12.65
93	1	12	2009/12/11	00:05:02	9.01	180	78	328	39	218	86.67	872	2.42	12.98
94	1	12	2009/12/11	00:05:05	9.00	0	77	332	51	220	999.99	880	4.51	0.00
95	1	12	2009/12/11	00:05:09	8.90	210	77	336	55	223	104.76	892	4.06	0.00
96	1	12	2009/12/11	00:05:11	8.80	210	75	340	55	226	104.76	904	4.06	0.00
97	1	12	2009/12/11	00:05:14	8.70	210	74	343	55	229	104.76	916	4.06	0.00
98	1	12	2009/12/11	00:05:17	8.60	224	77	347	55	231	98.21	924	4.06	0.00
99	1	12	2009/12/11	00:05:20	8.50	230	78	350	55	234	95.65	936	4.06	0.00
100	1	12	2009/12/11	00:05:22	8.40	230	77	353	54	236	93.91	944	4.17	0.00
101	1	12	2009/12/11	00:05:25	8.30	230	76	357	54	238	93.91	952	4.06	0.00
102	1	12	2009/12/11	00:05:27	8.20	224	77	360	54	241	96.43	964	4.17	0.00
103	1	12	2009/12/11	00:05:30	8.10	224	76	363	53	243	94.64	972	4.29	0.00
104	1	12	2009/12/11	00:05:33	8.00	230	74	367	54	246	93.91	984	4.17	0.00
105	1	12	2009/12/11	00:05:35	7.90	230	75	370	53	248	92.17	992	4.29	0.00
106	1	12	2009/12/11	00:05:38	7.80	230	74	373	52	250	90.43	1000	4.29	0.00
107	1	12	2009/12/11	00:05:40	7.70	230	75	377	53	252	92.17	1008	4.29	0.00
108	1	12	2009/12/11	00:05:43	7.60	230	75	380	53	255	92.17	1020	4.29	0.00
109	1	12	2009/12/11	00:05:46	7.50	230	77	383	54	257	93.91	1028	4.17	0.00
110	1	12	2009/12/11	00:05:48	7.40	230	77	387	55	260	95.65	1040	4.06	0.00
111	1	12	2009/12/11	00:05:51	7.30	230	76	390	54	262	93.91	1048	4.06	0.00
112	1	12	2009/12/11	00:05:53	7.20	237	76	393	55	264	92.83	1056	4.06	0.00
113	1	12	2009/12/11	00:05:56	7.10	230	75	396	55	267	95.65	1068	4.06	0.00
114	1	12	2009/12/11	00:05:59	7.00	237	76	400	56	269	94.51	1076	3.94	0.00
115	1	12	2009/12/11	00:06:01	6.90	237	74	403	56	272	94.51	1088	3.94	0.00
116	1	12	2009/12/11	00:06:04	6.80	230	75	406	56	274	97.39	1096	4.06	0.00
117	1	12	2009/12/11	00:06:06	6.70	230	74	410	54	276	93.91	1104	4.17	0.00
118	1	12	2009/12/11	00:06:09	6.60	230	75	413	53	279	92.17	1116	4.29	0.00
119	1	12	2009/12/11	00:06:12	6.50	230	74	416	52	281	90.43	1124	4.40	0.00
120	1	12	2009/12/11	00:06:14	6.40	230	76	420	51	283	88.70	1132	4.51	0.00
121	1	12	2009/12/11	00:06:17	6.30	230	76	423	51	286	88.70	1144	4.51	0.00
122	1	12	2009/12/11	00:06:20	6.20	230	77	426	50	288	86.96	1152	4.63	0.00
123	1	12	2009/12/11	00:06:22	6.10	230	77	429	51	290	88.70	1160	4.51	0.00
124	1	12	2009/12/11	00:06:25	6.00	224	77	433	52	292	92.86	1168	4.40	0.00
125	1	12	2009/12/11	00:06:27	5.90	230	77	436	53	295	92.17	1180	4.29	0.00
126	1	12	2009/12/11	00:06:30	5.80	230	76	439	54	297	93.91	1188	4.17	0.00
127	1	12	2009/12/11	00:06:33	5.70	230	75	443	56	299	97.39	1196	3.94	0.00
128	1	12	2009/12/11	00:06:35	5.60	230	75	446	57	302	99.13	1208	3.83	0.00
129	1	12	2009/12/11	00:06:38	5.50	230	73	449	58	305	100.87	1220	3.72	0.00
130	1	12	2009/12/11	00:06:38	5.49	230	71	449	58	305	100.87	1220	3.72	0.00
131	1	12	2009/12/11	00:06:40	5.50	0	75	452	66	307	999.99	1228	2.80	12.76
132	1	12	2009/12/11	00:06:43	5.60	224	73	456	61	310	108.93	1240	3.37	12.65
133	1	12	2009/12/11	00:06:46	5.70	230	37	458	67	313	116.52	1252	2.69	12.76
134	1	12	2009/12/11	00:06:48	5.80	237	15	459	70	316	118.14	1264	2.35	12.76
135	1	12	2009/12/11	00:06:51	5.90	230	0	460	70	319	121.74	1276	2.46	12.76
136	1	12	2009/12/11	00:06:53	6.00	230	0	460	69	322	120.00	1288	2.46	12.76
137	1	12	2009/12/11	00:06:56	6.10	230	0	460	69	325	120.00	1300	2.46	12.76
138	1	12	2009/12/11	00:06:59	6.20	224	0	460	64	328	114.29	1312	3.03	12.98
139	1	12	2009/12/11	00:07:01	6.30	230	0	460	61	330	106.09	1320	3.37	12.87
140	1	12	2009/12/11	00:07:04	6.40	224	0	460	63	333	112.50	1332	3.26	12.98
141	1	12	2009/12/11	00:07:07	6.50	230	0	460	63	336	109.57	1344	3.15	12.65
142	1	12	2009/12/11	00:07:09	6.60	230	0	460	64	339	111.30	1356	3.03	12.76
143	1	12	2009/12/11	00:07:12	6.70	230	0	460	62	341	107.83	1364	3.26	12.76
144	1	12	2009/12/11	00:07:14	6.80	230	0	460	63	344	109.57	1376	3.15	12.87
145	1	12	2009/12/11	00:07:17	6.90	230	0	460	62	347	107.83	1388	3.26	12.87
146	1	12	2009/12/11	00:07:20	7.00	230	0	460	64	350	111.30	1400	3.03	12.76
147	1	12	2009/12/11	00:07:22	7.10	230	0	460	68	353	118.26	1412	2.58	12.87
148	1	12	2009/12/11	00:07:25	7.20	230	0	460	68	356	118.26	1424	2.58	12.76
149	1	12	2009/12/11	00:07:27	7.30	230	0	460	67	359	116.52	1436	2.69	12.65
150	1	12	2009/12/11	00:07:30	7.40	230	0	460	68	362	118.26	1448	2.58	12.87
151	1	12	2009/12/11	00:07:33	7.50	230	0	460	67	365	116.52	1460	2.69	12.87
152	1	12	2009/12/11	00:07:35	7.60	230	0	460	70	368	121.74	1472	2.35	12.76
153	1	12	2009/12/11	00:07:38	7.70	230	0	460	66	371	114.78	1484	2.58	12.65
154	1	12	2009/12/11	00:07:40	7.80	230	0	460	65	373	113.04	1492	2.92	12.87
155	1	12	2009/12/11	00:07:43	7.90	230	0	460	61	376	106.09	1504	3.37	12.87
156	1	12	2009/12/11	00:07:46	8.00	237	0	460	62	379	104.64	1516	3.26	12.87
157	1	12	2009/12/11	00:07:48	8.10	230	0	460	62	381	107.83	1524	3.26	12.65
158	1	12	2009/12/11	00:07:51	8.20	230	0	460	63	384	109.57	1536	3.37	12.87
159	1	12	2009/12/11	00:07:53	8.30	230	0	460	60	387	104.35	1548	3.49	12.87
160	1	12	2009/12/11	00:07:56	8.40	230	0	460	59	389	102.61	1556	3.60	12.76
161	1	12	2009/12/11	00:07:59	8.50	230	0	460	60	392	104.35	1568	3.49	12.76
162	1	12	2009/12/11	00:08:01	8.60	230	0	460	58	394	100.87	1576	3.72	12.98
163	1	12	2009/12/11	00:08:04	8.70	237	0	460	57	397	96.20	1588	3.83	13.09
164	1	12	2009/12/11	00:08:06	8.80	230	0	460	59	399	102.61	1596	3.60	12.98
165	1	12	2009/12/11	00:08:09	8.90	230	0	460	61	402	106.09	1608	3.37	12.87
166	1	12	2009/12/11	00:08:12	9.00	224	0	460	59	405	105.36	1620	3.60	12.87
167	1	12	2009/12/11	00:08:12	9.01	230	0	460	61	405	106.09	1620	3.37	12.76
168	1	12	2009/12/11	00:08:14	9.00	89	0	460	61	406	274.16	1624	2.20	0.00
169	1	12	2009/12/11	00:08:16	8.90	300	0	460	58	409	77.33	1636	3.72	0.00
170	1	12	2009/12/11	00:08:17	8.80	461	0	460	55	410	47.72	1640	4.06	0.00
171	1	12	2009/12/11	00:08:18	8.70	506	0	460	55	411	43.48	1644	4.06	0.00
172	1	12	2009/12/11	00:08:20	8.60	510	0	460	52	412	40.78	1648	4.40	0.00
173	1	12	2009/12/11	00:08:21	8.50	479	0	460	52	413	43.42	1652	4.40	0.00
174	1	12	2009/12/11	00:08:24	8.60	376	0	460	59	416	62.77	1664	3.92	12.65
175	1	12	2009/12/11	00:08:25	8.70	484	0	460	56	417	46.28	1668	3.74	12.76
176	1	12	2009/12/11	00:08:26	8.80	506	0	460	55	418	43.48	1672	4.06	12.76
177	1	12	2009/12/11	00:08:27	8.90	500	0	460	55	419	44.00	1676	4.06	12.9

施工データ

現場：唐津T1現場A
担当：唐津太郎

号棟	杭番	日付	時間	深度 (m)	フィード 速度 (cm/min)	瞬時 流量 (L/min)	積算 流量 (L)	回転数 (min ⁻¹)	積算 回転数 (Rev)	羽根 切回転数 (min ⁻¹)	羽根 切回数 (Rev)	回転 トルク (kN・m)	圧入力 (kN)
181	1	12/2009/12/11	00:08:31	8.90	416	0	460	53	423	50.96	1692	4.29	0.00
182	1	12/2009/12/11	00:08:32	8.80	519	0	460	50	424	38.54	1696	4.63	0.00
183	1	12/2009/12/11	00:08:33	8.70	510	0	460	50	425	39.22	1700	4.63	0.00
184	1	12/2009/12/11	00:08:35	8.60	506	0	460	49	426	38.74	1704	4.74	0.00
185	1	12/2009/12/11	00:08:36	8.50	493	0	460	49	427	39.76	1708	4.74	0.00
186	1	12/2009/12/11	00:08:39	8.60	484	0	460	54	429	44.63	1716	4.17	12.87
187	1	12/2009/12/11	00:08:40	8.70	506	0	460	53	430	41.90	1720	4.29	12.98
188	1	12/2009/12/11	00:08:41	8.80	500	0	460	52	431	41.60	1724	4.40	12.76
189	1	12/2009/12/11	00:08:43	8.90	506	0	460	53	433	41.90	1732	4.29	12.87
190	1	12/2009/12/11	00:08:44	9.00	506	0	460	54	434	42.69	1736	4.40	12.87
191	1	12/2009/12/11	00:08:44	9.01	506	0	460	54	434	42.69	1736	4.17	12.87
192	1	12/2009/12/11	00:08:46	9.00	22	0	460	56	435	999.99	1740	4.06	0.00
193	1	12/2009/12/11	00:08:49	8.90	237	0	460	52	438	87.76	1752	4.40	0.00
194	1	12/2009/12/11	00:08:51	8.80	230	0	460	53	440	92.17	1760	4.29	0.00
195	1	12/2009/12/11	00:08:54	8.70	224	0	460	51	443	91.07	1772	4.40	0.00
196	1	12/2009/12/11	00:08:56	8.60	230	0	460	50	445	86.96	1780	4.63	0.00
197	1	12/2009/12/11	00:08:59	8.50	230	0	460	51	447	88.70	1788	4.51	0.00
198	1	12/2009/12/11	00:09:02	8.40	230	0	460	52	449	90.43	1796	4.40	0.00
199	1	12/2009/12/11	00:09:04	8.30	230	0	460	51	452	88.70	1808	4.51	0.00
200	1	12/2009/12/11	00:09:07	8.20	230	0	460	52	454	90.43	1816	4.51	0.00
201	1	12/2009/12/11	00:09:09	8.10	230	0	460	52	456	90.43	1824	4.40	0.00
202	1	12/2009/12/11	00:09:12	8.00	230	0	460	54	458	93.91	1832	4.17	0.00
203	1	12/2009/12/11	00:09:15	7.90	230	0	460	54	461	93.91	1844	4.17	0.00
204	1	12/2009/12/11	00:09:17	7.80	230	0	460	53	463	92.17	1852	4.29	0.00
205	1	12/2009/12/11	00:09:20	7.70	230	0	460	55	466	95.65	1864	4.06	0.00
206	1	12/2009/12/11	00:09:23	7.60	230	0	460	54	468	93.91	1872	4.17	0.00
207	1	12/2009/12/11	00:09:25	7.50	230	0	460	55	470	95.65	1880	4.06	0.00
208	1	12/2009/12/11	00:09:28	7.40	230	0	460	56	473	97.39	1892	4.06	0.00
209	1	12/2009/12/11	00:09:30	7.30	230	0	460	57	475	99.13	1900	3.83	0.00
210	1	12/2009/12/11	00:09:33	7.20	230	0	460	56	478	97.39	1912	3.94	0.00
211	1	12/2009/12/11	00:09:36	7.10	230	0	460	54	480	93.91	1920	4.17	0.00
212	1	12/2009/12/11	00:09:38	7.00	230	0	460	57	483	99.13	1932	3.83	0.00
213	1	12/2009/12/11	00:09:41	6.90	230	0	460	59	485	102.61	1940	3.83	0.00
214	1	12/2009/12/11	00:09:43	6.80	230	0	460	58	488	100.87	1952	3.72	0.00
215	1	12/2009/12/11	00:09:46	6.70	224	0	460	57	490	101.79	1960	3.83	0.00
216	1	12/2009/12/11	00:09:49	6.60	230	0	460	57	493	99.13	1972	3.83	0.00
217	1	12/2009/12/11	00:09:51	6.50	230	0	460	57	495	99.13	1980	3.83	0.00
218	1	12/2009/12/11	00:09:54	6.40	224	0	460	57	498	101.79	1992	3.83	0.00
219	1	12/2009/12/11	00:09:56	6.30	230	0	460	57	500	99.13	2000	3.83	0.00
220	1	12/2009/12/11	00:09:59	6.20	230	0	460	58	503	100.87	2012	3.72	0.00
221	1	12/2009/12/11	00:10:02	6.10	230	0	460	58	505	100.87	2020	3.72	0.00
222	1	12/2009/12/11	00:10:04	6.00	230	0	460	58	508	100.87	2032	3.72	0.00
223	1	12/2009/12/11	00:10:07	5.90	224	0	460	59	510	105.36	2040	3.72	0.00
224	1	12/2009/12/11	00:10:09	5.80	230	0	460	59	513	102.61	2052	3.60	0.00
225	1	12/2009/12/11	00:10:12	5.70	230	0	460	61	516	106.09	2064	3.37	0.00
226	1	12/2009/12/11	00:10:15	5.60	230	0	460	58	518	100.87	2072	3.72	0.00
227	1	12/2009/12/11	00:10:17	5.50	230	0	460	57	521	99.13	2084	3.83	0.00
228	1	12/2009/12/11	00:10:18	5.49	230	0	460	57	521	99.13	2084	3.83	0.00
229	1	12/2009/12/11	00:11:07	5.40	255	73	468	60	540	94.12	2160	3.49	0.00
230	1	12/2009/12/11	00:11:09	5.30	237	75	471	55	542	92.83	2168	4.06	0.00
231	1	12/2009/12/11	00:11:12	5.20	230	76	474	54	545	93.91	2180	4.06	0.00
232	1	12/2009/12/11	00:11:14	5.10	224	76	477	54	547	96.43	2188	4.17	0.00
233	1	12/2009/12/11	00:11:17	5.00	230	76	481	55	550	95.65	2200	4.06	0.00
234	1	12/2009/12/11	00:11:20	4.90	230	75	484	56	552	97.39	2208	3.94	0.00
235	1	12/2009/12/11	00:11:22	4.80	230	75	487	54	554	93.91	2216	4.17	0.00
236	1	12/2009/12/11	00:11:25	4.70	230	76	490	54	557	93.91	2228	4.06	0.00
237	1	12/2009/12/11	00:11:27	4.60	230	76	494	55	559	95.65	2236	4.06	0.00
238	1	12/2009/12/11	00:11:30	4.50	230	76	497	55	562	95.65	2248	4.06	0.00
239	1	12/2009/12/11	00:11:33	4.40	230	77	500	55	564	95.65	2256	4.06	0.00
240	1	12/2009/12/11	00:11:35	4.30	230	77	503	55	566	95.65	2264	4.06	0.00
241	1	12/2009/12/11	00:11:38	4.20	224	76	507	54	569	96.43	2276	4.06	0.00
242	1	12/2009/12/11	00:11:40	4.10	237	76	510	55	571	92.83	2284	4.06	0.00
243	1	12/2009/12/11	00:11:43	4.00	230	75	513	55	574	95.65	2296	4.06	0.00
244	1	12/2009/12/11	00:11:43	4.00	230	75	513	55	574	95.65	2296	4.06	0.00
245	1	12/2009/12/11	00:11:46	3.90	230	76	517	55	576	95.65	2304	4.06	0.00
246	1	12/2009/12/11	00:11:48	3.80	230	76	520	55	578	95.65	2312	4.06	0.00
247	1	12/2009/12/11	00:11:51	3.70	230	76	523	55	581	95.65	2324	4.17	0.00
248	1	12/2009/12/11	00:11:53	3.60	230	74	526	55	583	95.65	2332	4.06	0.00
249	1	12/2009/12/11	00:11:56	3.50	230	75	530	54	586	93.91	2344	4.17	0.00
250	1	12/2009/12/11	00:11:59	3.40	224	74	533	52	588	92.86	2352	4.40	0.00
251	1	12/2009/12/11	00:12:01	3.30	237	74	536	50	590	84.39	2360	4.63	0.00
252	1	12/2009/12/11	00:12:04	3.20	230	73	539	48	592	83.48	2368	4.74	0.00
253	1	12/2009/12/11	00:12:06	3.10	230	74	543	46	594	80.00	2376	5.08	0.00
254	1	12/2009/12/11	00:12:09	3.00	230	74	546	46	596	80.00	2384	5.08	0.00
255	1	12/2009/12/11	00:12:12	2.90	230	73	549	45	598	78.26	2392	5.20	0.00
256	1	12/2009/12/11	00:12:14	2.80	230	73	552	44	600	76.52	2400	5.31	0.00
257	1	12/2009/12/11	00:12:17	2.70	230	73	556	40	602	69.57	2408	5.77	0.00
258	1	12/2009/12/11	00:12:19	2.60	224	73	559	36	604	64.29	2416	6.22	0.00
259	1	12/2009/12/11	00:12:22	2.50	237	74	562	33	605	55.70	2420	6.57	0.00
260	1	12/2009/12/11	00:12:25	2.40	230	74	566	33	606	57.39	2424	6.57	0.00
261	1	12/2009/12/11	00:12:27	2.30	230	73	569	35	608	60.87	2432	6.34	0.00
262	1	12/2009/12/11	00:12:30	2.20	230	72	572	38	610	66.09	2440	6.00	0.00
263	1	12/2009/12/11	00:12:33	2.10	230	73	575	37	611	64.35	2444	6.11	0.00
264	1	12/2009/12/11	00:12:35	2.00	230	73	579	37	613	64.35	2452	6.11	0.00
265	1	12/2009/12/11	00:12:38	1.90	230	74	582	36	614	62.61	2456	6.22	0.00
266	1	12/2009/12/11	00:12:40	1.80	230	74	585	35	616	60.87	2464	6.34	0.00
267	1	12/2009/12/11	00:12:43	1.70	230	75	588	37	618	64.35	2472	6.11	0.00
268	1	12/2009/12/11	00:12:46	1.60	230	74	592	37	619	64.35	2476	6.11	0.00
269	1	12/2009/12/11	00:12:48	1.50	230	73	595	44	621	76.52	2484	5.31	0.00
270	1	12/2009/12/11	00:12:51	1.40	237	74	598	49	623	82.70	249		

施工データ

現場：唐津T1現場A
担当：唐津太郎

	号棟	杭番	日付	時間	深度 (m)	フィード 速度 (cm/min)	瞬時 流量 (L/min)	積算 流量 (L)	回転数 (min ⁻¹)	積算 回転数 (Rev)	羽根 切回転数 (min ⁻¹)	羽根 切回数 (Rev)	回転 トルク (kN・m)	圧入力 (kN)
271	1	12	2009/12/11	00:12:53	1.30	230	74	601	47	625	81.74	2500	4.97	0.00
272	1	12	2009/12/11	00:12:56	1.20	230	75	605	41	627	71.30	2508	5.65	0.00
273	1	12	2009/12/11	00:12:59	1.10	230	75	608	38	629	66.09	2516	6.00	0.00
274	1	12	2009/12/11	00:13:01	1.00	230	76	611	33	630	57.39	2520	6.57	0.00
275	1	12	2009/12/11	00:13:04	0.90	230	75	614	31	632	53.91	2528	6.79	0.00
276	1	12	2009/12/11	00:13:06	0.80	230	75	618	32	633	55.65	2532	6.68	0.00
277	1	12	2009/12/11	00:13:09	0.70	230	75	621	38	635	66.09	2540	2.46	0.00
278	1	12	2009/12/11	00:13:12	0.60	230	76	624	43	637	74.78	2548	5.43	0.00
279	1	12	2009/12/11	00:13:14	0.50	230	76	627	56	639	97.39	2556	2.45	0.00
280	1	12	2009/12/11	00:13:15	0.49	230	75	628	56	639	97.39	2556	2.24	0.00
281	1	12	2009/12/11	00:13:17	0.50	0	74	631	71	643	999.99	2572	2.12	12.76
282	1	12	2009/12/11	00:13:20	0.60	215	75	635	68	646	126.51	2584	2.18	12.87
283	1	12	2009/12/11	00:13:23	0.70	230	66	638	70	649	121.74	2596	2.32	13.09
284	1	12	2009/12/11	00:13:25	0.80	230	28	640	72	652	125.22	2608	2.11	12.76
285	1	12	2009/12/11	00:13:28	0.90	230	11	641	70	655	121.74	2620	2.07	12.76
286	1	12	2009/12/11	00:13:31	1.00	230	0	641	72	658	125.22	2632	1.86	12.65
287	1	12	2009/12/11	00:13:33	1.10	224	0	641	70	661	125.00	2644	1.94	12.87
288	1	12	2009/12/11	00:13:36	1.20	230	0	641	71	664	123.48	2656	2.34	12.76
289	1	12	2009/12/11	00:13:38	1.30	230	0	641	71	667	123.48	2668	2.23	12.43
290	1	12	2009/12/11	00:13:41	1.40	230	0	641	68	670	118.26	2680	2.58	12.65
291	1	12	2009/12/11	00:13:44	1.50	230	0	641	70	673	121.74	2692	2.46	12.65
292	1	12	2009/12/11	00:13:46	1.60	230	0	641	71	677	123.48	2708	2.48	12.76
293	1	12	2009/12/11	00:13:49	1.70	230	0	641	71	680	123.48	2720	2.00	12.76
294	1	12	2009/12/11	00:13:51	1.80	224	0	641	69	683	123.21	2732	2.46	12.76
295	1	12	2009/12/11	00:13:54	1.90	230	0	641	69	686	120.00	2744	2.46	12.76
296	1	12	2009/12/11	00:13:57	2.00	230	0	641	67	689	116.52	2756	2.69	12.87
297	1	12	2009/12/11	00:13:59	2.10	230	0	641	66	692	114.78	2768	2.37	12.76
298	1	12	2009/12/11	00:14:02	2.20	230	0	641	69	695	120.00	2780	2.46	12.76
299	1	12	2009/12/11	00:14:05	2.30	237	0	641	69	698	116.46	2792	2.46	12.76
300	1	12	2009/12/11	00:14:07	2.40	230	0	641	65	700	113.04	2800	2.92	12.87
301	1	12	2009/12/11	00:14:10	2.50	230	0	641	60	703	104.35	2812	3.37	12.76
302	1	12	2009/12/11	00:14:12	2.60	230	0	641	58	706	100.87	2824	3.72	12.87
303	1	12	2009/12/11	00:14:15	2.70	230	0	641	59	708	102.61	2832	3.60	12.87
304	1	12	2009/12/11	00:14:18	2.80	230	0	641	59	711	102.61	2844	3.60	12.87
305	1	12	2009/12/11	00:14:20	2.90	230	0	641	61	714	106.09	2856	3.37	12.76
306	1	12	2009/12/11	00:14:23	3.00	230	0	641	63	716	109.57	2864	3.37	12.87
307	1	12	2009/12/11	00:14:25	3.10	230	0	641	67	719	116.52	2876	2.69	12.98
308	1	12	2009/12/11	00:14:28	3.20	230	0	641	69	722	120.00	2888	2.43	12.76
309	1	12	2009/12/11	00:14:31	3.30	224	0	641	69	725	123.21	2900	2.30	12.87
310	1	12	2009/12/11	00:14:33	3.40	230	0	641	71	728	123.48	2912	2.38	12.43
311	1	12	2009/12/11	00:14:36	3.50	230	0	641	71	731	123.48	2924	1.98	12.65
312	1	12	2009/12/11	00:14:38	3.60	224	0	641	70	734	125.00	2936	2.20	13.09
313	1	12	2009/12/11	00:14:41	3.70	230	0	641	71	738	123.48	2952	2.28	12.76
314	1	12	2009/12/11	00:14:44	3.80	230	0	641	72	741	125.22	2964	2.12	12.76
315	1	12	2009/12/11	00:14:46	3.90	230	0	641	71	744	123.48	2976	2.11	12.87
316	1	12	2009/12/11	00:14:49	4.00	230	0	641	71	747	123.48	2988	2.28	12.76
317	1	12	2009/12/11	00:14:51	4.10	230	0	641	71	750	123.48	3000	2.22	12.76
318	1	12	2009/12/11	00:14:54	4.20	230	0	641	70	753	121.74	3012	2.23	12.87
319	1	12	2009/12/11	00:14:57	4.30	230	0	641	71	756	123.48	3024	2.38	12.76
320	1	12	2009/12/11	00:14:59	4.40	230	0	641	71	759	123.48	3036	2.06	12.76
321	1	12	2009/12/11	00:15:02	4.50	230	0	641	70	762	121.74	3048	2.24	12.87
322	1	12	2009/12/11	00:15:04	4.60	230	0	641	70	765	121.74	3060	2.16	12.76
323	1	12	2009/12/11	00:15:07	4.70	230	0	641	71	768	123.48	3072	2.19	12.87
324	1	12	2009/12/11	00:15:10	4.80	230	0	641	69	772	120.00	3088	2.35	12.87
325	1	12	2009/12/11	00:15:12	4.90	230	0	641	70	775	121.74	3100	2.27	12.76
326	1	12	2009/12/11	00:15:15	5.00	230	0	641	70	778	121.74	3112	2.35	12.87
327	1	12	2009/12/11	00:15:18	5.10	230	0	641	70	781	121.74	3124	2.29	12.87
328	1	12	2009/12/11	00:15:20	5.20	230	0	641	69	784	120.00	3136	2.20	12.76
329	1	12	2009/12/11	00:15:23	5.30	230	0	641	71	787	123.48	3148	2.34	12.76
330	1	12	2009/12/11	00:15:25	5.40	230	0	641	71	790	123.48	3160	2.38	12.76
331	1	12	2009/12/11	00:15:35	5.30	230	0	641	69	801	120.00	3204	2.26	0.00
332	1	12	2009/12/11	00:15:38	5.20	230	0	641	69	804	120.00	3216	2.17	0.00
333	1	12	2009/12/11	00:15:40	5.10	230	0	641	67	807	116.52	3228	2.39	0.00
334	1	12	2009/12/11	00:15:43	5.00	230	0	641	66	810	114.78	3240	2.44	0.00
335	1	12	2009/12/11	00:15:45	4.90	230	0	641	66	813	114.78	3252	2.44	0.00
336	1	12	2009/12/11	00:15:48	4.80	230	0	641	65	815	113.04	3260	2.46	0.00
337	1	12	2009/12/11	00:15:51	4.70	230	0	641	66	818	114.78	3272	2.42	0.00
338	1	12	2009/12/11	00:15:53	4.60	230	0	641	66	821	114.78	3284	2.80	0.00
339	1	12	2009/12/11	00:15:56	4.50	224	0	641	65	824	116.07	3296	2.44	0.00
340	1	12	2009/12/11	00:15:59	4.40	230	0	641	65	827	113.04	3308	2.42	0.00
341	1	12	2009/12/11	00:16:01	4.30	230	0	641	66	830	114.78	3320	2.39	0.00
342	1	12	2009/12/11	00:16:04	4.20	230	0	641	65	833	113.04	3332	2.42	0.00
343	1	12	2009/12/11	00:16:06	4.10	230	0	641	66	835	114.78	3340	2.35	0.00
344	1	12	2009/12/11	00:16:09	4.00	230	0	641	67	838	116.52	3352	2.31	0.00
345	1	12	2009/12/11	00:16:12	3.90	230	0	641	67	841	116.52	3364	2.31	0.00
346	1	12	2009/12/11	00:16:14	3.80	230	0	641	66	844	114.78	3376	2.31	0.00
347	1	12	2009/12/11	00:16:17	3.70	230	0	641	69	847	120.00	3388	2.18	0.00
348	1	12	2009/12/11	00:16:19	3.60	230	0	641	68	850	118.26	3400	2.13	0.00
349	1	12	2009/12/11	00:16:22	3.50	230	0	641	67	853	116.52	3412	2.15	0.00
350	1	12	2009/12/11	00:16:25	3.40	230	0	641	67	856	116.52	3424	2.05	0.00
351	1	12	2009/12/11	00:16:27	3.30	230	0	641	67	859	116.52	3436	2.16	0.00
352	1	12	2009/12/11	00:16:30	3.20	230	0	641	66	862	114.78	3448	2.29	0.00
353	1	12	2009/12/11	00:16:32	3.10	230	0	641	62	865	107.83	3460	3.26	0.00
354	1	12	2009/12/11	00:16:35	3.00	230	0	641	61	867	106.09	3468	3.37	0.00
355	1	12	2009/12/11	00:16:38	2.90	230	0	641	58	870	100.87	3480	3.72	0.00
356	1	12	2009/12/11	00:16:40	2.80	230	0	641	56	872	97.39	3488	3.94	0.00
357	1	12	2009/12/11	00:16:43	2.70	230	0	641	54	875				

施工データ

現場：唐津1st現場A
担当：唐津太郎

	号棟	杭番	日付	時間	深度 (m)	フィード 速度 (cm/min)	瞬時 流量 (L/min)	積算 流量 (L)	回転数 (min ⁻¹)	積算 回転数 (Rev)	羽根 切回転数 (min ⁻¹)	羽根 切回数 (Rev)	回転 トルク (kN・m)	圧入力 (kN)
361	1	12	2009/12/11	00:16:53	2.30	230	0	641	50	884	86.96	3536	4.63	0.00
362	1	12	2009/12/11	00:16:56	2.20	230	0	641	50	886	86.96	3544	4.63	0.00
363	1	12	2009/12/11	00:16:58	2.10	230	0	641	50	888	86.96	3552	4.63	0.00
364	1	12	2009/12/11	00:17:01	2.00	230	0	641	50	890	86.96	3560	4.63	0.00
365	1	12	2009/12/11	00:17:04	1.90	230	0	641	50	893	86.96	3572	4.51	0.00
366	1	12	2009/12/11	00:17:06	1.80	224	0	641	50	895	89.29	3580	4.63	0.00
367	1	12	2009/12/11	00:17:09	1.70	230	0	641	53	897	92.17	3588	4.29	0.00
368	1	12	2009/12/11	00:17:12	1.60	230	0	641	54	899	93.91	3596	4.17	0.00
369	1	12	2009/12/11	00:17:14	1.50	230	0	641	55	902	95.65	3608	4.06	0.00
370	1	12	2009/12/11	00:17:17	1.40	230	0	641	58	904	100.87	3616	3.94	0.00
371	1	12	2009/12/11	00:17:19	1.30	230	0	641	57	907	99.13	3628	3.83	0.00
372	1	12	2009/12/11	00:17:22	1.20	230	0	641	58	909	100.87	3636	3.72	0.00
373	1	12	2009/12/11	00:17:25	1.10	230	0	641	58	912	100.87	3648	3.72	0.00
374	1	12	2009/12/11	00:17:27	1.00	230	0	641	60	914	104.35	3656	3.49	0.00
375	1	12	2009/12/11	00:17:30	0.90	230	0	641	61	917	106.09	3668	2.47	0.00
376	1	12	2009/12/11	00:17:32	0.80	230	0	641	62	920	107.83	3680	2.21	0.00
377	1	12	2009/12/11	00:17:35	0.70	230	0	641	63	923	109.57	3692	2.21	0.00
378	1	12	2009/12/11	00:17:38	0.60	230	0	641	68	926	118.26	3704	1.91	0.00
379	1	12	2009/12/11	00:17:40	0.50	230	0	641	71	929	123.48	3716	1.80	0.00
380	1	12	2009/12/11	00:17:40	0.49	230	0	641	71	929	123.48	3716	1.94	0.00
381	1	12	2009/12/11	00:18:09	0.50	0	0	641	72	964	999.99	3856	1.73	12.43
382	1	12	2009/12/11	00:18:11	0.60	264	0	641	71	966	107.58	3864	1.89	12.65
383	1	12	2009/12/11	00:18:12	0.70	470	0	641	72	968	61.28	3872	1.98	12.87
384	1	12	2009/12/11	00:18:14	0.80	506	0	641	72	969	56.92	3876	2.05	12.98
385	1	12	2009/12/11	00:18:15	0.90	500	0	641	71	971	56.80	3884	2.30	12.76
386	1	12	2009/12/11	00:18:16	1.00	493	0	641	69	972	55.98	3888	2.44	12.98
387	1	12	2009/12/11	00:18:17	1.10	493	0	641	68	973	55.17	3892	2.58	12.87
388	1	12	2009/12/11	00:18:18	1.20	500	0	641	67	975	53.60	3900	2.69	12.76
389	1	12	2009/12/11	00:18:20	1.30	500	0	641	62	976	49.60	3904	3.03	12.65
390	1	12	2009/12/11	00:18:21	1.40	500	0	641	59	977	47.20	3908	3.26	12.76
391	1	12	2009/12/11	00:18:22	1.50	506	0	641	56	978	44.27	3912	3.94	12.76
392	1	12	2009/12/11	00:18:23	1.60	500	0	641	53	979	42.40	3916	4.29	12.87
393	1	12	2009/12/11	00:18:24	1.70	506	0	641	51	980	40.32	3920	4.51	12.76
394	1	12	2009/12/11	00:18:28	1.60	363	0	641	44	983	48.48	3932	5.31	0.00
395	1	12	2009/12/11	00:18:29	1.50	470	0	641	43	984	36.60	3936	5.43	0.00
396	1	12	2009/12/11	00:18:31	1.40	493	0	641	45	985	36.51	3940	5.20	0.00
397	1	12	2009/12/11	00:18:32	1.30	500	0	641	49	986	39.20	3944	5.08	0.00
398	1	12	2009/12/11	00:18:33	1.20	500	0	641	51	987	40.80	3948	4.51	0.00
399	1	12	2009/12/11	00:18:34	1.10	500	0	641	54	988	43.20	3952	4.17	0.00
400	1	12	2009/12/11	00:18:36	1.00	488	0	641	54	989	44.26	3956	4.17	0.00
401	1	12	2009/12/11	00:18:37	0.90	434	0	641	55	991	50.69	3964	4.06	0.00
402	1	12	2009/12/11	00:18:38	0.80	434	0	641	56	992	51.61	3968	2.38	0.00
403	1	12	2009/12/11	00:18:39	0.70	475	0	641	59	993	49.68	3972	2.22	0.00
404	1	12	2009/12/11	00:18:41	0.60	475	0	641	62	995	52.21	3980	2.19	0.00
405	1	12	2009/12/11	00:18:42	0.50	488	0	641	63	996	51.64	3984	1.93	0.00
406	1	12	2009/12/11	00:18:42	0.49	488	0	641	63	996	51.64	3984	1.92	0.00
407	1	12	2009/12/11	00:18:45	0.40	331	0	641	51	999	61.63	3996	3.33	0.00
408	1	12	2009/12/11	00:18:46	0.30	596	0	641	29	999	19.46	3996	2.76	0.00
409	1	12	2009/12/11	00:18:47	0.20	614	0	641	25	1000	16.29	4000	2.57	0.00
410	1	12	2009/12/11	00:18:48	0.10	627	0	641	25	1000	15.95	4000	2.47	0.00
411	1	12	2009/12/11	00:18:59	-0.32	542	0	641	0	1004	0.00	4016	0.00	12.76

施工データ

現場：唐津工現場A
担当：唐津太郎

	号棟	杭番	日付	時間	深度 (m)	フィード 速度 (cm/min)	瞬時 流量 (L/min)	積算 流量 (L)	回転数 (min ⁻¹)	積算 回転数 (Rev)	羽根 切回転数 (min ⁻¹)	羽根 切回数 (Rev)	回転 トルク (kN・m)	圧入力 (kN)
1	1	6	2009/12/12	14:09:50	0.00	1102	0	0	7	0	2.54	0	11.55	12.65
2	1	6	2009/12/12	00:00:00	0.10	1102	0	0	7	0	2.54	0	1.41	12.65
3	1	6	2009/12/12	00:00:01	0.20	1066	0	0	71	1	26.64	4	1.28	12.54
4	1	6	2009/12/12	00:00:02	0.30	1066	0	0	71	2	26.64	8	4.79	12.76
5	1	6	2009/12/12	00:00:02	0.40	1084	0	0	57	2	21.03	8	4.24	12.76
6	1	6	2009/12/12	00:00:03	0.50	1084	0	0	57	2	21.03	8	3.98	12.54
7	1	6	2009/12/12	00:00:17	0.60	255	74	10	71	15	111.37	60	2.23	12.32
8	1	6	2009/12/12	00:00:19	0.70	220	74	14	67	18	121.82	72	2.69	12.54
9	1	6	2009/12/12	00:00:22	0.80	220	74	17	68	21	123.64	84	2.07	12.76
10	1	6	2009/12/12	00:00:25	0.90	220	76	21	68	24	123.64	96	2.43	12.65
11	1	6	2009/12/12	00:00:27	1.00	220	75	24	71	27	129.09	108	1.64	12.43
12	1	6	2009/12/12	00:00:30	1.10	220	76	27	70	30	127.27	120	2.16	12.43
13	1	6	2009/12/12	00:00:33	1.20	220	76	31	70	34	127.27	136	1.94	12.54
14	1	6	2009/12/12	00:00:36	1.30	220	75	34	70	37	127.27	148	2.33	12.54
15	1	6	2009/12/12	00:00:38	1.40	220	75	38	70	40	127.27	160	2.18	12.54
16	1	6	2009/12/12	00:00:41	1.50	210	76	41	65	43	123.81	172	2.92	12.65
17	1	6	2009/12/12	00:00:44	1.60	220	77	45	58	46	105.45	184	3.49	12.76
18	1	6	2009/12/12	00:00:47	1.70	220	75	48	55	48	100.00	192	4.06	12.43
19	1	6	2009/12/12	00:00:49	1.80	220	74	52	44	50	80.00	200	5.31	12.54
20	1	6	2009/12/12	00:00:52	1.90	220	74	55	39	52	70.91	208	2.49	12.65
21	1	6	2009/12/12	00:00:55	2.00	220	75	59	42	54	76.36	216	5.65	12.65
22	1	6	2009/12/12	00:00:58	2.10	220	77	62	39	56	70.91	224	5.88	12.54
23	1	6	2009/12/12	00:01:00	2.20	220	77	66	35	58	63.64	232	6.34	12.54
24	1	6	2009/12/12	00:01:03	2.30	220	75	69	33	59	60.00	236	6.57	12.65
25	1	6	2009/12/12	00:01:06	2.40	220	74	72	30	61	54.55	244	6.91	12.87
26	1	6	2009/12/12	00:01:09	2.50	220	73	76	30	62	54.55	248	6.91	12.65
27	1	6	2009/12/12	00:01:11	2.60	220	75	79	29	63	52.73	252	7.02	12.21
28	1	6	2009/12/12	00:01:14	2.70	220	76	83	29	65	52.73	260	7.02	12.54
29	1	6	2009/12/12	00:01:17	2.80	220	77	86	31	66	56.36	264	6.79	12.54
30	1	6	2009/12/12	00:01:20	2.90	220	75	90	34	68	61.82	272	2.44	12.43
31	1	6	2009/12/12	00:01:22	3.00	220	73	93	39	69	70.91	276	5.88	12.54
32	1	6	2009/12/12	00:01:22	3.00	220	73	93	39	69	70.91	276	5.88	12.54
33	1	6	2009/12/12	00:01:25	3.10	220	72	96	42	71	76.36	284	5.65	12.65
34	1	6	2009/12/12	00:01:28	3.20	220	73	100	42	73	76.36	292	5.54	12.76
35	1	6	2009/12/12	00:01:30	3.30	220	76	103	45	75	81.82	300	5.20	12.43
36	1	6	2009/12/12	00:01:33	3.40	220	78	107	50	78	90.91	312	4.63	12.76
37	1	6	2009/12/12	00:01:36	3.50	220	76	110	58	80	105.45	320	4.06	12.43
38	1	6	2009/12/12	00:01:39	3.60	220	74	114	66	83	120.00	332	2.80	12.54
39	1	6	2009/12/12	00:01:41	3.70	220	72	117	66	86	120.00	344	2.80	12.32
40	1	6	2009/12/12	00:01:44	3.80	220	74	120	66	89	120.00	356	2.80	12.65
41	1	6	2009/12/12	00:01:47	3.90	220	76	124	65	92	118.18	368	2.92	12.43
42	1	6	2009/12/12	00:01:50	4.00	220	78	127	66	95	120.00	380	2.80	12.65
43	1	6	2009/12/12	00:01:52	4.10	220	76	131	66	98	120.00	392	2.80	12.43
44	1	6	2009/12/12	00:01:55	4.20	220	73	134	65	101	118.18	404	2.80	12.32
45	1	6	2009/12/12	00:01:58	4.30	220	73	138	67	104	121.82	416	2.69	12.43
46	1	6	2009/12/12	00:02:01	4.40	220	75	141	68	107	123.64	428	2.58	12.32
47	1	6	2009/12/12	00:02:03	4.50	220	77	145	69	111	125.45	444	2.46	12.65
48	1	6	2009/12/12	00:02:06	4.60	220	77	148	68	114	123.64	456	2.46	12.54
49	1	6	2009/12/12	00:02:09	4.70	220	75	151	68	117	123.64	468	2.58	12.54
50	1	6	2009/12/12	00:02:11	4.80	220	73	155	67	120	121.82	480	2.69	12.54
51	1	6	2009/12/12	00:02:14	4.90	220	73	158	67	123	121.82	492	2.69	12.43
52	1	6	2009/12/12	00:02:17	5.00	220	75	162	68	126	123.64	504	2.69	12.54
53	1	6	2009/12/12	00:02:20	5.10	220	76	165	67	129	121.82	516	2.43	12.54
54	1	6	2009/12/12	00:02:22	5.20	220	76	169	69	132	125.45	528	2.46	12.65
55	1	6	2009/12/12	00:02:25	5.30	220	76	172	67	136	121.82	544	2.69	12.65
56	1	6	2009/12/12	00:02:28	5.40	220	73	175	67	139	121.82	556	2.58	12.54
57	1	6	2009/12/12	00:02:31	5.50	220	73	179	67	142	121.82	568	2.69	12.54
58	1	6	2009/12/12	00:03:16	5.60	107	74	197	70	152	261.68	608	2.36	12.65
59	1	6	2009/12/12	00:03:18	5.70	220	75	200	67	155	121.82	620	2.69	12.43
60	1	6	2009/12/12	00:03:21	5.80	220	76	204	68	158	123.64	632	2.48	12.65
61	1	6	2009/12/12	00:03:24	5.90	220	74	207	67	161	121.82	644	2.69	12.65
62	1	6	2009/12/12	00:03:26	6.00	220	73	211	66	164	120.00	656	2.80	12.21
63	1	6	2009/12/12	00:03:29	6.10	220	72	214	64	167	116.36	668	3.03	12.54
64	1	6	2009/12/12	00:03:32	6.20	220	75	217	63	170	114.55	680	3.03	12.32
65	1	6	2009/12/12	00:03:35	6.30	220	76	221	65	173	118.18	692	2.92	12.21
66	1	6	2009/12/12	00:03:37	6.40	220	76	224	65	176	118.18	704	2.92	12.43
67	1	6	2009/12/12	00:03:40	6.50	220	74	228	65	179	118.18	716	2.92	12.76
68	1	6	2009/12/12	00:03:43	6.60	220	72	231	66	182	120.00	728	2.92	12.87
69	1	6	2009/12/12	00:03:46	6.70	220	72	234	66	185	120.00	740	2.80	12.54
70	1	6	2009/12/12	00:03:48	6.80	220	74	238	66	188	120.00	752	2.80	12.65
71	1	6	2009/12/12	00:03:51	6.90	220	76	241	64	191	116.36	764	3.03	12.32
72	1	6	2009/12/12	00:03:54	7.00	220	76	245	67	194	121.82	776	2.69	12.43
73	1	6	2009/12/12	00:03:57	7.10	220	74	248	66	197	120.00	788	2.80	12.76
74	1	6	2009/12/12	00:03:59	7.20	220	73	251	67	200	121.82	800	2.69	12.54
75	1	6	2009/12/12	00:04:02	7.30	220	74	255	68	204	123.64	816	2.69	12.54
76	1	6	2009/12/12	00:04:05	7.40	220	76	258	68	207	123.64	828	2.58	12.43
77	1	6	2009/12/12	00:04:08	7.50	220	76	262	67	210	121.82	840	2.69	12.87
78	1	6	2009/12/12	00:04:10	7.60	220	74	265	64	213	116.36	852	3.03	12.76
79	1	6	2009/12/12	00:04:13	7.70	220	74	269	61	215	110.91	860	3.26	12.54
80	1	6	2009/12/12	00:04:16	7.80	220	77	272	61	218	110.91	872	3.37	12.65
81	1	6	2009/12/12	00:04:18	7.90	220	77	276	63	221	114.55	884	3.15	12.43
82	1	6	2009/12/12	00:04:21	8.00	220	76	279	62	224	112.73	896	3.26	12.54
83	1	6	2009/12/12	00:04:24	8.10	220	74	283	60	227	109.09	908	3.37	12.65
84	1	6	2009/12/12	00:04:27	8.20	220	76	286	62	230	112.73	920	3.26	12.54
85	1	6	2009/12/12	00:04:29	8.30	220	77	290	62	232	112.73	928	3.26	12.54
86	1	6	2009/12/12	00:04:32	8.40	220	75	293	61	235	110.91	940	3.37	12.54
87	1	6	2009/12/12	00:04:35	8.50	220	73	296	59	238	107.27	952	3.60	12.65
88	1	6	2009/12/12	00:04:38	8.60	220	74	300	57	240	103.64	960	3.83	12.21
89	1	6	2009/12/12	00:04:40	8.70	220	77	303	60	243	1			

施工データ

現場：唐津工現場A
担当：唐津太郎

	号棟	杭番	日付	時間	深度 (m)	フィード 速度 (cm/min)	瞬時 流量 (L/min)	積算 流量 (L)	回転数 (min ⁻¹)	積算 回転数 (Rev)	羽根 切回転数 (min ⁻¹)	羽根 切回数 (Rev)	回転 トルク (kN・m)	圧入力 (kN)
91	1	6	2009/12/12	00:04:46	8.90	220	74	310	59	249	107.27	996	3.60	12.65
92	1	6	2009/12/12	00:04:52	9.00	192	75	318	36	254	75.00	1016	2.38	12.76
93	1	6	2009/12/12	00:04:52	9.01	192	78	319	36	254	75.00	1016	2.29	12.65
94	1	6	2009/12/12	00:04:58	9.00	0	74	325	68	260	999.99	1040	2.18	0.00
95	1	6	2009/12/12	00:05:00	8.90	210	73	329	68	263	129.52	1052	2.25	0.00
96	1	6	2009/12/12	00:05:03	8.80	210	76	332	69	266	131.43	1064	2.25	0.00
97	1	6	2009/12/12	00:05:06	8.70	210	75	336	67	270	127.62	1080	2.35	0.00
98	1	6	2009/12/12	00:05:09	8.60	210	74	339	67	273	127.62	1092	2.32	0.00
99	1	6	2009/12/12	00:05:12	8.50	210	77	343	66	276	125.71	1104	2.38	0.00
100	1	6	2009/12/12	00:05:14	8.40	210	76	347	65	279	123.81	1116	2.43	0.00
101	1	6	2009/12/12	00:05:17	8.30	210	75	350	66	282	125.71	1128	2.46	0.00
102	1	6	2009/12/12	00:05:20	8.20	210	78	354	64	285	121.90	1140	2.46	0.00
103	1	6	2009/12/12	00:05:23	8.10	210	75	357	64	288	121.90	1152	2.46	0.00
104	1	6	2009/12/12	00:05:26	8.00	210	75	361	64	291	121.90	1164	2.46	0.00
105	1	6	2009/12/12	00:05:29	7.90	210	77	365	64	295	121.90	1180	2.48	0.00
106	1	6	2009/12/12	00:05:32	7.80	210	72	368	65	298	123.81	1192	2.48	0.00
107	1	6	2009/12/12	00:05:34	7.70	210	75	372	65	301	123.81	1204	2.44	0.00
108	1	6	2009/12/12	00:05:37	7.60	210	75	375	64	304	121.90	1216	2.39	0.00
109	1	6	2009/12/12	00:05:40	7.50	210	73	379	66	307	125.71	1228	2.37	0.00
110	1	6	2009/12/12	00:05:43	7.40	210	78	383	66	310	125.71	1240	2.34	0.00
111	1	6	2009/12/12	00:05:46	7.30	210	74	386	66	313	125.71	1252	2.30	0.00
112	1	6	2009/12/12	00:05:49	7.20	210	75	390	68	316	129.52	1264	2.29	0.00
113	1	6	2009/12/12	00:05:51	7.10	210	78	394	67	320	127.62	1280	2.31	0.00
114	1	6	2009/12/12	00:05:54	7.00	210	74	397	66	323	125.71	1292	2.35	0.00
115	1	6	2009/12/12	00:05:57	6.90	210	75	401	66	326	125.71	1304	2.37	0.00
116	1	6	2009/12/12	00:06:00	6.80	210	75	404	67	329	127.62	1316	2.31	0.00
117	1	6	2009/12/12	00:06:03	6.70	210	73	408	68	332	129.52	1328	2.26	0.00
118	1	6	2009/12/12	00:06:06	6.60	210	77	411	68	336	129.52	1344	2.22	0.00
119	1	6	2009/12/12	00:06:09	6.50	210	75	415	68	339	129.52	1356	2.23	0.00
120	1	6	2009/12/12	00:06:11	6.40	210	74	419	67	342	127.62	1368	2.31	0.00
121	1	6	2009/12/12	00:06:14	6.30	210	77	422	67	345	127.62	1380	2.30	0.00
122	1	6	2009/12/12	00:06:17	6.20	210	75	426	67	348	127.62	1392	2.29	0.00
123	1	6	2009/12/12	00:06:20	6.10	210	76	429	68	352	129.52	1408	2.24	0.00
124	1	6	2009/12/12	00:06:23	6.00	210	77	433	68	355	129.52	1420	2.30	0.00
125	1	6	2009/12/12	00:06:26	5.90	210	74	437	68	358	129.52	1432	2.18	0.00
126	1	6	2009/12/12	00:06:29	5.80	210	76	440	69	361	131.43	1444	2.16	0.00
127	1	6	2009/12/12	00:06:31	5.70	210	75	444	69	365	131.43	1460	2.02	0.00
128	1	6	2009/12/12	00:06:34	5.60	210	73	447	71	368	135.24	1472	2.03	0.00
129	1	6	2009/12/12	00:06:37	5.50	210	77	451	70	371	133.33	1484	2.14	0.00
130	1	6	2009/12/12	00:06:37	5.49	210	74	451	70	372	133.33	1488	2.13	0.00
131	1	6	2009/12/12	00:06:42	5.50	0	25	456	71	378	999.99	1512	1.94	12.65
132	1	6	2009/12/12	00:06:45	5.60	219	9	457	71	381	129.68	1524	1.97	12.54
133	1	6	2009/12/12	00:06:48	5.70	230	0	457	71	384	123.48	1536	1.94	12.76
134	1	6	2009/12/12	00:06:51	5.80	230	0	457	71	387	123.48	1548	1.44	12.65
135	1	6	2009/12/12	00:06:53	5.90	230	0	457	72	390	125.22	1560	1.59	12.65
136	1	6	2009/12/12	00:06:56	6.00	230	0	457	72	394	125.22	1576	1.77	12.32
137	1	6	2009/12/12	00:06:58	6.10	230	0	457	71	397	123.48	1588	1.63	12.87
138	1	6	2009/12/12	00:07:01	6.20	230	0	457	72	400	125.22	1600	1.74	12.65
139	1	6	2009/12/12	00:07:04	6.30	230	0	457	72	403	125.22	1612	1.77	12.76
140	1	6	2009/12/12	00:07:06	6.40	237	0	457	72	406	121.52	1624	1.64	12.54
141	1	6	2009/12/12	00:07:09	6.50	230	0	457	72	409	125.22	1636	1.98	12.65
142	1	6	2009/12/12	00:07:11	6.60	230	0	457	71	412	123.48	1648	1.93	12.76
143	1	6	2009/12/12	00:07:14	6.70	230	0	457	72	415	125.22	1660	1.86	12.65
144	1	6	2009/12/12	00:07:17	6.80	230	0	457	72	419	125.22	1676	1.90	12.54
145	1	6	2009/12/12	00:07:19	6.90	230	0	457	70	422	121.74	1688	1.98	12.54
146	1	6	2009/12/12	00:07:22	7.00	230	0	457	71	425	123.48	1700	2.03	12.54
147	1	6	2009/12/12	00:07:24	7.10	230	0	457	71	428	123.48	1712	1.90	12.43
148	1	6	2009/12/12	00:07:27	7.20	224	0	457	71	431	126.79	1724	1.96	12.54
149	1	6	2009/12/12	00:07:30	7.30	230	0	457	70	434	121.74	1736	2.21	12.32
150	1	6	2009/12/12	00:07:32	7.40	230	0	457	71	437	123.48	1748	1.91	12.54
151	1	6	2009/12/12	00:07:35	7.50	230	0	457	70	440	121.74	1760	2.16	12.10
152	1	6	2009/12/12	00:07:37	7.60	230	0	457	72	443	125.22	1772	1.82	12.21
153	1	6	2009/12/12	00:07:40	7.70	230	0	457	71	446	123.48	1784	1.72	12.43
154	1	6	2009/12/12	00:07:43	7.80	230	0	457	71	449	123.48	1796	1.75	12.43
155	1	6	2009/12/12	00:07:45	7.90	230	0	457	71	453	123.48	1812	1.90	12.54
156	1	6	2009/12/12	00:07:48	8.00	230	0	457	71	456	123.48	1824	2.15	12.54
157	1	6	2009/12/12	00:07:51	8.10	230	0	457	71	459	123.48	1836	2.07	12.65
158	1	6	2009/12/12	00:07:53	8.20	224	0	457	69	462	123.21	1848	2.12	12.54
159	1	6	2009/12/12	00:07:56	8.30	224	0	457	69	465	123.21	1860	2.21	12.54
160	1	6	2009/12/12	00:07:58	8.40	230	0	457	71	468	123.48	1872	2.00	12.43
161	1	6	2009/12/12	00:08:01	8.50	230	0	457	70	471	121.74	1884	1.93	12.54
162	1	6	2009/12/12	00:08:04	8.60	230	0	457	70	474	121.74	1896	1.97	12.54
163	1	6	2009/12/12	00:08:06	8.70	230	0	457	70	477	121.74	1908	1.92	12.43
164	1	6	2009/12/12	00:08:09	8.80	230	0	457	70	480	121.74	1920	1.98	12.54
165	1	6	2009/12/12	00:08:11	8.90	230	0	457	71	483	123.48	1932	2.18	12.43
166	1	6	2009/12/12	00:08:14	9.00	230	0	457	70	486	121.74	1944	1.98	12.43
167	1	6	2009/12/12	00:08:14	9.01	230	0	457	70	487	121.74	1948	2.02	12.43
168	1	6	2009/12/12	00:08:17	9.00	4	0	457	71	490	999.99	1960	1.87	0.00
169	1	6	2009/12/12	00:08:23	8.90	291	0	457	70	497	96.22	1988	2.02	0.00
170	1	6	2009/12/12	00:08:24	8.80	340	0	457	67	498	78.82	1992	0.15	0.00
171	1	6	2009/12/12	00:08:25	8.70	515	0	457	48	500	37.28	2000	2.15	0.00
172	1	6	2009/12/12	00:08:27	8.60	500	0	457	65	501	52.00	2004	2.08	0.00
173	1	6	2009/12/12	00:08:28	8.50	500	0	457	66	502	52.80	2008	1.97	0.00
174	1	6	2009/12/12	00:08:32	8.60	457	0	457	69	507	60.39	2028	2.14	12.54
175	1	6	2009/12/12	00:08:33	8.70	500	0	457	70	508	56.00	2032	2.25	12.54
176	1	6	2009/12/12	00:08:34	8.80	500	0	457	69	510	55.20	2040	2.29	12.65
177	1	6	2009/12/12	00:08:35	8.90	500	0	457	70	511	56.00	2044	2.29	12.43
178	1	6	2009/12/12											

施工データ

現場：唐津工現場A
担当：唐津太郎

	号棟	杭番	日付	時間	深度 (m)	フィード 速度 (cm/min)	瞬時 流量 (L/min)	積算 流量 (L)	回転数 (min ⁻¹)	積算 回転数 (Rev)	羽根 切回転数 (min ⁻¹)	羽根 切回数 (Rev)	回転 トルク (kN・m)	圧入力 (kN)
181	1	6	2009/12/12	00:08:39	8.90	439	0	457	67	515	61.05	2060	2.20	0.00
182	1	6	2009/12/12	00:08:40	8.80	524	0	457	66	516	50.38	2064	2.16	0.00
183	1	6	2009/12/12	00:08:41	8.70	506	0	457	64	518	50.59	2072	2.20	0.00
184	1	6	2009/12/12	00:08:43	8.60	506	0	457	64	519	50.59	2076	2.26	0.00
185	1	6	2009/12/12	00:08:44	8.50	500	0	457	63	520	50.40	2080	2.21	0.00
186	1	6	2009/12/12	00:08:47	8.60	430	0	457	69	523	64.19	2092	2.39	12.54
187	1	6	2009/12/12	00:08:48	8.70	506	0	457	69	525	54.55	2100	2.39	12.76
188	1	6	2009/12/12	00:08:49	8.80	500	0	457	68	526	54.40	2104	2.43	12.43
189	1	6	2009/12/12	00:08:50	8.90	506	0	457	69	528	54.55	2112	2.38	12.54
190	1	6	2009/12/12	00:08:51	9.00	500	0	457	68	529	54.40	2116	2.44	12.54
191	1	6	2009/12/12	00:08:52	9.01	500	0	457	68	529	54.40	2116	2.44	12.54
192	1	6	2009/12/12	00:08:56	9.00	0	0	457	70	534	999.99	2136	2.24	12.65
193	1	6	2009/12/12	00:09:01	8.90	0	0	457	61	539	999.99	2156	2.14	0.00
194	1	6	2009/12/12	00:09:03	8.80	295	0	457	68	542	92.20	2168	2.30	0.00
195	1	6	2009/12/12	00:09:06	8.70	230	0	457	66	545	114.78	2180	2.37	0.00
196	1	6	2009/12/12	00:09:08	8.60	230	0	457	66	548	114.78	2192	2.39	0.00
197	1	6	2009/12/12	00:09:11	8.50	230	0	457	66	550	114.78	2200	2.35	0.00
198	1	6	2009/12/12	00:09:14	8.40	230	0	457	66	553	114.78	2212	2.39	0.00
199	1	6	2009/12/12	00:09:16	8.30	230	0	457	67	556	116.52	2224	2.21	0.00
200	1	6	2009/12/12	00:09:19	8.20	230	0	457	67	559	116.52	2236	2.16	0.00
201	1	6	2009/12/12	00:09:21	8.10	230	0	457	67	562	116.52	2248	2.28	0.00
202	1	6	2009/12/12	00:09:24	8.00	230	0	457	67	565	116.52	2260	2.24	0.00
203	1	6	2009/12/12	00:09:27	7.90	230	0	457	65	568	113.04	2272	2.33	0.00
204	1	6	2009/12/12	00:09:29	7.80	230	0	457	67	571	116.52	2284	2.18	0.00
205	1	6	2009/12/12	00:09:32	7.70	230	0	457	67	574	116.52	2296	2.13	0.00
206	1	6	2009/12/12	00:09:34	7.60	224	0	457	68	577	121.43	2308	2.07	0.00
207	1	6	2009/12/12	00:09:37	7.50	230	0	457	71	580	123.48	2320	1.91	0.00
208	1	6	2009/12/12	00:09:40	7.40	230	0	457	69	583	120.00	2332	2.16	0.00
209	1	6	2009/12/12	00:09:42	7.30	230	0	457	69	586	120.00	2344	2.08	0.00
210	1	6	2009/12/12	00:09:45	7.20	237	0	457	70	589	118.14	2356	2.01	0.00
211	1	6	2009/12/12	00:09:48	7.10	230	0	457	69	592	120.00	2368	2.04	0.00
212	1	6	2009/12/12	00:09:50	7.00	230	0	457	70	595	121.74	2380	2.13	0.00
213	1	6	2009/12/12	00:09:53	6.90	230	0	457	70	598	121.74	2392	2.14	0.00
214	1	6	2009/12/12	00:09:55	6.80	230	0	457	69	601	120.00	2404	2.15	0.00
215	1	6	2009/12/12	00:09:58	6.70	230	0	457	70	604	121.74	2416	2.10	0.00
216	1	6	2009/12/12	00:10:01	6.60	224	0	457	69	607	123.21	2428	2.11	0.00
217	1	6	2009/12/12	00:10:03	6.50	230	0	457	70	610	121.74	2440	2.10	0.00
218	1	6	2009/12/12	00:10:06	6.40	230	0	457	69	613	120.00	2452	1.95	0.00
219	1	6	2009/12/12	00:10:08	6.30	230	0	457	70	616	121.74	2464	1.77	0.00
220	1	6	2009/12/12	00:10:11	6.20	230	0	457	71	620	123.48	2480	1.73	0.00
221	1	6	2009/12/12	00:10:14	6.10	230	0	457	71	623	123.48	2492	1.74	0.00
222	1	6	2009/12/12	00:10:16	6.00	230	0	457	70	626	121.74	2504	1.69	0.00
223	1	6	2009/12/12	00:10:19	5.90	230	0	457	70	629	121.74	2516	1.69	0.00
224	1	6	2009/12/12	00:10:21	5.80	230	0	457	70	632	121.74	2528	1.82	0.00
225	1	6	2009/12/12	00:10:24	5.70	230	0	457	71	635	123.48	2540	1.69	0.00
226	1	6	2009/12/12	00:10:27	5.60	230	0	457	71	638	123.48	2552	1.83	0.00
227	1	6	2009/12/12	00:10:29	5.50	230	0	457	70	641	121.74	2564	1.92	0.00
228	1	6	2009/12/12	00:10:30	5.49	230	0	457	70	642	121.74	2568	1.98	0.00
229	1	6	2009/12/12	00:11:11	5.40	228	74	467	70	653	122.81	2612	2.02	0.00
230	1	6	2009/12/12	00:11:13	5.30	210	75	471	69	656	131.43	2624	2.06	0.00
231	1	6	2009/12/12	00:11:16	5.20	210	78	474	69	660	131.43	2640	2.09	0.00
232	1	6	2009/12/12	00:11:19	5.10	210	75	478	70	663	133.33	2652	2.02	0.00
233	1	6	2009/12/12	00:11:22	5.00	210	77	482	70	666	133.33	2664	2.06	0.00
234	1	6	2009/12/12	00:11:25	4.90	210	77	485	69	670	131.43	2680	2.12	0.00
235	1	6	2009/12/12	00:11:28	4.80	210	74	489	69	673	131.43	2692	2.06	0.00
236	1	6	2009/12/12	00:11:30	4.70	210	77	493	69	676	131.43	2704	1.99	0.00
237	1	6	2009/12/12	00:11:33	4.60	210	75	496	69	680	131.43	2720	2.09	0.00
238	1	6	2009/12/12	00:11:36	4.50	210	74	500	70	683	133.33	2732	1.94	0.00
239	1	6	2009/12/12	00:11:39	4.40	210	77	503	71	686	135.24	2744	1.99	0.00
240	1	6	2009/12/12	00:11:42	4.30	210	74	507	70	690	133.33	2760	2.05	0.00
241	1	6	2009/12/12	00:11:45	4.20	210	76	511	70	693	133.33	2772	2.03	0.00
242	1	6	2009/12/12	00:11:48	4.10	210	76	514	70	696	133.33	2784	2.00	0.00
243	1	6	2009/12/12	00:11:50	4.00	210	75	518	69	700	131.43	2800	1.91	0.00
244	1	6	2009/12/12	00:11:50	4.00	210	75	518	69	700	131.43	2800	1.91	0.00
245	1	6	2009/12/12	00:11:53	3.90	210	78	521	70	703	133.33	2812	2.13	0.00
246	1	6	2009/12/12	00:11:56	3.80	210	76	525	70	706	133.33	2824	1.94	0.00
247	1	6	2009/12/12	00:11:59	3.70	210	75	529	69	710	131.43	2840	2.11	0.00
248	1	6	2009/12/12	00:12:02	3.60	210	76	532	69	713	131.43	2852	2.02	0.00
249	1	6	2009/12/12	00:12:05	3.50	210	74	536	70	716	133.33	2864	1.70	0.00
250	1	6	2009/12/12	00:12:07	3.40	210	75	539	71	720	135.24	2880	2.02	0.00
251	1	6	2009/12/12	00:12:10	3.30	210	76	543	67	723	127.62	2892	2.37	0.00
252	1	6	2009/12/12	00:12:13	3.20	210	73	547	63	726	120.00	2904	3.15	0.00
253	1	6	2009/12/12	00:12:16	3.10	210	76	550	60	729	114.29	2916	3.49	0.00
254	1	6	2009/12/12	00:12:19	3.00	210	76	554	60	732	114.29	2928	3.49	0.00
255	1	6	2009/12/12	00:12:22	2.90	210	75	557	57	735	108.57	2940	3.72	0.00
256	1	6	2009/12/12	00:12:25	2.80	210	77	561	53	737	100.95	2948	4.29	0.00
257	1	6	2009/12/12	00:12:28	2.70	210	75	565	45	739	85.71	2956	5.20	0.00
258	1	6	2009/12/12	00:12:30	2.60	210	75	568	39	741	74.29	2964	5.88	0.00
259	1	6	2009/12/12	00:12:33	2.50	210	76	572	36	743	68.57	2972	6.22	0.00
260	1	6	2009/12/12	00:12:36	2.40	210	73	575	38	745	72.38	2980	6.00	0.00
261	1	6	2009/12/12	00:12:39	2.30	210	76	579	41	747	78.10	2988	5.77	0.00
262	1	6	2009/12/12	00:12:42	2.20	210	75	583	45	749	85.71	2996	5.20	0.00
263	1	6	2009/12/12	00:12:45	2.10	210	74	586	43	751	81.90	3004	5.43	0.00
264	1	6	2009/12/12	00:12:48	2.00	210	77	590	43	753	81.90	3012	5.43	0.00
265	1	6	2009/12/12	00:12:50	1.90	210	75	593	45	755	85.71	3020	5.20	0.00
266	1	6	2009/12/12	00:12:53	1.80	210	75	597	48	757	91.43	3028	4.86	0.00
267	1	6	2009/12/12	00:12:56	1.70	210	77	601	52	760	99.05	3040	4.40	0.00
268	1	6	2009/12/12	00:12:59	1.60	210	73	6						

施工データ

現場：唐津1現場A
担当：唐津太郎

	号棟	杭番	日付	時間	深度 (m)	フィード 速度 (cm/min)	瞬時 流量 (L/min)	積算 流量 (L)	回転数 (min ⁻¹)	積算 回転数 (Rev)	羽根 切回転数 (min ⁻¹)	羽根 切回数 (Rev)	回転 トルク (kN・m)	圧入力 (kN)
361	1	6	2009/12/12	00:17:12	2.40	230	0	653	53	1048	92.17	4192	4.29	0.00
362	1	6	2009/12/12	00:17:15	2.30	224	0	653	54	1051	96.43	4204	4.17	0.00
363	1	6	2009/12/12	00:17:18	2.20	230	0	653	57	1053	99.13	4212	9.52	0.00
364	1	6	2009/12/12	00:17:20	2.10	224	0	653	49	1055	87.50	4220	2.47	0.00
365	1	6	2009/12/12	00:17:23	2.00	230	0	653	56	1057	97.39	4228	4.06	0.00
366	1	6	2009/12/12	00:17:25	1.90	237	0	653	58	1060	97.89	4240	3.72	0.00
367	1	6	2009/12/12	00:17:28	1.80	230	0	653	59	1062	102.61	4248	3.60	0.00
368	1	6	2009/12/12	00:17:31	1.70	230	0	653	59	1065	102.61	4260	3.60	0.00
369	1	6	2009/12/12	00:17:33	1.60	230	0	653	61	1067	106.09	4268	3.37	0.00
370	1	6	2009/12/12	00:17:36	1.50	230	0	653	63	1070	109.57	4280	2.35	0.00
371	1	6	2009/12/12	00:17:38	1.40	230	0	653	64	1073	111.30	4292	2.30	0.00
372	1	6	2009/12/12	00:17:41	1.30	224	0	653	65	1076	116.07	4304	2.18	0.00
373	1	6	2009/12/12	00:17:51	1.20	0	0	653	25	1083	999.99	4332	7.48	0.00
374	1	6	2009/12/12	00:18:04	1.10	138	0	653	40	1092	115.94	4368	1.95	0.00
375	1	6	2009/12/12	00:18:05	1.00	461	0	653	51	1093	44.25	4372	1.79	0.00
376	1	6	2009/12/12	00:18:06	0.90	654	0	653	65	1094	39.76	4376	1.78	0.00
377	1	6	2009/12/12	00:18:08	0.80	627	0	653	69	1095	44.02	4380	1.76	0.00
378	1	6	2009/12/12	00:18:10	0.70	237	0	653	70	1098	118.14	4392	1.54	0.00
379	1	6	2009/12/12	00:18:12	0.60	237	0	653	72	1101	121.52	4404	1.42	0.00
380	1	6	2009/12/12	00:18:15	0.50	230	0	653	71	1104	123.48	4416	1.44	0.00
381	1	6	2009/12/12	00:18:15	0.49	230	0	653	71	1105	123.48	4420	1.41	0.00
382	1	6	2009/12/12	00:18:17	0.50	17	0	653	55	1106	999.99	4424	1.19	12.65
383	1	6	2009/12/12	00:18:18	0.60	277	0	653	72	1108	103.97	4432	1.38	12.87
384	1	6	2009/12/12	00:18:20	0.70	443	0	653	73	1110	65.91	4440	1.51	13.09
385	1	6	2009/12/12	00:18:21	0.80	510	0	653	73	1111	57.25	4444	1.39	12.43
386	1	6	2009/12/12	00:18:22	0.90	500	0	653	71	1113	56.80	4452	1.39	12.43
387	1	6	2009/12/12	00:18:23	1.00	506	0	653	72	1114	56.92	4456	1.68	12.21
388	1	6	2009/12/12	00:18:24	1.10	500	0	653	71	1116	56.80	4464	1.79	12.65
389	1	6	2009/12/12	00:18:26	1.20	500	0	653	71	1117	56.80	4468	2.23	12.43
390	1	6	2009/12/12	00:18:27	1.30	493	0	653	66	1118	53.55	4472	2.58	12.32
391	1	6	2009/12/12	00:18:28	1.40	488	0	653	63	1120	51.64	4480	3.15	12.43
392	1	6	2009/12/12	00:18:29	1.50	500	0	653	59	1121	47.20	4484	3.60	12.54
393	1	6	2009/12/12	00:18:33	1.40	416	0	653	54	1124	51.92	4496	4.17	0.00
394	1	6	2009/12/12	00:18:35	1.30	466	0	653	46	1125	39.48	4500	2.31	0.00
395	1	6	2009/12/12	00:18:36	1.20	528	0	653	56	1127	42.42	4508	2.10	0.00
396	1	6	2009/12/12	00:18:37	1.10	515	0	653	68	1128	52.82	4512	1.95	0.00
397	1	6	2009/12/12	00:18:38	1.00	493	0	653	67	1129	54.36	4516	1.77	0.00
398	1	6	2009/12/12	00:18:39	0.90	515	0	653	71	1131	55.15	4524	1.50	0.00
399	1	6	2009/12/12	00:18:40	0.80	500	0	653	70	1132	56.00	4528	1.44	0.00
400	1	6	2009/12/12	00:18:42	0.70	510	0	653	72	1134	56.47	4536	1.40	0.00
401	1	6	2009/12/12	00:18:43	0.60	515	0	653	72	1135	55.92	4540	1.40	0.00
402	1	6	2009/12/12	00:18:44	0.50	506	0	653	72	1136	56.92	4544	1.39	0.00
403	1	6	2009/12/12	00:18:44	0.49	506	0	653	72	1137	56.92	4548	1.36	0.00
404	1	6	2009/12/12	00:18:47	0.40	49	0	653	69	1140	563.27	4560	2.86	0.00
405	1	6	2009/12/12	00:18:48	0.30	708	0	653	40	1141	22.60	4564	2.67	0.00
406	1	6	2009/12/12	00:18:49	0.20	703	0	653	27	1141	15.36	4564	2.35	0.00
407	1	6	2009/12/12	00:18:50	0.10	721	0	653	25	1141	13.87	4564	2.18	0.00
408	1	6	2009/12/12	00:19:00	-0.38	739	0	653	0	1146	0.00	4584	0.00	12.54

施工データ

現場：唐津1現場A
担当：唐津太郎

	号棟	杭番	日付	時間	深度 (m)	フィード 速度 (cm/min)	瞬時 流量 (L/min)	積算 流量 (L)	回転数 (min ⁻¹)	積算 回転数 (Rev)	羽根 切回転数 (min ⁻¹)	羽根 切回数 (Rev)	回転 トルク (kN・m)	圧入力 (kN)
361	1	21	2009/12/11	00:17:16	3.00	230	0	673	59	942	102.61	3768	3.60	0.00
362	1	21	2009/12/11	00:17:19	2.90	237	0	673	59	945	99.58	3780	3.60	0.00
363	1	21	2009/12/11	00:17:22	2.80	230	0	673	59	947	102.61	3788	3.60	0.00
364	1	21	2009/12/11	00:17:24	2.70	230	0	673	59	950	102.61	3800	3.60	0.00
365	1	21	2009/12/11	00:17:27	2.60	230	0	673	56	952	97.39	3808	4.06	0.00
366	1	21	2009/12/11	00:17:29	2.50	230	0	673	55	955	95.65	3820	4.06	0.00
367	1	21	2009/12/11	00:17:32	2.40	230	0	673	54	957	93.91	3828	4.17	0.00
368	1	21	2009/12/11	00:17:36	2.30	60	0	673	51	960	340.00	3840	4.51	12.98
369	1	21	2009/12/11	00:17:41	2.20	120	0	673	54	965	180.00	3860	4.17	12.87
370	1	21	2009/12/11	00:17:47	2.10	4	0	673	62	971	999.99	3884	2.43	0.00
371	1	21	2009/12/11	00:17:50	2.00	230	0	673	59	974	102.61	3896	3.60	0.00
372	1	21	2009/12/11	00:17:52	1.90	230	0	673	59	976	102.61	3904	3.60	0.00
373	1	21	2009/12/11	00:17:55	1.80	230	0	673	57	979	99.13	3916	3.83	0.00
374	1	21	2009/12/11	00:17:58	1.70	230	0	673	57	981	99.13	3924	4.40	0.00
375	1	21	2009/12/11	00:18:00	1.60	237	0	673	59	984	99.58	3936	3.60	0.00
376	1	21	2009/12/11	00:18:03	1.50	237	0	673	62	986	104.64	3944	2.29	0.00
377	1	21	2009/12/11	00:18:05	1.40	230	0	673	62	989	107.83	3956	2.36	0.00
378	1	21	2009/12/11	00:18:08	1.30	230	0	673	59	992	102.61	3968	3.60	0.00
379	1	21	2009/12/11	00:18:11	1.20	230	0	673	64	994	111.30	3976	2.35	0.00
380	1	21	2009/12/11	00:18:13	1.10	230	0	673	62	997	107.83	3988	2.47	0.00
381	1	21	2009/12/11	00:18:16	1.00	230	0	673	61	1000	106.09	4000	2.44	0.00
382	1	21	2009/12/11	00:18:18	0.90	230	0	673	61	1002	106.09	4008	2.35	0.00
383	1	21	2009/12/11	00:18:21	0.80	230	0	673	62	1005	107.83	4020	2.30	0.00
384	1	21	2009/12/11	00:18:24	0.70	224	0	673	60	1008	107.14	4032	2.25	0.00
385	1	21	2009/12/11	00:18:26	0.60	237	0	673	64	1011	108.02	4044	1.99	0.00
386	1	21	2009/12/11	00:18:29	0.50	230	0	673	71	1014	123.48	4056	1.99	0.00
387	1	21	2009/12/11	00:18:31	0.40	230	0	673	72	1017	125.22	4068	1.60	0.00
388	1	21	2009/12/11	00:18:34	0.30	230	0	673	72	1020	125.22	4080	1.50	0.00
389	1	21	2009/12/11	00:18:37	0.20	237	0	673	56	1023	94.51	4092	2.81	0.00
390	1	21	2009/12/11	00:18:39	0.10	230	0	673	26	1024	45.22	4096	2.45	0.00
391	1	21	2009/12/11	00:18:46	0.10	237	0	673	25	1027	42.19	4108	2.57	12.76
392	1	21	2009/12/11	00:18:48	0.20	407	0	673	25	1028	24.57	4112	0.86	12.76
393	1	21	2009/12/11	00:18:49	0.30	500	0	673	29	1028	23.20	4112	0.95	12.87
394	1	21	2009/12/11	00:18:53	0.40	466	0	673	73	1032	62.66	4128	1.78	12.76
395	1	21	2009/12/11	00:18:54	0.50	484	0	673	69	1033	57.02	4132	1.95	12.65
396	1	21	2009/12/11	00:18:55	0.60	515	0	673	72	1035	55.92	4140	1.87	12.87
397	1	21	2009/12/11	00:18:56	0.70	506	0	673	71	1036	56.13	4144	1.98	12.76
398	1	21	2009/12/11	00:18:58	0.80	506	0	673	71	1038	56.13	4152	2.11	12.65
399	1	21	2009/12/11	00:18:59	0.90	500	0	673	71	1039	56.80	4156	2.38	12.76
400	1	21	2009/12/11	00:19:00	1.00	493	0	673	69	1041	55.98	4164	2.46	12.76
401	1	21	2009/12/11	00:19:05	0.90	430	0	673	63	1046	58.60	4184	2.21	0.00
402	1	21	2009/12/11	00:19:06	0.80	488	0	673	64	1047	52.46	4188	2.17	0.00
403	1	21	2009/12/11	00:19:07	0.70	484	0	673	65	1048	53.72	4192	1.91	0.00
404	1	21	2009/12/11	00:19:08	0.60	500	0	673	68	1050	54.40	4200	1.99	0.00
405	1	21	2009/12/11	00:19:09	0.50	500	0	673	68	1051	54.40	4204	1.71	0.00
406	1	21	2009/12/11	00:19:11	0.40	500	0	673	70	1052	56.00	4208	1.63	0.00
407	1	21	2009/12/11	00:19:12	0.30	506	0	673	73	1054	57.71	4216	1.45	0.00
408	1	21	2009/12/11	00:19:13	0.20	510	0	673	73	1055	57.25	4220	1.32	0.00
409	1	21	2009/12/11	00:19:14	0.10	500	0	673	72	1057	57.60	4228	1.23	0.00
410	1	21	2009/12/11	00:19:25	-0.45	640	0	673	0	1063	0.00	4252	0.00	0.00

施工データ

現場：唐津1現場A
担当：唐津太郎

	号棟	杭番	日付	時間	深度 (m)	フィード 速度 (cm/min)	瞬時 流量 (L/min)	積算 流量 (L)	回転数 (min ⁻¹)	積算 回転数 (Rev)	羽根 切回転数 (min ⁻¹)	羽根 切回数 (Rev)	回転 トルク (kN・m)	圧入力 (kN)
361	1	55	2009/12/10	00:16:47	2.90	230	0	643	68	992	118.26	3968	2.29	0.00
362	1	55	2009/12/10	00:16:50	2.80	230	0	643	67	995	116.52	3980	2.35	0.00
363	1	55	2009/12/10	00:16:53	2.70	230	0	643	65	997	113.04	3988	2.36	0.00
364	1	55	2009/12/10	00:16:55	2.60	224	0	643	65	1000	116.07	4000	2.35	0.00
365	1	55	2009/12/10	00:16:58	2.50	230	0	643	67	1003	116.52	4012	2.17	0.00
366	1	55	2009/12/10	00:17:00	2.40	230	0	643	67	1006	116.52	4024	2.14	0.00
367	1	55	2009/12/10	00:17:03	2.30	230	0	643	68	1009	118.26	4036	2.21	0.00
368	1	55	2009/12/10	00:17:06	2.20	230	0	643	66	1012	114.78	4048	2.20	0.00
369	1	55	2009/12/10	00:17:08	2.10	230	0	643	65	1015	113.04	4060	2.35	0.00
370	1	55	2009/12/10	00:17:11	2.00	230	0	643	65	1018	113.04	4072	2.25	0.00
371	1	55	2009/12/10	00:17:13	1.90	230	0	643	65	1021	113.04	4084	2.35	0.00
372	1	55	2009/12/10	00:17:16	1.80	230	0	643	67	1023	116.52	4092	2.36	0.00
373	1	55	2009/12/10	00:17:19	1.70	230	0	643	67	1026	116.52	4104	2.16	0.00
374	1	55	2009/12/10	00:17:21	1.60	224	0	643	69	1029	123.21	4116	2.03	0.00
375	1	55	2009/12/10	00:17:24	1.50	230	0	643	72	1033	125.22	4132	1.88	0.00
376	1	55	2009/12/10	00:17:26	1.40	230	0	643	72	1036	125.22	4144	1.83	0.00
377	1	55	2009/12/10	00:17:29	1.30	230	0	643	72	1039	125.22	4156	1.68	0.00
378	1	55	2009/12/10	00:17:32	1.20	230	0	643	73	1042	126.96	4168	1.49	0.00
379	1	55	2009/12/10	00:17:34	1.10	224	0	643	72	1045	128.57	4180	1.51	0.00
380	1	55	2009/12/10	00:17:37	1.00	230	0	643	73	1048	126.96	4192	1.57	0.00
381	1	55	2009/12/10	00:17:39	0.90	230	0	643	73	1051	126.96	4204	1.69	0.00
382	1	55	2009/12/10	00:17:42	0.80	237	0	643	73	1055	123.21	4220	1.50	0.00
383	1	55	2009/12/10	00:17:45	0.70	230	0	643	67	1057	116.52	4228	2.85	0.00
384	1	55	2009/12/10	00:17:47	0.60	230	0	643	25	1058	43.48	4232	2.57	0.00
385	1	55	2009/12/10	00:17:50	0.50	230	0	643	25	1059	43.48	4236	2.48	0.00
386	1	55	2009/12/10	00:17:50	0.49	230	0	643	25	1060	43.48	4240	2.45	0.00
387	1	55	2009/12/10	00:17:52	0.50	4	0	643	25	1060	999.99	4240	2.40	12.65
388	1	55	2009/12/10	00:17:54	0.60	286	0	643	25	1061	34.97	4244	2.55	12.87
389	1	55	2009/12/10	00:17:55	0.70	466	0	643	27	1062	23.18	4248	0.94	12.76
390	1	55	2009/12/10	00:18:00	0.80	67	0	643	73	1066	435.82	4264	1.58	12.65
391	1	55	2009/12/10	00:18:01	0.90	506	0	643	72	1068	56.92	4272	1.57	12.54
392	1	55	2009/12/10	00:18:02	1.00	506	0	643	73	1069	57.71	4276	1.69	13.20
393	1	55	2009/12/10	00:18:03	1.10	500	0	643	72	1070	57.60	4280	1.74	12.98
394	1	55	2009/12/10	00:18:04	1.20	500	0	643	73	1072	58.40	4288	1.73	12.65
395	1	55	2009/12/10	00:18:06	1.30	500	0	643	72	1073	57.60	4292	1.71	12.43
396	1	55	2009/12/10	00:18:07	1.40	500	0	643	72	1075	57.60	4300	1.68	12.98
397	1	55	2009/12/10	00:18:08	1.50	506	0	643	72	1076	56.92	4304	1.82	12.98
398	1	55	2009/12/10	00:18:12	1.40	434	0	643	70	1081	64.52	4324	1.72	0.00
399	1	55	2009/12/10	00:18:13	1.30	493	0	643	72	1083	58.42	4332	1.78	0.00
400	1	55	2009/12/10	00:18:15	1.20	500	0	643	71	1084	56.80	4336	1.77	0.00
401	1	55	2009/12/10	00:18:16	1.10	500	0	643	72	1086	57.60	4344	1.69	0.00
402	1	55	2009/12/10	00:18:17	1.00	500	0	643	72	1087	57.60	4348	1.69	0.00
403	1	55	2009/12/10	00:18:18	0.90	500	0	643	71	1088	56.80	4352	1.54	0.00
404	1	55	2009/12/10	00:18:19	0.80	506	0	643	72	1090	56.92	4360	1.48	0.00
405	1	55	2009/12/10	00:18:21	0.70	506	0	643	71	1091	56.13	4364	1.47	0.00
406	1	55	2009/12/10	00:18:22	0.60	506	0	643	73	1092	57.71	4368	2.81	0.00
407	1	55	2009/12/10	00:18:24	0.50	457	0	643	25	1093	21.88	4372	2.50	0.00
408	1	55	2009/12/10	00:18:24	0.49	457	0	643	25	1094	21.88	4376	2.48	0.00
409	1	55	2009/12/10	00:18:27	0.40	309	0	643	25	1095	32.36	4380	2.47	0.00
410	1	55	2009/12/10	00:18:30	0.30	273	0	643	25	1096	36.63	4384	2.52	0.00
411	1	55	2009/12/10	00:18:33	0.20	40	0	643	25	1097	250.00	4388	2.50	0.00
412	1	55	2009/12/10	00:18:33	0.10	394	0	643	25	1097	25.38	4388	0.00	0.00
413	1	55	2009/12/10	00:18:36	-0.12	663	0	643	0	1097	0.00	4388	0.00	0.00

施工データ

現場：唐津1現場A
担当：唐津太郎

	号棟	杭番	日付	時間	深度 (m)	フィード 速度 (cm/min)	瞬時 流量 (L/min)	積算 流量 (L)	回転数 (min ⁻¹)	積算 回転数 (Rev)	羽根 切回転数 (min ⁻¹)	羽根 切回数 (Rev)	回転 トルク (kN・m)	圧入力 (kN)
361	1	2	2009/12/12	00:16:54	3.70	230	0	641	66	1004	114.78	4016	2.29	0.00
362	1	2	2009/12/12	00:16:57	3.60	230	0	641	67	1007	116.52	4028	2.24	0.00
363	1	2	2009/12/12	00:16:59	3.50	230	0	641	67	1010	116.52	4040	2.12	0.00
364	1	2	2009/12/12	00:17:02	3.40	230	0	641	67	1013	116.52	4052	2.11	0.00
365	1	2	2009/12/12	00:17:04	3.30	230	0	641	66	1015	114.78	4060	2.22	0.00
366	1	2	2009/12/12	00:17:07	3.20	224	0	641	67	1018	119.64	4072	2.15	0.00
367	1	2	2009/12/12	00:17:10	3.10	230	0	641	67	1021	116.52	4084	2.12	0.00
368	1	2	2009/12/12	00:17:12	3.00	230	0	641	66	1024	114.78	4096	2.04	0.00
369	1	2	2009/12/12	00:17:15	2.90	230	0	641	65	1027	113.04	4108	2.39	0.00
370	1	2	2009/12/12	00:17:17	2.80	230	0	641	61	1030	106.09	4120	3.37	0.00
371	1	2	2009/12/12	00:17:20	2.70	230	0	641	60	1032	104.35	4128	3.49	0.00
372	1	2	2009/12/12	00:17:23	2.60	230	0	641	60	1035	104.35	4140	3.49	0.00
373	1	2	2009/12/12	00:17:25	2.50	230	0	641	55	1037	95.65	4148	4.06	0.00
374	1	2	2009/12/12	00:17:28	2.40	230	0	641	54	1040	93.91	4160	4.29	0.00
375	1	2	2009/12/12	00:17:30	2.30	224	0	641	54	1042	96.43	4168	4.17	0.00
376	1	2	2009/12/12	00:17:33	2.20	230	0	641	57	1045	99.13	4180	3.83	0.00
377	1	2	2009/12/12	00:17:36	2.10	230	0	641	55	1047	95.65	4188	3.94	0.00
378	1	2	2009/12/12	00:17:38	2.00	230	0	641	50	1049	86.96	4196	2.49	0.00
379	1	2	2009/12/12	00:17:41	1.90	230	0	641	55	1052	95.65	4208	4.06	0.00
380	1	2	2009/12/12	00:17:44	1.80	224	0	641	55	1054	98.21	4216	4.06	0.00
381	1	2	2009/12/12	00:17:46	1.70	230	0	641	59	1057	102.61	4228	2.49	0.00
382	1	2	2009/12/12	00:17:49	1.60	230	0	641	61	1059	106.09	4236	2.38	0.00
383	1	2	2009/12/12	00:17:51	1.50	230	0	641	62	1062	107.83	4248	2.26	0.00
384	1	2	2009/12/12	00:17:54	1.40	230	0	641	66	1065	114.78	4260	2.17	0.00
385	1	2	2009/12/12	00:17:57	1.30	230	0	641	66	1068	114.78	4272	2.20	0.00
386	1	2	2009/12/12	00:17:59	1.20	230	0	641	70	1071	121.74	4284	2.03	0.00
387	1	2	2009/12/12	00:18:02	1.10	224	0	641	69	1074	123.21	4296	1.87	0.00
388	1	2	2009/12/12	00:18:04	1.00	224	0	641	70	1077	125.00	4308	1.96	0.00
389	1	2	2009/12/12	00:18:08	0.90	219	0	641	67	1081	122.37	4324	1.85	0.00
390	1	2	2009/12/12	00:18:12	0.80	300	0	641	68	1086	90.67	4344	1.46	0.00
391	1	2	2009/12/12	00:18:14	0.70	242	0	641	72	1089	119.01	4356	1.35	0.00
392	1	2	2009/12/12	00:18:17	0.60	230	0	641	73	1092	126.96	4368	1.28	0.00
393	1	2	2009/12/12	00:18:20	0.50	230	0	641	72	1095	125.22	4380	1.26	0.00
394	1	2	2009/12/12	00:18:20	0.49	230	0	641	72	1095	125.22	4380	1.35	0.00
395	1	2	2009/12/12	00:18:22	0.50	0	0	641	50	1097	999.99	4388	2.43	12.65
396	1	2	2009/12/12	00:18:25	0.60	206	0	641	40	1099	77.67	4396	1.14	12.54
397	1	2	2009/12/12	00:18:26	0.70	349	0	641	71	1101	81.38	4404	1.33	12.54
398	1	2	2009/12/12	00:18:27	0.80	484	0	641	73	1102	60.33	4408	1.41	12.43
399	1	2	2009/12/12	00:18:29	0.90	500	0	641	72	1104	57.60	4416	1.61	12.54
400	1	2	2009/12/12	00:18:30	1.00	484	0	641	70	1105	57.85	4420	1.93	12.65
401	1	2	2009/12/12	00:18:31	1.10	500	0	641	70	1107	56.00	4428	2.25	12.54
402	1	2	2009/12/12	00:18:32	1.20	493	0	641	69	1108	55.98	4432	2.26	12.54
403	1	2	2009/12/12	00:18:33	1.30	500	0	641	69	1109	55.20	4436	2.38	12.54
404	1	2	2009/12/12	00:18:35	1.40	488	0	641	68	1111	55.74	4444	2.58	12.54
405	1	2	2009/12/12	00:18:37	1.50	0	0	641	68	1113	999.99	4452	2.44	12.54
406	1	2	2009/12/12	00:18:39	1.40	425	0	641	60	1115	56.47	4460	2.43	0.00
407	1	2	2009/12/12	00:18:40	1.30	510	0	641	60	1117	47.06	4468	2.26	0.00
408	1	2	2009/12/12	00:18:41	1.20	510	0	641	62	1118	48.63	4472	2.17	0.00
409	1	2	2009/12/12	00:18:42	1.10	506	0	641	64	1119	50.59	4476	1.84	0.00
410	1	2	2009/12/12	00:18:44	1.00	506	0	641	69	1121	54.55	4484	1.72	0.00
411	1	2	2009/12/12	00:18:45	0.90	506	0	641	71	1122	56.13	4488	1.60	0.00
412	1	2	2009/12/12	00:18:46	0.80	500	0	641	71	1123	56.80	4492	1.48	0.00
413	1	2	2009/12/12	00:18:47	0.70	510	0	641	72	1125	56.47	4500	1.40	0.00
414	1	2	2009/12/12	00:18:48	0.60	500	0	641	72	1126	57.60	4504	1.30	0.00
415	1	2	2009/12/12	00:18:50	0.50	515	0	641	72	1128	55.92	4512	1.11	0.00
416	1	2	2009/12/12	00:18:50	0.49	500	0	641	71	1128	56.80	4512	1.58	0.00
417	1	2	2009/12/12	00:18:52	0.40	138	0	641	69	1131	200.00	4524	2.69	0.00
418	1	2	2009/12/12	00:18:54	0.30	31	0	641	29	1132	374.19	4528	2.26	0.00
419	1	2	2009/12/12	00:18:55	0.20	425	0	641	25	1132	23.53	4528	2.23	0.00
420	1	2	2009/12/12	00:18:57	0.10	197	0	641	25	1133	50.76	4532	2.23	0.00
421	1	2	2009/12/12	00:19:08	-0.46	0	0	641	0	1135	0.00	4540	0.00	12.54

施工データ

現場：唐津1現場A
担当：唐津太郎

	号棟	杭番	日付	時間	深度 (m)	フィード 速度 (cm/min)	瞬時 流量 (L/min)	積算 流量 (L)	回転数 (min ⁻¹)	積算 回転数 (Rev)	羽根 切回転数 (min ⁻¹)	羽根 切回数 (Rev)	回転 トルク (kN・m)	圧入力 (kN)
361	1	46	2009/12/10	00:16:49	2.20	230	0	632	63	986	109.57	3944	2.35	0.00
362	1	46	2009/12/10	00:16:52	2.10	224	0	632	61	989	108.93	3956	2.29	0.00
363	1	46	2009/12/10	00:16:54	2.00	230	0	632	62	992	107.83	3968	2.29	0.00
364	1	46	2009/12/10	00:16:57	1.90	230	0	632	62	995	107.83	3980	2.39	0.00
365	1	46	2009/12/10	00:17:00	1.80	230	0	632	60	997	104.35	3988	3.49	0.00
366	1	46	2009/12/10	00:17:02	1.70	230	0	632	55	1000	95.65	4000	4.06	0.00
367	1	46	2009/12/10	00:17:05	1.60	224	0	632	55	1002	98.21	4008	3.94	0.00
368	1	46	2009/12/10	00:17:07	1.50	230	0	632	56	1005	97.39	4020	3.94	0.00
369	1	46	2009/12/10	00:17:10	1.40	230	0	632	59	1007	102.61	4028	3.60	0.00
370	1	46	2009/12/10	00:17:13	1.30	230	0	632	62	1010	107.83	4040	2.44	0.00
371	1	46	2009/12/10	00:17:15	1.20	230	0	632	63	1013	109.57	4052	2.39	0.00
372	1	46	2009/12/10	00:17:18	1.10	224	0	632	65	1015	116.07	4060	2.24	0.00
373	1	46	2009/12/10	00:17:20	1.00	224	0	632	67	1018	119.64	4072	2.07	0.00
374	1	46	2009/12/10	00:17:23	0.90	230	0	632	68	1021	118.26	4084	2.00	0.00
375	1	46	2009/12/10	00:17:26	0.80	230	0	632	70	1024	121.74	4096	1.80	0.00
376	1	46	2009/12/10	00:17:28	0.70	237	0	632	72	1028	121.52	4112	1.65	0.00
377	1	46	2009/12/10	00:17:31	0.60	230	0	632	72	1031	125.22	4124	1.43	0.00
378	1	46	2009/12/10	00:17:33	0.50	230	0	632	72	1034	125.22	4136	1.51	0.00
379	1	46	2009/12/10	00:17:34	0.49	230	0	632	73	1034	126.96	4136	1.51	0.00
380	1	46	2009/12/10	00:17:37	0.50	0	0	632	74	1038	999.99	4152	1.31	12.32
381	1	46	2009/12/10	00:17:39	0.60	210	0	632	73	1041	139.05	4164	1.35	12.98
382	1	46	2009/12/10	00:17:41	0.70	358	0	632	74	1043	82.68	4172	1.20	12.76
383	1	46	2009/12/10	00:17:42	0.80	493	0	632	65	1044	52.74	4176	1.52	12.76
384	1	46	2009/12/10	00:17:43	0.90	488	0	632	71	1045	58.20	4180	1.73	12.65
385	1	46	2009/12/10	00:17:44	1.00	500	0	632	72	1047	57.60	4188	2.00	12.76
386	1	46	2009/12/10	00:17:45	1.10	488	0	632	71	1048	58.20	4192	2.04	12.76
387	1	46	2009/12/10	00:17:47	1.20	500	0	632	71	1049	56.80	4196	2.25	12.65
388	1	46	2009/12/10	00:17:48	1.30	500	0	632	70	1051	56.00	4204	2.46	12.76
389	1	46	2009/12/10	00:17:49	1.40	493	0	632	67	1052	54.36	4208	2.69	12.43
390	1	46	2009/12/10	00:17:50	1.50	500	0	632	65	1053	52.00	4212	2.92	12.65
391	1	46	2009/12/10	00:17:55	1.40	354	0	632	52	1058	58.76	4232	4.40	0.00
392	1	46	2009/12/10	00:17:57	1.30	475	0	632	55	1059	46.32	4236	4.06	0.00
393	1	46	2009/12/10	00:17:58	1.20	500	0	632	61	1060	48.80	4240	2.34	0.00
394	1	46	2009/12/10	00:17:59	1.10	500	0	632	62	1062	49.60	4248	2.33	0.00
395	1	46	2009/12/10	00:18:00	1.00	500	0	632	64	1063	51.20	4252	1.99	0.00
396	1	46	2009/12/10	00:18:01	0.90	500	0	632	66	1064	52.80	4256	1.89	0.00
397	1	46	2009/12/10	00:18:03	0.80	506	0	632	69	1066	54.55	4264	1.73	0.00
398	1	46	2009/12/10	00:18:04	0.70	500	0	632	70	1067	56.00	4268	1.53	0.00
399	1	46	2009/12/10	00:18:05	0.60	510	0	632	73	1068	57.25	4272	1.38	0.00
400	1	46	2009/12/10	00:18:06	0.50	500	0	632	72	1070	57.60	4280	1.42	0.00
401	1	46	2009/12/10	00:18:10	0.40	340	0	632	59	1074	69.41	4296	2.97	0.00
402	1	46	2009/12/10	00:18:11	0.30	645	0	632	34	1075	21.09	4300	2.57	0.00
403	1	46	2009/12/10	00:18:12	0.20	645	0	632	26	1075	16.12	4300	2.40	0.00
404	1	46	2009/12/10	00:18:13	0.10	649	0	632	25	1076	15.41	4304	2.35	0.00

施工データ

現場：唐津1現場A
担当：唐津太郎

Table with 14 columns: No. (No.), 号棟, 杭番, 日付, 時間, 深度(m), フォード速度 (cm/min), 瞬時流量 (L/min), 積算流量 (L), 回転数 (min-1), 積算回転数 (Rev), 羽根切回転数 (min-1), 羽根切回数 (Rev), 回転トルク (kN・m), 圧入力 (kN). Rows 91-180.

施工データ

現場：唐津1現場A
担当：唐津太郎

	号棟	杭番	日付	時間	深度 (m)	フィード 速度 (cm/min)	瞬時 流量 (L/min)	積算 流量 (L)	回転数 (min ⁻¹)	積算 回転数 (Rev)	羽根 切回転数 (min ⁻¹)	羽根 切回数 (Rev)	回転 トルク (kN・m)	圧入力 (kN)
361	1	13	2009/12/11	00:16:55	2.30	237	0	622	48	973	81.01	3892	4.97	0.00
362	1	13	2009/12/11	00:16:57	2.20	230	0	622	51	975	88.70	3900	4.51	0.00
363	1	13	2009/12/11	00:17:00	2.10	230	0	622	48	978	83.48	3912	4.86	0.00
364	1	13	2009/12/11	00:17:02	2.00	230	0	622	49	980	85.22	3920	4.74	0.00
365	1	13	2009/12/11	00:17:05	1.90	230	0	622	52	982	90.43	3928	4.40	0.00
366	1	13	2009/12/11	00:17:08	1.80	230	0	622	56	984	97.39	3936	4.06	0.00
367	1	13	2009/12/11	00:17:10	1.70	230	0	622	56	987	97.39	3948	3.94	0.00
368	1	13	2009/12/11	00:17:13	1.60	230	0	622	59	989	102.61	3956	3.60	0.00
369	1	13	2009/12/11	00:17:15	1.50	224	0	622	62	992	110.71	3968	2.44	0.00
370	1	13	2009/12/11	00:17:18	1.40	230	0	622	63	995	109.57	3980	2.41	0.00
371	1	13	2009/12/11	00:17:21	1.30	230	0	622	63	998	109.57	3992	2.41	0.00
372	1	13	2009/12/11	00:17:23	1.20	230	0	622	64	1000	111.30	4000	2.44	0.00
373	1	13	2009/12/11	00:17:26	1.10	230	0	622	64	1003	111.30	4012	2.30	0.00
374	1	13	2009/12/11	00:17:28	1.00	230	0	622	66	1006	114.78	4024	2.12	0.00
375	1	13	2009/12/11	00:17:31	0.90	230	0	622	69	1009	120.00	4036	1.89	0.00
376	1	13	2009/12/11	00:17:34	0.80	230	0	622	70	1012	121.74	4048	1.98	0.00
377	1	13	2009/12/11	00:17:36	0.70	224	0	622	65	1015	116.07	4060	1.94	0.00
378	1	13	2009/12/11	00:17:39	0.60	237	0	622	71	1018	119.83	4072	1.69	0.00
379	1	13	2009/12/11	00:17:41	0.50	230	0	622	71	1021	123.48	4084	1.63	0.00
380	1	13	2009/12/11	00:17:42	0.49	230	0	622	72	1022	125.22	4088	1.60	0.00
381	1	13	2009/12/11	00:17:43	0.50	85	0	622	73	1024	343.53	4096	1.54	12.54
382	1	13	2009/12/11	00:17:46	0.60	268	0	622	72	1026	107.46	4104	1.68	12.98
383	1	13	2009/12/11	00:17:47	0.70	349	0	622	73	1028	83.67	4112	1.75	12.98
384	1	13	2009/12/11	00:17:48	0.80	466	0	622	72	1029	61.80	4116	1.67	12.87
385	1	13	2009/12/11	00:17:50	0.90	500	0	622	71	1031	56.80	4124	1.95	12.76
386	1	13	2009/12/11	00:17:51	1.00	500	0	622	71	1032	56.80	4128	2.30	12.76
387	1	13	2009/12/11	00:17:52	1.10	493	0	622	70	1034	56.80	4136	2.43	12.76
388	1	13	2009/12/11	00:17:53	1.20	500	0	622	71	1035	56.80	4140	2.46	12.87
389	1	13	2009/12/11	00:17:54	1.30	500	0	622	68	1037	54.40	4148	2.58	12.87
390	1	13	2009/12/11	00:17:56	1.40	493	0	622	65	1038	52.74	4152	2.92	12.65
391	1	13	2009/12/11	00:17:57	1.50	506	0	622	64	1039	50.59	4156	3.03	12.98
392	1	13	2009/12/11	00:18:00	1.40	519	0	622	52	1042	40.08	4168	4.40	0.00
393	1	13	2009/12/11	00:18:01	1.30	519	0	622	56	1043	43.16	4172	3.94	0.00
394	1	13	2009/12/11	00:18:03	1.20	510	0	622	60	1044	47.06	4176	2.42	0.00
395	1	13	2009/12/11	00:18:04	1.10	500	0	622	62	1045	49.60	4180	2.22	0.00
396	1	13	2009/12/11	00:18:05	1.00	510	0	622	65	1047	50.98	4188	2.05	0.00
397	1	13	2009/12/11	00:18:06	0.90	500	0	622	66	1048	52.80	4192	1.89	0.00
398	1	13	2009/12/11	00:18:07	0.80	500	0	622	69	1050	55.20	4200	1.77	0.00
399	1	13	2009/12/11	00:18:08	0.70	506	0	622	72	1051	56.92	4204	1.71	0.00
400	1	13	2009/12/11	00:18:10	0.60	500	0	622	71	1052	56.80	4208	1.63	0.00
401	1	13	2009/12/11	00:18:11	0.50	506	0	622	72	1054	56.92	4216	1.58	0.00
402	1	13	2009/12/11	00:18:11	0.49	506	0	622	72	1054	56.92	4216	1.58	0.00
403	1	13	2009/12/11	00:18:13	0.40	129	0	622	73	1056	226.36	4224	1.63	0.00
404	1	13	2009/12/11	00:18:14	0.30	627	0	622	71	1058	45.30	4232	1.47	0.00
405	1	13	2009/12/11	00:18:15	0.20	636	0	622	72	1059	45.28	4236	4.10	0.00
406	1	13	2009/12/11	00:18:16	0.10	640	0	622	62	1059	38.75	4236	2.78	0.00
407	1	13	2009/12/11	00:18:22	-0.23	645	0	622	30	1064	18.60	4256	0.00	0.00

施工データ

現場：唐津1現場A
担当：唐津太郎

	号棟	杭番	日付	時間	深度 (m)	フィード 速度 (cm/min)	瞬時 流量 (L/min)	積算 流量 (L)	回転数 (min ⁻¹)	積算 回転数 (Rev)	羽根 切回転数 (min ⁻¹)	羽根 切回数 (Rev)	回転 トルク (kN・m)	圧入力 (kN)
361	1	3	2009/12/12	00:16:46	2.60	230	0	625	47	986	81.74	3944	4.97	0.00
362	1	3	2009/12/12	00:16:49	2.50	230	0	625	43	987	74.78	3948	5.20	0.00
363	1	3	2009/12/12	00:16:51	2.40	224	0	625	44	989	78.57	3956	5.31	0.00
364	1	3	2009/12/12	00:16:54	2.30	230	0	625	46	991	80.00	3964	5.08	0.00
365	1	3	2009/12/12	00:16:57	2.20	230	0	625	50	994	86.96	3976	4.74	0.00
366	1	3	2009/12/12	00:16:59	2.10	237	0	625	50	996	84.39	3984	4.63	0.00
367	1	3	2009/12/12	00:17:02	2.00	230	0	625	53	998	92.17	3992	4.29	0.00
368	1	3	2009/12/12	00:17:04	1.90	230	0	625	55	1001	95.65	4004	4.06	0.00
369	1	3	2009/12/12	00:17:07	1.80	230	0	625	63	1003	109.57	4012	2.33	0.00
370	1	3	2009/12/12	00:17:10	1.70	230	0	625	64	1006	111.30	4024	2.31	0.00
371	1	3	2009/12/12	00:17:12	1.60	230	0	625	65	1009	113.04	4036	2.24	0.00
372	1	3	2009/12/12	00:17:15	1.50	230	0	625	69	1012	120.00	4048	2.00	0.00
373	1	3	2009/12/12	00:17:17	1.40	237	0	625	66	1015	111.39	4060	2.03	0.00
374	1	3	2009/12/12	00:17:20	1.30	230	0	625	66	1018	114.78	4072	2.24	0.00
375	1	3	2009/12/12	00:17:23	1.20	230	0	625	69	1021	120.00	4084	2.03	0.00
376	1	3	2009/12/12	00:17:25	1.10	230	0	625	70	1024	121.74	4096	1.76	0.00
377	1	3	2009/12/12	00:17:28	1.00	224	0	625	71	1027	126.79	4108	1.60	0.00
378	1	3	2009/12/12	00:17:30	0.90	219	0	625	70	1030	127.85	4120	1.90	0.00
379	1	3	2009/12/12	00:17:33	0.80	237	0	625	72	1033	121.52	4132	1.49	0.00
380	1	3	2009/12/12	00:17:36	0.70	230	0	625	71	1036	123.48	4144	1.44	0.00
381	1	3	2009/12/12	00:17:38	0.60	230	0	625	72	1039	125.22	4156	1.44	0.00
382	1	3	2009/12/12	00:17:41	0.50	230	0	625	72	1042	125.22	4168	1.37	0.00
383	1	3	2009/12/12	00:17:41	0.49	230	0	625	72	1043	125.22	4172	1.45	0.00
384	1	3	2009/12/12	00:17:42	0.50	147	0	625	73	1044	198.64	4176	1.33	12.43
385	1	3	2009/12/12	00:17:44	0.60	233	0	625	73	1047	125.32	4188	1.46	12.76
386	1	3	2009/12/12	00:17:46	0.70	510	0	625	73	1048	57.25	4192	1.38	12.87
387	1	3	2009/12/12	00:17:47	0.80	500	0	625	72	1050	57.60	4200	1.59	12.98
388	1	3	2009/12/12	00:17:48	0.90	510	0	625	72	1051	56.47	4204	1.86	12.65
389	1	3	2009/12/12	00:17:49	1.00	488	0	625	72	1052	59.02	4208	1.82	12.65
390	1	3	2009/12/12	00:17:50	1.10	500	0	625	71	1054	56.80	4216	1.81	12.87
391	1	3	2009/12/12	00:17:52	1.20	500	0	625	71	1055	56.80	4220	2.12	12.65
392	1	3	2009/12/12	00:17:53	1.30	493	0	625	69	1057	55.98	4228	2.28	12.87
393	1	3	2009/12/12	00:17:54	1.40	488	0	625	68	1058	55.74	4232	2.48	12.54
394	1	3	2009/12/12	00:17:55	1.50	500	0	625	69	1060	55.20	4240	2.46	12.65
395	1	3	2009/12/12	00:17:59	1.40	345	0	625	61	1063	70.72	4252	2.43	0.00
396	1	3	2009/12/12	00:18:00	1.30	510	0	625	61	1065	47.84	4260	2.25	0.00
397	1	3	2009/12/12	00:18:01	1.20	500	0	625	62	1066	49.60	4264	2.06	0.00
398	1	3	2009/12/12	00:18:02	1.10	510	0	625	65	1067	50.98	4268	1.83	0.00
399	1	3	2009/12/12	00:18:04	1.00	500	0	625	69	1069	55.20	4276	1.73	0.00
400	1	3	2009/12/12	00:18:05	0.90	488	0	625	69	1071	56.56	4284	2.28	0.00
401	1	3	2009/12/12	00:18:10	0.80	264	0	625	52	1075	78.79	4300	2.28	0.00
402	1	3	2009/12/12	00:18:12	0.70	147	0	625	51	1078	138.78	4312	1.48	0.00
403	1	3	2009/12/12	00:18:14	0.60	528	0	625	71	1079	53.79	4316	1.67	0.00
404	1	3	2009/12/12	00:18:15	0.50	573	0	625	71	1080	49.56	4320	1.37	0.00
405	1	3	2009/12/12	00:18:15	0.49	573	0	625	71	1080	49.56	4320	1.52	0.00
406	1	3	2009/12/12	00:18:17	0.40	273	0	625	73	1083	106.96	4332	1.44	0.00
407	1	3	2009/12/12	00:18:18	0.30	721	0	625	72	1084	39.94	4336	1.30	0.00
408	1	3	2009/12/12	00:18:18	0.20	721	0	625	72	1085	39.94	4340	2.67	0.00
409	1	3	2009/12/12	00:18:19	0.10	726	0	625	61	1085	33.61	4340	2.36	0.00
410	1	3	2009/12/12	00:18:28	-0.33	752	0	625	0	1089	0.00	4356	0.00	12.54

施工データ

現場：唐津1st現場A
担当：唐津太郎

	号棟	杭番	日付	時間	深度 (m)	フィード 速度 (cm/min)	瞬時 流量 (L/min)	積算 流量 (L)	回転数 (min ⁻¹)	積算 回転数 (Rev)	羽根 切回転数 (min ⁻¹)	羽根 切回数 (Rev)	回転 トルク (kN・m)	圧入力 (kN)
361	1	51	2009/12/10	00:16:56	2.60	230	0	626	65	1030	113.04	4120	2.92	0.00
362	1	51	2009/12/10	00:16:59	2.50	230	0	626	63	1032	109.57	4128	3.15	0.00
363	1	51	2009/12/10	00:17:01	2.40	224	0	626	64	1035	114.29	4140	2.37	0.00
364	1	51	2009/12/10	00:17:04	2.30	224	0	626	65	1038	116.07	4152	2.34	0.00
365	1	51	2009/12/10	00:17:07	2.20	230	0	626	66	1041	114.78	4164	2.28	0.00
366	1	51	2009/12/10	00:17:09	2.10	230	0	626	67	1044	116.52	4176	2.08	0.00
367	1	51	2009/12/10	00:17:12	2.00	230	0	626	65	1047	113.04	4188	2.21	0.00
368	1	51	2009/12/10	00:17:15	1.90	230	0	626	65	1050	113.04	4200	2.20	0.00
369	1	51	2009/12/10	00:17:17	1.80	230	0	626	66	1053	114.78	4212	2.26	0.00
370	1	51	2009/12/10	00:17:20	1.70	230	0	626	66	1055	114.78	4220	2.29	0.00
371	1	51	2009/12/10	00:17:22	1.60	230	0	626	68	1058	118.26	4232	2.10	0.00
372	1	51	2009/12/10	00:17:25	1.50	230	0	626	67	1061	116.52	4244	2.17	0.00
373	1	51	2009/12/10	00:17:28	1.40	230	0	626	69	1064	120.00	4256	2.00	0.00
374	1	51	2009/12/10	00:17:30	1.30	224	0	626	67	1067	119.64	4268	2.00	0.00
375	1	51	2009/12/10	00:17:33	1.20	230	0	626	71	1070	123.48	4280	1.78	0.00
376	1	51	2009/12/10	00:17:35	1.10	230	0	626	72	1074	125.22	4296	1.60	0.00
377	1	51	2009/12/10	00:17:38	1.00	224	0	626	70	1077	125.00	4308	2.31	0.00
378	1	51	2009/12/10	00:17:41	0.90	230	0	626	72	1080	125.22	4320	1.58	0.00
379	1	51	2009/12/10	00:17:43	0.80	230	0	626	73	1083	126.96	4332	1.46	0.00
380	1	51	2009/12/10	00:17:46	0.70	230	0	626	73	1086	126.96	4344	1.47	0.00
381	1	51	2009/12/10	00:17:48	0.60	230	0	626	73	1089	126.96	4356	1.36	0.00
382	1	51	2009/12/10	00:17:51	0.50	230	0	626	72	1092	125.22	4368	1.47	0.00
383	1	51	2009/12/10	00:17:51	0.49	230	0	626	72	1093	125.22	4372	1.50	0.00
384	1	51	2009/12/10	00:17:54	0.50	0	0	626	73	1097	999.99	4388	1.38	12.87
385	1	51	2009/12/10	00:17:57	0.60	282	0	626	74	1100	104.96	4400	1.45	12.54
386	1	51	2009/12/10	00:17:58	0.70	354	0	626	59	1101	66.67	4404	1.58	12.87
387	1	51	2009/12/10	00:18:00	0.80	475	0	626	70	1103	58.95	4412	1.39	12.98
388	1	51	2009/12/10	00:18:01	0.90	510	0	626	73	1104	57.25	4416	1.39	13.09
389	1	51	2009/12/10	00:18:02	1.00	500	0	626	72	1106	57.60	4424	1.34	12.76
390	1	51	2009/12/10	00:18:03	1.10	500	0	626	73	1107	58.40	4428	1.61	12.76
391	1	51	2009/12/10	00:18:04	1.20	500	0	626	71	1109	56.80	4436	1.71	12.87
392	1	51	2009/12/10	00:18:06	1.30	506	0	626	72	1110	56.92	4440	1.89	12.76
393	1	51	2009/12/10	00:18:07	1.40	500	0	626	72	1111	57.60	4444	2.30	12.76
394	1	51	2009/12/10	00:18:08	1.50	500	0	626	71	1113	56.80	4452	2.06	12.65
395	1	51	2009/12/10	00:18:13	1.40	524	0	626	66	1118	50.38	4472	2.07	0.00
396	1	51	2009/12/10	00:18:14	1.30	500	0	626	67	1119	53.60	4476	1.96	0.00
397	1	51	2009/12/10	00:18:15	1.20	500	0	626	68	1121	54.40	4484	1.90	0.00
398	1	51	2009/12/10	00:18:16	1.10	500	0	626	69	1122	55.20	4488	1.72	0.00
399	1	51	2009/12/10	00:18:17	1.00	510	0	626	71	1123	55.69	4492	1.63	0.00
400	1	51	2009/12/10	00:18:19	0.90	500	0	626	71	1125	56.80	4500	1.53	0.00
401	1	51	2009/12/10	00:18:20	0.80	500	0	626	71	1126	56.80	4504	1.47	0.00
402	1	51	2009/12/10	00:18:21	0.70	510	0	626	73	1128	57.25	4512	1.37	0.00
403	1	51	2009/12/10	00:18:22	0.60	510	0	626	73	1129	57.25	4516	1.41	0.00
404	1	51	2009/12/10	00:18:23	0.50	500	0	626	72	1131	57.60	4524	1.40	0.00
405	1	51	2009/12/10	00:18:24	0.49	500	0	626	72	1131	57.60	4524	1.45	0.00
406	1	51	2009/12/10	00:18:29	0.40	273	0	626	54	1137	79.12	4548	2.90	0.00
407	1	51	2009/12/10	00:18:30	0.30	654	0	626	32	1137	19.57	4548	2.47	0.00
408	1	51	2009/12/10	00:18:31	0.20	654	0	626	32	1138	19.57	4552	2.36	0.00
409	1	51	2009/12/10	00:18:32	0.10	654	0	626	25	1138	15.29	4552	2.31	0.00
410	1	51	2009/12/10	00:18:44	-0.30	690	0	626	11	1143	6.38	4572	0.00	12.76

施工データ

現場：唐津PT現場A
担当：唐津太郎

	号棟	杭番	日付	時間	深度 (m)	フィード 速度 (cm/min)	瞬時 流量 (L/min)	積算 流量 (L)	回転数 (min ⁻¹)	積算 回転数 (Rev)	羽根 切回転数 (min ⁻¹)	羽根 切回数 (Rev)	回転 トルク (kN・m)	圧入力 (kN)
271	1	22	2009/12/11	00:12:57	1.20	237	76	625	61	730	102.95	2920	3.37	0.00
272	1	22	2009/12/11	00:13:00	1.10	230	74	628	57	733	99.13	2932	3.83	0.00
273	1	22	2009/12/11	00:13:03	1.00	230	74	632	46	735	80.00	2940	4.29	0.00
274	1	22	2009/12/11	00:13:05	0.90	230	74	635	46	737	80.00	2948	5.08	0.00
275	1	22	2009/12/11	00:13:08	0.80	230	74	638	44	739	76.52	2956	5.31	0.00
276	1	22	2009/12/11	00:13:10	0.70	230	76	641	51	741	88.70	2964	4.86	0.00
277	1	22	2009/12/11	00:13:13	0.60	230	77	645	54	743	93.91	2972	2.50	0.00
278	1	22	2009/12/11	00:13:16	0.50	230	77	648	63	746	109.57	2984	2.32	0.00
279	1	22	2009/12/11	00:13:18	0.40	230	77	651	66	749	114.78	2996	2.02	0.00
280	1	22	2009/12/11	00:13:21	0.30	237	77	655	71	752	119.83	3008	1.67	0.00
281	1	22	2009/12/11	00:13:23	0.20	228	77	658	73	755	128.07	3020	1.45	0.00
282	1	22	2009/12/11	00:13:34	0.30	230	27	671	72	768	125.22	3072	1.44	13.09
283	1	22	2009/12/11	00:13:37	0.40	230	11	671	73	771	126.96	3084	1.37	13.09
284	1	22	2009/12/11	00:13:40	0.50	224	0	672	72	775	128.57	3100	1.47	12.65
285	1	22	2009/12/11	00:13:42	0.60	230	0	672	72	778	125.22	3112	1.64	12.87
286	1	22	2009/12/11	00:13:45	0.70	230	0	672	72	781	125.22	3124	1.55	12.87
287	1	22	2009/12/11	00:13:47	0.80	230	0	672	73	784	126.96	3136	1.67	12.76
288	1	22	2009/12/11	00:13:50	0.90	230	0	672	73	787	126.96	3148	1.75	12.98
289	1	22	2009/12/11	00:13:53	1.00	230	0	672	72	790	125.22	3160	1.72	12.98
290	1	22	2009/12/11	00:13:55	1.10	224	0	672	72	794	128.57	3176	1.72	12.87
291	1	22	2009/12/11	00:13:58	1.20	230	0	672	73	797	126.96	3188	1.77	12.87
292	1	22	2009/12/11	00:14:01	1.30	224	0	672	71	800	126.79	3200	1.87	12.87
293	1	22	2009/12/11	00:14:03	1.40	230	0	672	72	803	125.22	3212	1.87	12.98
294	1	22	2009/12/11	00:14:06	1.50	219	0	672	70	806	127.85	3224	2.12	12.76
295	1	22	2009/12/11	00:14:08	1.60	230	0	672	71	809	123.48	3236	2.05	12.76
296	1	22	2009/12/11	00:14:11	1.70	230	0	672	71	812	123.48	3248	2.07	12.76
297	1	22	2009/12/11	00:14:14	1.80	230	0	672	70	816	121.74	3264	1.95	12.76
298	1	22	2009/12/11	00:14:16	1.90	230	0	672	70	819	121.74	3276	2.23	12.76
299	1	22	2009/12/11	00:14:19	2.00	224	0	672	69	822	123.21	3288	2.23	12.65
300	1	22	2009/12/11	00:14:22	2.10	237	0	672	71	825	119.83	3300	2.20	12.76
301	1	22	2009/12/11	00:14:24	2.20	237	0	672	72	828	121.52	3312	2.12	12.76
302	1	22	2009/12/11	00:14:27	2.30	230	0	672	71	831	123.48	3324	2.00	12.87
303	1	22	2009/12/11	00:14:29	2.40	219	0	672	69	834	126.03	3336	2.50	12.87
304	1	22	2009/12/11	00:14:32	2.50	224	0	672	68	837	121.43	3348	2.46	12.65
305	1	22	2009/12/11	00:14:35	2.60	230	0	672	65	840	113.04	3360	2.69	12.76
306	1	22	2009/12/11	00:14:37	2.70	230	0	672	57	842	99.13	3368	3.83	12.87
307	1	22	2009/12/11	00:14:40	2.80	230	0	672	54	845	93.91	3380	4.17	12.87
308	1	22	2009/12/11	00:14:42	2.90	230	0	672	56	847	97.39	3388	4.06	12.54
309	1	22	2009/12/11	00:14:45	3.00	230	0	672	60	850	104.35	3400	3.49	12.87
310	1	22	2009/12/11	00:14:48	3.10	230	0	672	63	853	109.57	3412	3.15	12.43
311	1	22	2009/12/11	00:14:50	3.20	230	0	672	66	856	114.78	3424	2.80	13.09
312	1	22	2009/12/11	00:14:53	3.30	230	0	672	67	858	116.52	3432	2.69	12.76
313	1	22	2009/12/11	00:14:55	3.40	230	0	672	69	861	120.00	3444	2.58	12.76
314	1	22	2009/12/11	00:14:58	3.50	230	0	672	70	864	121.74	3456	2.46	12.76
315	1	22	2009/12/11	00:15:01	3.60	230	0	672	69	867	120.00	3468	2.40	12.76
316	1	22	2009/12/11	00:15:03	3.70	230	0	672	70	871	121.74	3484	2.13	12.76
317	1	22	2009/12/11	00:15:06	3.80	230	0	672	70	874	121.74	3496	2.02	12.76
318	1	22	2009/12/11	00:15:08	3.90	230	0	672	71	877	123.48	3508	1.97	12.76
319	1	22	2009/12/11	00:15:11	4.00	230	0	672	71	880	123.48	3520	1.96	12.87
320	1	22	2009/12/11	00:15:14	4.10	224	0	672	71	883	126.79	3532	1.93	12.76
321	1	22	2009/12/11	00:15:16	4.20	224	0	672	71	886	126.79	3544	1.90	12.76
322	1	22	2009/12/11	00:15:19	4.30	230	0	672	71	889	123.48	3556	2.05	12.87
323	1	22	2009/12/11	00:15:21	4.40	237	0	672	71	892	119.83	3568	2.02	12.87
324	1	22	2009/12/11	00:15:24	4.50	230	0	672	72	895	125.22	3580	1.96	12.87
325	1	22	2009/12/11	00:15:27	4.60	224	0	672	70	898	125.00	3592	2.12	12.87
326	1	22	2009/12/11	00:15:29	4.70	230	0	672	70	902	121.74	3608	1.96	12.76
327	1	22	2009/12/11	00:15:32	4.80	230	0	672	71	905	123.48	3620	1.98	12.87
328	1	22	2009/12/11	00:15:34	4.90	230	0	672	72	908	125.22	3632	1.95	12.76
329	1	22	2009/12/11	00:15:37	5.00	230	0	672	72	911	125.22	3644	1.97	12.87
330	1	22	2009/12/11	00:15:40	5.10	224	0	672	70	914	125.00	3656	2.02	12.76
331	1	22	2009/12/11	00:15:42	5.20	230	0	672	71	917	123.48	3668	1.96	12.87
332	1	22	2009/12/11	00:15:45	5.30	237	0	672	72	920	121.52	3680	1.93	12.87
333	1	22	2009/12/11	00:15:47	5.40	230	0	672	72	923	125.22	3692	1.90	12.65
334	1	22	2009/12/11	00:15:58	5.30	230	0	672	71	935	123.48	3740	1.86	0.00
335	1	22	2009/12/11	00:16:00	5.20	230	0	672	71	938	123.48	3752	1.89	0.00
336	1	22	2009/12/11	00:16:03	5.10	237	0	672	71	941	119.83	3764	1.95	0.00
337	1	22	2009/12/11	00:16:05	5.00	224	0	672	70	944	125.00	3776	1.99	0.00
338	1	22	2009/12/11	00:16:08	4.90	224	0	672	70	947	125.00	3788	2.03	0.00
339	1	22	2009/12/11	00:16:11	4.80	230	0	672	69	950	120.00	3800	2.06	0.00
340	1	22	2009/12/11	00:16:13	4.70	230	0	672	69	953	120.00	3812	2.09	0.00
341	1	22	2009/12/11	00:16:16	4.60	230	0	672	68	956	118.26	3824	2.13	0.00
342	1	22	2009/12/11	00:16:18	4.50	230	0	672	70	959	121.74	3836	1.85	0.00
343	1	22	2009/12/11	00:16:21	4.40	224	0	672	69	962	123.21	3848	1.85	0.00
344	1	22	2009/12/11	00:16:24	4.30	230	0	672	70	965	121.74	3860	1.96	0.00
345	1	22	2009/12/11	00:16:26	4.20	230	0	672	68	968	118.26	3872	1.99	0.00
346	1	22	2009/12/11	00:16:29	4.10	230	0	672	69	971	120.00	3884	1.94	0.00
347	1	22	2009/12/11	00:16:32	4.00	230	0	672	68	974	118.26	3896	1.98	0.00
348	1	22	2009/12/11	00:16:34	3.90	230	0	672	67	977	116.52	3908	1.99	0.00
349	1	22	2009/12/11	00:16:37	3.80	230	0	672	68	980	118.26	3920	2.03	0.00
350	1	22	2009/12/11	00:16:39	3.70	230	0	672	67	983	116.52	3932	2.07	0.00
351	1	22	2009/12/11	00:16:42	3.60	230	0	672	67	986	116.52	3944	2.11	0.00
352	1	22	2009/12/11	00:16:45	3.50	230	0	672	67	989	116.52	3956	2.00	0.00
353	1	22	2009/12/11	00:16:47	3.40	224	0	672	67	992	119.64	3968	2.18	0.00
354	1	22	2009/12/11	00:16:50	3.30	230	0	672	63	995	109.57	3980	3.15	0.00
355	1	22	2009/12/11	00:16:52	3.20	230	0	672	59	997	102.61	3988	3.60	0.00
356	1	22	2009/12/11	00:16:55	3.10	230	0	672	57	1000	99.13	4000	3.83	0.00
357	1	22	2009/12/11	00:16:58	3.00	224	0							

施工データ

現場：唐津1現場A
担当：唐津太郎

	号棟	杭番	日付	時間	深度 (m)	フィード 速度 (cm/min)	瞬時 流量 (L/min)	積算 流量 (L)	回転数 (min ⁻¹)	積算 回転数 (Rev)	羽根 切回転数 (min ⁻¹)	羽根 切回数 (Rev)	回転 トルク (kN・m)	圧入力 (kN)
361	1	22	2009/12/11	00:17:08	2.60	230	0	672	49	1011	85.22	4044	4.74	0.00
362	1	22	2009/12/11	00:17:11	2.50	224	0	672	49	1013	87.50	4052	4.74	0.00
363	1	22	2009/12/11	00:17:13	2.40	224	0	672	50	1016	89.29	4064	4.63	0.00
364	1	22	2009/12/11	00:17:16	2.30	230	0	672	54	1018	93.91	4072	4.17	0.00
365	1	22	2009/12/11	00:17:18	2.20	230	0	672	58	1021	100.87	4084	3.49	0.00
366	1	22	2009/12/11	00:17:21	2.10	230	0	672	61	1023	106.09	4092	3.37	0.00
367	1	22	2009/12/11	00:17:24	2.00	230	0	672	61	1026	106.09	4104	2.40	0.00
368	1	22	2009/12/11	00:17:26	1.90	230	0	672	62	1029	107.83	4116	2.37	0.00
369	1	22	2009/12/11	00:17:29	1.80	230	0	672	62	1031	107.83	4124	2.48	0.00
370	1	22	2009/12/11	00:17:31	1.70	224	0	672	62	1034	110.71	4136	2.37	0.00
371	1	22	2009/12/11	00:17:34	1.60	230	0	672	60	1037	104.35	4148	3.49	0.00
372	1	22	2009/12/11	00:17:37	1.50	230	0	672	60	1039	104.35	4156	3.49	0.00
373	1	22	2009/12/11	00:17:39	1.40	224	0	672	61	1042	108.93	4168	2.38	0.00
374	1	22	2009/12/11	00:17:42	1.30	230	0	672	63	1045	109.57	4180	2.39	0.00
375	1	22	2009/12/11	00:17:45	1.20	230	0	672	59	1048	102.61	4192	3.15	0.00
376	1	22	2009/12/11	00:17:47	1.10	230	0	672	62	1050	107.83	4200	2.35	0.00
377	1	22	2009/12/11	00:17:50	1.00	230	0	672	63	1053	109.57	4212	2.29	0.00
378	1	22	2009/12/11	00:17:52	0.90	230	0	672	65	1056	113.04	4224	2.09	0.00
379	1	22	2009/12/11	00:17:55	0.80	237	0	672	67	1059	113.08	4236	2.07	0.00
380	1	22	2009/12/11	00:17:58	0.70	224	0	672	65	1062	116.07	4248	2.32	0.00
381	1	22	2009/12/11	00:18:00	0.60	230	0	672	68	1065	118.26	4260	1.83	0.00
382	1	22	2009/12/11	00:18:03	0.50	230	0	672	71	1068	123.48	4272	1.59	0.00
383	1	22	2009/12/11	00:18:05	0.40	230	0	672	71	1071	123.48	4284	1.56	0.00
384	1	22	2009/12/11	00:18:08	0.30	230	0	672	73	1074	126.96	4296	1.40	0.00
385	1	22	2009/12/11	00:18:10	0.20	230	0	672	72	1077	125.22	4308	1.39	0.00
386	1	22	2009/12/11	00:18:13	0.10	230	0	672	72	1080	125.22	4320	1.34	0.00
387	1	22	2009/12/11	00:18:19	0.10	318	0	672	74	1088	93.08	4352	1.24	13.09
388	1	22	2009/12/11	00:18:21	0.20	479	0	672	74	1090	61.80	4360	1.32	13.09
389	1	22	2009/12/11	00:18:22	0.30	484	0	672	72	1091	59.50	4364	1.52	12.87
390	1	22	2009/12/11	00:18:23	0.40	500	0	672	72	1093	57.60	4372	1.62	13.09
391	1	22	2009/12/11	00:18:24	0.50	493	0	672	72	1094	58.42	4376	1.65	12.54
392	1	22	2009/12/11	00:18:25	0.60	500	0	672	72	1096	57.60	4384	1.65	12.87
393	1	22	2009/12/11	00:18:27	0.70	500	0	672	72	1097	57.60	4388	1.83	12.87
394	1	22	2009/12/11	00:18:28	0.80	500	0	672	71	1098	56.80	4392	2.00	12.76
395	1	22	2009/12/11	00:18:29	0.90	493	0	672	70	1100	56.80	4400	1.97	12.76
396	1	22	2009/12/11	00:18:30	1.00	500	0	672	71	1101	56.80	4404	2.22	12.76
397	1	22	2009/12/11	00:18:35	0.90	425	0	672	66	1106	62.12	4424	2.44	0.00
398	1	22	2009/12/11	00:18:36	0.80	506	0	672	66	1108	52.17	4432	1.96	0.00
399	1	22	2009/12/11	00:18:37	0.70	506	0	672	68	1109	53.75	4436	1.94	0.00
400	1	22	2009/12/11	00:18:38	0.60	493	0	672	68	1110	55.17	4440	1.82	0.00
401	1	22	2009/12/11	00:18:39	0.50	500	0	672	71	1112	56.80	4448	1.62	0.00
402	1	22	2009/12/11	00:18:41	0.40	510	0	672	72	1113	56.47	4452	1.54	0.00
403	1	22	2009/12/11	00:18:42	0.30	500	0	672	71	1115	56.80	4460	1.41	0.00
404	1	22	2009/12/11	00:18:43	0.20	510	0	672	72	1116	56.47	4464	1.43	0.00
405	1	22	2009/12/11	00:18:44	0.10	500	0	672	72	1117	57.60	4468	1.33	0.00
406	1	22	2009/12/11	00:18:52	-0.43	345	0	672	0	1125	0.00	4500	0.00	12.76

施工データ

現場：唐津T1現場A
 担当：唐津太郎

	号棟	杭番	日付	時間	深度 (m)	フィード速度 (cm/min)	瞬時流量 (L/min)	積算流量 (L)	回転数 (min ⁻¹)	積算回転数 (Rev)	羽根切回転数 (min ⁻¹)	羽根切回数 (Rev)	回転トルク (kN・m)	圧入力 (kN)
1	1	4	2009/12/12	15:15:38	0.00	179	0	0	0	0	0.00	0	0.00	12.65
2	1	4	2009/12/12	00:00:00	0.00	179	0	0	0	0	0.00	0	0.00	12.65
3	1	4	2009/12/12	00:00:00	0.10	179	0	0	0	0	0.00	0	0.23	12.76
4	1	4	2009/12/12	00:00:01	0.20	1066	0	0	31	0	11.63	0	1.07	12.54
5	1	4	2009/12/12	00:00:01	0.30	1066	0	0	31	1	11.63	4	1.32	12.65
6	1	4	2009/12/12	00:00:02	0.40	1080	0	0	71	2	26.30	8	1.66	12.32
7	1	4	2009/12/12	00:00:03	0.50	71	0	0	72	4	405.63	16	1.41	12.54
8	1	4	2009/12/12	00:00:18	0.60	206	74	9	72	21	139.81	84	2.09	12.76
9	1	4	2009/12/12	00:00:21	0.70	220	76	13	70	24	127.27	96	2.16	12.54
10	1	4	2009/12/12	00:00:23	0.80	220	77	16	71	28	129.09	112	2.38	12.76
11	1	4	2009/12/12	00:00:26	0.90	228	77	20	71	31	124.56	124	1.85	12.87
12	1	4	2009/12/12	00:00:29	1.00	201	75	24	61	34	121.39	136	3.37	12.65
13	1	4	2009/12/12	00:00:32	1.10	220	76	27	28	36	50.91	144	9.88	12.65
14	1	4	2009/12/12	00:00:35	1.20	228	76	30	26	37	45.61	148	2.37	12.76
15	1	4	2009/12/12	00:00:37	1.30	220	76	34	30	39	54.55	156	1.92	12.43
16	1	4	2009/12/12	00:00:40	1.40	210	74	37	68	42	129.52	168	2.12	12.54
17	1	4	2009/12/12	00:00:43	1.50	210	75	41	63	45	120.00	180	3.15	12.65
18	1	4	2009/12/12	00:00:46	1.60	220	77	44	59	47	107.27	188	3.60	12.65
19	1	4	2009/12/12	00:00:48	1.70	220	77	48	48	50	87.27	200	4.86	12.54
20	1	4	2009/12/12	00:00:51	1.80	220	76	51	47	52	85.45	208	4.97	12.65
21	1	4	2009/12/12	00:00:54	1.90	220	75	55	47	54	85.45	216	4.97	12.54
22	1	4	2009/12/12	00:00:56	2.00	220	77	58	47	56	85.45	224	4.97	12.76
23	1	4	2009/12/12	00:00:59	2.10	220	75	62	40	58	72.73	232	5.77	12.54
24	1	4	2009/12/12	00:01:02	2.20	220	74	65	35	60	63.64	240	6.34	12.76
25	1	4	2009/12/12	00:01:05	2.30	220	73	69	34	61	61.82	244	6.34	12.76
26	1	4	2009/12/12	00:01:07	2.40	220	76	72	32	63	58.18	252	6.68	12.54
27	1	4	2009/12/12	00:01:10	2.50	220	77	76	30	64	54.55	256	6.91	12.54
28	1	4	2009/12/12	00:01:13	2.60	220	75	79	28	65	50.91	260	7.14	12.43
29	1	4	2009/12/12	00:01:16	2.70	220	75	82	29	67	52.73	268	7.14	12.32
30	1	4	2009/12/12	00:01:18	2.80	220	75	86	31	68	56.36	272	6.79	12.65
31	1	4	2009/12/12	00:01:21	2.90	220	78	89	34	70	61.82	280	2.48	12.43
32	1	4	2009/12/12	00:01:24	3.00	220	77	93	41	72	74.55	288	5.65	12.54
33	1	4	2009/12/12	00:01:24	3.00	220	76	93	41	72	74.55	288	5.65	12.54
34	1	4	2009/12/12	00:01:26	3.10	220	74	96	44	74	80.00	296	5.31	12.65
35	1	4	2009/12/12	00:01:29	3.20	220	75	100	46	76	83.64	304	5.08	12.54
36	1	4	2009/12/12	00:01:32	3.30	220	75	103	49	78	89.09	312	2.48	12.98
37	1	4	2009/12/12	00:01:35	3.40	220	76	107	58	80	105.45	320	3.72	12.76
38	1	4	2009/12/12	00:01:37	3.50	220	74	110	63	83	114.55	332	3.15	12.21
39	1	4	2009/12/12	00:01:40	3.60	220	73	113	69	86	125.45	344	2.46	12.76
40	1	4	2009/12/12	00:01:43	3.70	220	75	117	68	90	123.64	360	2.47	12.65
41	1	4	2009/12/12	00:01:46	3.80	220	78	120	67	93	121.82	372	2.69	12.54
42	1	4	2009/12/12	00:01:48	3.90	220	77	124	67	96	121.82	384	2.69	12.54
43	1	4	2009/12/12	00:01:51	4.00	220	74	127	66	99	120.00	396	2.80	12.65
44	1	4	2009/12/12	00:01:54	4.10	220	76	131	64	102	116.36	408	3.03	12.54
45	1	4	2009/12/12	00:01:57	4.20	220	76	134	64	105	116.36	420	2.92	12.54
46	1	4	2009/12/12	00:01:59	4.30	220	75	138	65	108	118.18	432	2.92	12.76
47	1	4	2009/12/12	00:02:02	4.40	220	73	141	67	111	121.82	444	2.69	12.65
48	1	4	2009/12/12	00:02:05	4.50	220	74	145	68	114	123.64	456	2.43	12.43
49	1	4	2009/12/12	00:02:07	4.60	220	76	148	69	117	125.45	468	2.58	12.32
50	1	4	2009/12/12	00:02:10	4.70	220	77	151	68	120	123.64	480	2.58	12.65
51	1	4	2009/12/12	00:02:13	4.80	220	76	155	68	123	123.64	492	2.58	12.54
52	1	4	2009/12/12	00:02:16	4.90	220	74	158	67	126	121.82	504	2.69	12.43
53	1	4	2009/12/12	00:02:18	5.00	220	77	162	67	129	121.82	516	2.69	12.54
54	1	4	2009/12/12	00:02:21	5.10	220	77	165	66	132	120.00	528	2.80	12.98
55	1	4	2009/12/12	00:02:24	5.20	220	76	169	66	135	120.00	540	2.80	12.76
56	1	4	2009/12/12	00:02:27	5.30	220	73	172	68	139	123.64	556	2.69	12.54
57	1	4	2009/12/12	00:02:29	5.40	220	73	176	68	142	123.64	568	2.58	12.65
58	1	4	2009/12/12	00:03:12	5.50	58	71	192	69	150	475.86	600	2.34	12.65
59	1	4	2009/12/12	00:03:15	5.60	220	72	195	69	154	125.45	616	2.46	12.54
60	1	4	2009/12/12	00:03:17	5.70	220	75	199	67	157	121.82	628	2.69	12.65
61	1	4	2009/12/12	00:03:20	5.80	220	77	202	68	160	123.64	640	2.58	12.43
62	1	4	2009/12/12	00:03:23	5.90	220	77	206	65	163	118.18	652	2.92	12.87
63	1	4	2009/12/12	00:03:26	6.00	220	74	209	65	166	118.18	664	2.80	12.76
64	1	4	2009/12/12	00:03:28	6.10	220	75	213	66	169	120.00	676	2.80	12.43
65	1	4	2009/12/12	00:03:31	6.20	220	76	216	66	172	120.00	688	2.80	12.54
66	1	4	2009/12/12	00:03:34	6.30	220	76	220	68	175	123.64	700	2.58	12.65
67	1	4	2009/12/12	00:03:37	6.40	220	73	223	68	178	123.64	712	2.69	12.43
68	1	4	2009/12/12	00:03:39	6.50	220	73	226	68	181	123.64	724	2.58	12.76
69	1	4	2009/12/12	00:03:42	6.60	220	76	230	68	184	123.64	736	2.58	12.54
70	1	4	2009/12/12	00:03:45	6.70	220	77	233	67	187	121.82	748	2.69	12.43
71	1	4	2009/12/12	00:03:47	6.80	220	76	237	67	191	121.82	764	2.69	12.76
72	1	4	2009/12/12	00:03:50	6.90	220	73	240	66	194	120.00	776	2.80	12.76
73	1	4	2009/12/12	00:03:53	7.00	220	75	244	67	197	121.82	788	2.69	12.65
74	1	4	2009/12/12	00:03:56	7.10	220	77	247	68	200	123.64	800	2.58	12.65
75	1	4	2009/12/12	00:03:58	7.20	220	76	251	68	203	123.64	812	2.58	12.65
76	1	4	2009/12/12	00:04:01	7.30	220	72	254	68	206	123.64	824	2.58	12.54
77	1	4	2009/12/12	00:04:04	7.40	220	71	257	66	209	120.00	836	2.80	12.54
78	1	4	2009/12/12	00:04:07	7.50	220	75	261	66	212	120.00	848	2.69	12.43
79	1	4	2009/12/12	00:04:09	7.60	220	76	264	66	215	120.00	860	2.80	12.54
80	1	4	2009/12/12	00:04:12	7.70	220	75	268	68	218	123.64	872	2.58	12.65
81	1	4	2009/12/12	00:04:15	7.80	220	73	271	68	221	123.64	884	2.58	12.54
82	1	4	2009/12/12	00:04:18	7.90	220	76	275	68	224	123.64	896	2.43	12.65
83	1	4	2009/12/12	00:04:20	8.00	220	78	278	68	227	123.64	908	2.58	12.65
84	1	4	2009/12/12	00:04:23	8.10	220	76	281	68	231	123.64	924	2.58	12.65
85	1	4	2009/12/12	00:04:26	8.20	220	74	285	67	234	121.82	936	2.69	12.65
86	1	4	2009/12/12	00:04:29	8.30	220	72	288	68	237	123.64	948	2.69	12.65
87	1	4	2009/12/12	00:04:31	8.40	220	75	292	66	240	120.00	960	2.80	12.54
88	1	4	2009/12/12	00:04:34	8.50	220	76	295	59	243	107.27	972	3.60	12.54
89	1	4	2009/12/12	00:04:37	8.60	220	74	298	63	245	114.55	980	3.15	12.

施工データ

現場：唐津工現場A
担当：唐津太郎

	号棟	杭番	日付	時間	深度 (m)	フィード 速度 (cm/min)	瞬時 流量 (L/min)	積算 流量 (L)	回転数 (min ⁻¹)	積算 回転数 (Rev)	羽根 切回転数 (min ⁻¹)	羽根 切回数 (Rev)	回転 トルク (kN・m)	圧入力 (kN)
91	1	4	2009/12/12	00:04:42	8.80	220	75	305	60	251	109.09	1004	3.49	12.65
92	1	4	2009/12/12	00:04:46	8.90	0	77	310	61	254	999.99	1016	2.44	12.76
93	1	4	2009/12/12	00:04:49	9.00	192	74	314	48	257	100.00	1028	2.39	12.98
94	1	4	2009/12/12	00:04:49	9.01	192	77	314	48	257	100.00	1028	4.86	12.87
95	1	4	2009/12/12	00:04:55	9.00	8	75	321	70	263	999.99	1052	2.13	0.00
96	1	4	2009/12/12	00:04:58	8.90	220	75	325	68	267	123.64	1068	2.18	0.00
97	1	4	2009/12/12	00:05:00	8.80	220	76	328	68	270	123.64	1080	2.17	0.00
98	1	4	2009/12/12	00:05:03	8.70	220	73	332	69	273	125.45	1092	2.23	0.00
99	1	4	2009/12/12	00:05:06	8.60	220	73	335	68	276	123.64	1104	2.26	0.00
100	1	4	2009/12/12	00:05:08	8.50	220	74	338	68	279	123.64	1116	2.24	0.00
101	1	4	2009/12/12	00:05:11	8.40	220	77	342	69	282	125.45	1128	2.24	0.00
102	1	4	2009/12/12	00:05:14	8.30	220	76	345	69	285	125.45	1140	2.28	0.00
103	1	4	2009/12/12	00:05:17	8.20	220	73	349	68	288	123.64	1152	2.23	0.00
104	1	4	2009/12/12	00:05:19	8.10	220	75	352	69	292	125.45	1168	2.22	0.00
105	1	4	2009/12/12	00:05:22	8.00	220	76	356	68	295	123.64	1180	2.22	0.00
106	1	4	2009/12/12	00:05:25	7.90	220	76	359	69	298	125.45	1192	2.11	0.00
107	1	4	2009/12/12	00:05:28	7.80	220	74	363	70	301	127.27	1204	2.13	0.00
108	1	4	2009/12/12	00:05:30	7.70	220	72	366	70	304	127.27	1216	2.18	0.00
109	1	4	2009/12/12	00:05:33	7.60	220	74	369	70	307	127.27	1228	2.19	0.00
110	1	4	2009/12/12	00:05:36	7.50	220	77	373	69	311	125.45	1244	2.16	0.00
111	1	4	2009/12/12	00:05:39	7.40	220	75	376	68	314	123.64	1256	2.21	0.00
112	1	4	2009/12/12	00:05:41	7.30	220	74	380	68	317	123.64	1268	2.20	0.00
113	1	4	2009/12/12	00:05:44	7.20	220	76	383	68	320	123.64	1280	2.19	0.00
114	1	4	2009/12/12	00:05:47	7.10	220	77	387	69	323	125.45	1292	2.24	0.00
115	1	4	2009/12/12	00:05:49	7.00	220	76	390	69	326	125.45	1304	2.21	0.00
116	1	4	2009/12/12	00:05:52	6.90	220	73	393	69	330	125.45	1320	2.20	0.00
117	1	4	2009/12/12	00:05:55	6.80	220	72	397	69	333	125.45	1332	2.21	0.00
118	1	4	2009/12/12	00:05:58	6.70	220	74	400	68	336	123.64	1344	2.24	0.00
119	1	4	2009/12/12	00:06:00	6.60	220	76	404	68	339	123.64	1356	2.20	0.00
120	1	4	2009/12/12	00:06:03	6.50	220	76	407	68	342	123.64	1368	2.22	0.00
121	1	4	2009/12/12	00:06:06	6.40	220	73	411	68	345	123.64	1380	2.20	0.00
122	1	4	2009/12/12	00:06:09	6.30	220	75	414	69	348	125.45	1392	2.20	0.00
123	1	4	2009/12/12	00:06:11	6.20	220	76	417	69	352	125.45	1408	2.17	0.00
124	1	4	2009/12/12	00:06:14	6.10	220	76	421	69	355	125.45	1420	2.18	0.00
125	1	4	2009/12/12	00:06:17	6.00	220	74	424	68	358	123.64	1432	2.16	0.00
126	1	4	2009/12/12	00:06:20	5.90	220	72	428	69	361	125.45	1444	2.09	0.00
127	1	4	2009/12/12	00:06:22	5.80	220	75	431	69	364	125.45	1456	2.02	0.00
128	1	4	2009/12/12	00:06:25	5.70	220	76	434	69	367	125.45	1468	1.98	0.00
129	1	4	2009/12/12	00:06:28	5.60	220	75	438	70	371	127.27	1484	2.00	0.00
130	1	4	2009/12/12	00:06:31	5.50	220	74	441	70	374	127.27	1496	1.93	0.00
131	1	4	2009/12/12	00:06:31	5.49	220	76	442	70	374	127.27	1496	2.00	0.00
132	1	4	2009/12/12	00:06:33	5.50	0	76	444	71	377	999.99	1508	0.00	12.54
133	1	4	2009/12/12	00:06:36	5.60	230	61	448	71	380	123.48	1520	1.85	12.65
134	1	4	2009/12/12	00:06:38	5.70	230	24	450	71	383	123.48	1532	1.61	12.54
135	1	4	2009/12/12	00:06:41	5.80	230	9	450	73	386	126.96	1544	1.63	12.65
136	1	4	2009/12/12	00:06:44	5.90	224	0	450	71	389	126.79	1556	1.63	12.98
137	1	4	2009/12/12	00:06:46	6.00	230	0	450	71	392	123.48	1568	1.57	12.54
138	1	4	2009/12/12	00:06:49	6.10	230	0	450	72	395	125.22	1580	1.61	12.65
139	1	4	2009/12/12	00:06:51	6.20	237	0	450	72	398	121.52	1592	1.81	12.54
140	1	4	2009/12/12	00:06:54	6.30	230	0	450	71	402	123.48	1608	1.68	12.65
141	1	4	2009/12/12	00:06:57	6.40	230	0	450	72	405	125.22	1620	1.68	12.65
142	1	4	2009/12/12	00:06:59	6.50	230	0	450	72	408	125.22	1632	1.62	12.43
143	1	4	2009/12/12	00:07:02	6.60	230	0	450	72	411	125.22	1644	1.69	13.09
144	1	4	2009/12/12	00:07:04	6.70	230	0	450	72	414	125.22	1656	1.73	12.54
145	1	4	2009/12/12	00:07:07	6.80	224	0	450	71	417	126.79	1668	1.75	12.43
146	1	4	2009/12/12	00:07:10	6.90	230	0	450	71	420	123.48	1680	1.85	12.43
147	1	4	2009/12/12	00:07:12	7.00	230	0	450	71	424	123.48	1696	1.79	12.65
148	1	4	2009/12/12	00:07:15	7.10	224	0	450	70	427	125.00	1708	2.07	12.65
149	1	4	2009/12/12	00:07:17	7.20	237	0	450	71	430	119.83	1720	1.86	12.54
150	1	4	2009/12/12	00:07:20	7.30	230	0	450	71	433	123.48	1732	1.74	12.65
151	1	4	2009/12/12	00:07:23	7.40	230	0	450	71	436	123.48	1744	1.73	12.54
152	1	4	2009/12/12	00:07:25	7.50	230	0	450	72	439	125.22	1756	1.71	12.76
153	1	4	2009/12/12	00:07:28	7.60	230	0	450	71	442	123.48	1768	1.58	12.54
154	1	4	2009/12/12	00:07:30	7.70	224	0	450	71	445	126.79	1780	1.66	12.65
155	1	4	2009/12/12	00:07:33	7.80	230	0	450	72	448	125.22	1792	1.65	12.43
156	1	4	2009/12/12	00:07:36	7.90	230	0	450	71	451	123.48	1804	1.54	12.43
157	1	4	2009/12/12	00:07:38	8.00	230	0	450	72	455	125.22	1820	1.61	12.65
158	1	4	2009/12/12	00:07:41	8.10	230	0	450	71	458	123.48	1832	1.55	12.32
159	1	4	2009/12/12	00:07:43	8.20	230	0	450	72	461	125.22	1844	1.65	12.65
160	1	4	2009/12/12	00:07:46	8.30	230	0	450	72	464	125.22	1856	1.85	12.65
161	1	4	2009/12/12	00:07:49	8.40	230	0	450	70	467	121.74	1868	1.98	12.76
162	1	4	2009/12/12	00:07:51	8.50	230	0	450	71	470	123.48	1880	2.07	12.32
163	1	4	2009/12/12	00:07:54	8.60	230	0	450	70	473	121.74	1892	1.87	12.76
164	1	4	2009/12/12	00:07:57	8.70	237	0	450	72	476	121.52	1904	1.71	12.54
165	1	4	2009/12/12	00:07:59	8.80	230	0	450	72	480	125.22	1920	1.78	12.54
166	1	4	2009/12/12	00:08:02	8.90	230	0	450	71	483	123.48	1932	1.62	12.87
167	1	4	2009/12/12	00:08:04	9.00	230	0	450	71	486	123.48	1944	1.65	12.65
168	1	4	2009/12/12	00:08:05	9.01	224	0	450	72	486	128.57	1944	1.64	12.98
169	1	4	2009/12/12	00:08:06	9.00	58	0	450	72	488	496.55	1952	2.00	0.00
170	1	4	2009/12/12	00:08:09	8.90	349	0	450	72	491	82.52	1964	1.63	0.00
171	1	4	2009/12/12	00:08:10	8.80	461	0	450	70	492	60.74	1968	1.61	0.00
172	1	4	2009/12/12	00:08:11	8.70	506	0	450	71	494	56.13	1976	1.80	0.00
173	1	4	2009/12/12	00:08:12	8.60	500	0	450	70	495	56.00	1980	1.93	0.00
174	1	4	2009/12/12	00:08:13	8.50	493	0	450	69	496	55.98	1984	1.94	0.00
175	1	4	2009/12/12	00:08:15	8.60	17	0	450	70	499	999.99	1996	2.00	12.65
176	1	4	2009/12/12	00:08:17	8.70	519	0	450	71	500	54.72	2000	2.08	12.65
177	1	4	2009/12/12	00:08:18	8.80	500	0	450	70	501	56.00	2004	2.07	12.65
178	1													

施工データ

現場：唐津工現場A
担当：唐津太郎

号棟	杭番	日付	時間	深度 (m)	フィード 速度 (cm/min)	瞬時 流量 (L/min)	積算 流量 (L)	回転数 (min ⁻¹)	積算 回転数 (Rev)	羽根 切回転数 (min ⁻¹)	羽根 切回数 (Rev)	回転 トルク (kN・m)	圧入力 (kN)
181	1	4	2009/12/12	00:08:21	9.00	430	450	70	505	65.12	2020	1.77	0.00
182	1	4	2009/12/12	00:08:22	8.90	206	450	71	507	137.86	2028	1.95	0.00
183	1	4	2009/12/12	00:08:23	8.80	506	450	70	508	55.34	2032	1.93	0.00
184	1	4	2009/12/12	00:08:25	8.70	500	450	69	510	55.20	2040	2.00	0.00
185	1	4	2009/12/12	00:08:26	8.60	500	450	69	511	55.20	2044	2.09	0.00
186	1	4	2009/12/12	00:08:27	8.50	500	450	67	512	53.60	2048	2.01	0.00
187	1	4	2009/12/12	00:08:31	8.60	389	450	70	517	71.98	2068	2.05	12.54
188	1	4	2009/12/12	00:08:32	8.70	484	450	69	518	57.02	2072	2.12	12.43
189	1	4	2009/12/12	00:08:33	8.80	506	450	70	520	55.34	2080	2.12	12.54
190	1	4	2009/12/12	00:08:34	8.90	506	450	70	521	55.34	2084	2.00	12.65
191	1	4	2009/12/12	00:08:36	9.00	500	450	70	522	56.00	2088	2.11	12.54
192	1	4	2009/12/12	00:08:36	9.01	500	450	70	522	56.00	2088	2.03	12.43
193	1	4	2009/12/12	00:08:37	9.00	0	450	70	524	999.99	2096	1.98	12.65
194	1	4	2009/12/12	00:08:41	8.90	138	450	63	528	182.61	2112	1.86	12.65
195	1	4	2009/12/12	00:08:45	8.80	345	450	69	532	80.00	2128	2.03	0.00
196	1	4	2009/12/12	00:08:47	8.70	230	450	69	535	120.00	2140	2.12	0.00
197	1	4	2009/12/12	00:08:50	8.60	230	450	70	538	121.74	2152	2.15	0.00
198	1	4	2009/12/12	00:08:53	8.50	230	450	70	541	121.74	2164	2.10	0.00
199	1	4	2009/12/12	00:08:55	8.40	230	450	70	544	121.74	2176	2.03	0.00
200	1	4	2009/12/12	00:08:58	8.30	230	450	69	547	120.00	2188	1.75	0.00
201	1	4	2009/12/12	00:09:00	8.20	230	450	70	551	121.74	2204	1.80	0.00
202	1	4	2009/12/12	00:09:03	8.10	230	450	71	554	123.48	2216	1.73	0.00
203	1	4	2009/12/12	00:09:06	8.00	230	450	70	557	121.74	2228	1.71	0.00
204	1	4	2009/12/12	00:09:08	7.90	230	450	71	560	123.48	2240	1.69	0.00
205	1	4	2009/12/12	00:09:11	7.80	224	450	70	563	125.00	2252	1.67	0.00
206	1	4	2009/12/12	00:09:13	7.70	224	450	70	566	125.00	2264	1.69	0.00
207	1	4	2009/12/12	00:09:16	7.60	230	450	71	569	123.48	2276	1.67	0.00
208	1	4	2009/12/12	00:09:19	7.50	230	450	70	572	121.74	2288	1.72	0.00
209	1	4	2009/12/12	00:09:21	7.40	230	450	70	575	121.74	2300	1.87	0.00
210	1	4	2009/12/12	00:09:24	7.30	230	450	70	578	121.74	2312	1.86	0.00
211	1	4	2009/12/12	00:09:26	7.20	224	450	70	581	125.00	2324	1.81	0.00
212	1	4	2009/12/12	00:09:29	7.10	230	450	71	585	123.48	2340	1.80	0.00
213	1	4	2009/12/12	00:09:32	7.00	224	450	69	588	123.21	2352	2.01	0.00
214	1	4	2009/12/12	00:09:34	6.90	230	450	70	591	121.74	2364	1.73	0.00
215	1	4	2009/12/12	00:09:37	6.80	230	450	71	594	123.48	2376	1.74	0.00
216	1	4	2009/12/12	00:09:39	6.70	230	450	70	597	121.74	2388	1.94	0.00
217	1	4	2009/12/12	00:09:42	6.60	230	450	71	600	123.48	2400	1.80	0.00
218	1	4	2009/12/12	00:09:45	6.50	230	450	70	603	121.74	2412	1.77	0.00
219	1	4	2009/12/12	00:09:47	6.40	224	450	70	606	125.00	2424	1.60	0.00
220	1	4	2009/12/12	00:09:50	6.30	230	450	71	609	123.48	2436	1.64	0.00
221	1	4	2009/12/12	00:09:52	6.20	230	450	70	612	121.74	2448	1.73	0.00
222	1	4	2009/12/12	00:09:55	6.10	230	450	70	615	121.74	2460	1.69	0.00
223	1	4	2009/12/12	00:09:58	6.00	230	450	72	619	125.22	2476	1.64	0.00
224	1	4	2009/12/12	00:10:00	5.90	230	450	72	622	125.22	2488	1.69	0.00
225	1	4	2009/12/12	00:10:03	5.80	230	450	72	625	125.22	2500	1.53	0.00
226	1	4	2009/12/12	00:10:06	5.70	230	450	70	628	121.74	2512	1.68	0.00
227	1	4	2009/12/12	00:10:08	5.60	230	450	70	631	121.74	2524	2.02	0.00
228	1	4	2009/12/12	00:10:11	5.50	230	450	70	634	121.74	2536	2.05	0.00
229	1	4	2009/12/12	00:10:11	5.49	230	450	70	634	121.74	2536	2.04	0.00
230	1	4	2009/12/12	00:10:52	5.40	264	461	70	647	106.06	2588	1.79	0.00
231	1	4	2009/12/12	00:10:55	5.30	210	465	71	650	135.24	2600	1.94	0.00
232	1	4	2009/12/12	00:10:58	5.20	210	469	69	654	131.43	2616	1.96	0.00
233	1	4	2009/12/12	00:11:01	5.10	210	472	69	657	131.43	2628	2.15	0.00
234	1	4	2009/12/12	00:11:04	5.00	210	476	69	660	131.43	2640	2.10	0.00
235	1	4	2009/12/12	00:11:06	4.90	210	479	70	664	133.33	2656	2.03	0.00
236	1	4	2009/12/12	00:11:09	4.80	210	483	69	667	131.43	2668	2.06	0.00
237	1	4	2009/12/12	00:11:12	4.70	210	487	70	670	133.33	2680	1.95	0.00
238	1	4	2009/12/12	00:11:15	4.60	210	490	69	673	131.43	2692	1.94	0.00
239	1	4	2009/12/12	00:11:18	4.50	210	494	69	677	131.43	2708	1.93	0.00
240	1	4	2009/12/12	00:11:21	4.40	210	497	69	680	131.43	2720	2.00	0.00
241	1	4	2009/12/12	00:11:24	4.30	210	74	501	684	133.33	2736	1.95	0.00
242	1	4	2009/12/12	00:11:26	4.20	210	77	505	687	133.33	2748	1.99	0.00
243	1	4	2009/12/12	00:11:29	4.10	210	75	508	690	133.33	2760	2.07	0.00
244	1	4	2009/12/12	00:11:32	4.00	210	73	512	694	131.43	2776	2.02	0.00
245	1	4	2009/12/12	00:11:32	4.00	210	73	512	694	131.43	2776	2.02	0.00
246	1	4	2009/12/12	00:11:35	3.90	210	76	515	697	131.43	2788	1.97	0.00
247	1	4	2009/12/12	00:11:38	3.80	210	73	519	700	133.33	2800	2.07	0.00
248	1	4	2009/12/12	00:11:41	3.70	210	75	523	704	133.33	2816	2.07	0.00
249	1	4	2009/12/12	00:11:44	3.60	210	76	526	707	131.43	2828	2.12	0.00
250	1	4	2009/12/12	00:11:46	3.50	210	74	530	710	131.43	2840	2.05	0.00
251	1	4	2009/12/12	00:11:49	3.40	210	78	533	713	129.52	2852	2.24	0.00
252	1	4	2009/12/12	00:11:52	3.30	210	76	537	717	133.33	2868	1.85	0.00
253	1	4	2009/12/12	00:11:55	3.20	210	75	541	720	125.71	2880	2.49	0.00
254	1	4	2009/12/12	00:11:58	3.10	210	77	544	723	114.29	2892	3.49	0.00
255	1	4	2009/12/12	00:12:01	3.00	210	74	548	726	108.57	2904	3.83	0.00
256	1	4	2009/12/12	00:12:04	2.90	210	74	552	728	106.67	2912	4.06	0.00
257	1	4	2009/12/12	00:12:06	2.80	210	75	555	731	102.86	2924	4.17	0.00
258	1	4	2009/12/12	00:12:09	2.70	210	73	559	733	95.24	2932	4.63	0.00
259	1	4	2009/12/12	00:12:12	2.60	210	76	562	735	81.90	2940	5.43	0.00
260	1	4	2009/12/12	00:12:15	2.50	210	77	566	737	72.38	2948	6.00	0.00
261	1	4	2009/12/12	00:12:18	2.40	210	75	569	739	68.57	2956	6.22	0.00
262	1	4	2009/12/12	00:12:21	2.30	210	77	573	741	76.19	2964	5.77	0.00
263	1	4	2009/12/12	00:12:23	2.20	210	76	577	743	87.62	2972	5.43	0.00
264	1	4	2009/12/12	00:12:26	2.10	210	74	580	745	89.52	2980	4.97	0.00
265	1	4	2009/12/12	00:12:29	2.00	210	77	584	747	87.62	2988	5.08	0.00
266	1	4	2009/12/12	00:12:32	1.90	210	74	588	750	85.71	3000	5.20	0.00
267	1	4	2009/12/12	00:12:35	1.80	210	74	591	752	91.43	3008	4.86	0.00
268	1	4	2009/12/12	00:12:38	1.70	210	76	595	754	97.14	3016	4.51	0.00
269	1	4	2009/12/12	00:12:41	1.60	210	73	598	757	102.86	3028	4.29	0.00
270	1	4	2009/12/12	00:12:43	1.50	210	77	602	760	114.29	3040	3.72	0.00

施工データ

現場：唐津1現場A
担当：唐津太郎

	号棟	杭番	日付	時間	深度(m)	フィード 速度 (cm/min)	瞬時 流量 (L/min)	積算 流量 (L)	回転数 (min-1)	積算 回転数 (Rev)	羽根 切回転数 (min-1)	羽根 切回数 (Rev)	回転 トルク (kN・m)	圧入力 (kN)
271	1	4	2009/12/12	00:12:46	1.40	210	77	605	61	763	116.19	3052	2.39	0.00
272	1	4	2009/12/12	00:12:49	1.30	210	75	609	63	766	120.00	3064	2.33	0.00
273	1	4	2009/12/12	00:12:52	1.20	210	77	613	60	769	114.29	3076	2.39	0.00
274	1	4	2009/12/12	00:12:55	1.10	210	74	616	60	771	114.29	3084	2.26	0.00
275	1	4	2009/12/12	00:12:58	1.00	210	74	620	66	774	125.71	3096	2.09	0.00
276	1	4	2009/12/12	00:13:01	0.90	210	76	623	68	778	129.52	3112	2.09	0.00
277	1	4	2009/12/12	00:13:03	0.80	210	73	627	67	781	127.62	3124	2.04	0.00
278	1	4	2009/12/12	00:13:06	0.70	210	73	630	69	784	131.43	3136	1.99	0.00
279	1	4	2009/12/12	00:13:09	0.60	210	74	634	69	787	131.43	3148	2.01	0.00
280	1	4	2009/12/12	00:13:12	0.50	210	72	637	70	791	133.33	3164	1.79	0.00
281	1	4	2009/12/12	00:13:12	0.49	210	74	638	70	791	133.33	3164	1.78	0.00
282	1	4	2009/12/12	00:13:14	0.50	0	74	640	73	793	999.99	3172	1.34	12.54
283	1	4	2009/12/12	00:13:17	0.60	215	64	644	73	796	135.81	3184	1.67	12.32
284	1	4	2009/12/12	00:13:20	0.70	230	24	645	73	800	126.96	3200	1.30	12.87
285	1	4	2009/12/12	00:13:22	0.80	237	9	646	74	803	124.89	3212	1.49	12.65
286	1	4	2009/12/12	00:13:25	0.90	224	0	646	73	806	130.36	3224	1.37	12.65
287	1	4	2009/12/12	00:13:27	1.00	230	0	646	73	809	126.96	3236	1.27	12.76
288	1	4	2009/12/12	00:13:30	1.10	230	0	646	72	812	125.22	3248	2.25	12.43
289	1	4	2009/12/12	00:13:33	1.20	246	0	646	53	815	86.18	3260	0.95	12.43
290	1	4	2009/12/12	00:13:35	1.30	224	0	646	67	818	119.64	3272	1.65	12.32
291	1	4	2009/12/12	00:13:38	1.40	230	0	646	72	821	125.22	3284	1.59	12.76
292	1	4	2009/12/12	00:13:40	1.50	230	0	646	72	824	125.22	3296	1.80	12.65
293	1	4	2009/12/12	00:13:43	1.60	230	0	646	71	827	123.48	3308	1.95	12.87
294	1	4	2009/12/12	00:13:46	1.70	230	0	646	70	830	121.74	3320	1.96	12.54
295	1	4	2009/12/12	00:13:48	1.80	224	0	646	70	833	125.00	3332	1.78	12.32
296	1	4	2009/12/12	00:13:51	1.90	230	0	646	70	836	121.74	3344	2.15	12.32
297	1	4	2009/12/12	00:13:53	2.00	230	0	646	69	839	120.00	3356	2.09	12.54
298	1	4	2009/12/12	00:13:56	2.10	230	0	646	70	842	121.74	3368	1.94	12.65
299	1	4	2009/12/12	00:13:59	2.20	219	0	646	68	845	124.20	3380	2.42	12.54
300	1	4	2009/12/12	00:14:01	2.30	230	0	646	68	848	118.26	3392	2.26	12.65
301	1	4	2009/12/12	00:14:04	2.40	230	0	646	68	851	118.26	3404	2.30	12.54
302	1	4	2009/12/12	00:14:07	2.50	230	0	646	67	854	116.52	3416	2.41	12.65
303	1	4	2009/12/12	00:14:09	2.60	230	0	646	67	857	116.52	3428	2.50	12.87
304	1	4	2009/12/12	00:14:12	2.70	230	0	646	68	860	118.26	3440	2.58	12.43
305	1	4	2009/12/12	00:14:14	2.80	224	0	646	66	863	117.86	3452	2.80	12.43
306	1	4	2009/12/12	00:14:17	2.90	230	0	646	69	866	120.00	3464	2.37	12.65
307	1	4	2009/12/12	00:14:20	3.00	230	0	646	68	869	118.26	3476	2.39	12.65
308	1	4	2009/12/12	00:14:22	3.10	230	0	646	69	872	120.00	3488	2.29	12.54
309	1	4	2009/12/12	00:14:25	3.20	230	0	646	70	875	121.74	3500	1.91	12.54
310	1	4	2009/12/12	00:14:27	3.30	237	0	646	71	878	119.83	3512	1.91	12.65
311	1	4	2009/12/12	00:14:30	3.40	230	0	646	71	882	123.48	3528	1.98	12.87
312	1	4	2009/12/12	00:14:32	3.50	230	0	646	71	885	123.48	3540	1.54	12.76
313	1	4	2009/12/12	00:14:35	3.60	230	0	646	71	888	123.48	3552	1.79	12.65
314	1	4	2009/12/12	00:14:38	3.70	230	0	646	71	891	123.48	3564	1.77	12.65
315	1	4	2009/12/12	00:14:40	3.80	230	0	646	71	894	123.48	3576	2.03	12.65
316	1	4	2009/12/12	00:14:43	3.90	230	0	646	70	897	121.74	3588	2.11	12.54
317	1	4	2009/12/12	00:14:46	4.00	230	0	646	71	900	123.48	3600	1.78	12.76
318	1	4	2009/12/12	00:14:48	4.10	230	0	646	71	903	123.48	3612	1.58	12.54
319	1	4	2009/12/12	00:14:51	4.20	230	0	646	72	906	125.22	3624	1.63	12.54
320	1	4	2009/12/12	00:14:53	4.30	230	0	646	72	910	125.22	3640	1.73	12.43
321	1	4	2009/12/12	00:14:56	4.40	230	0	646	71	913	123.48	3652	1.61	12.43
322	1	4	2009/12/12	00:14:59	4.50	230	0	646	72	916	125.22	3664	1.69	12.54
323	1	4	2009/12/12	00:15:01	4.60	230	0	646	71	919	123.48	3676	1.68	12.76
324	1	4	2009/12/12	00:15:04	4.70	224	0	646	70	922	125.00	3688	2.13	12.54
325	1	4	2009/12/12	00:15:07	4.80	230	0	646	70	925	121.74	3700	2.02	12.54
326	1	4	2009/12/12	00:15:09	4.90	224	0	646	70	928	125.00	3712	2.09	12.54
327	1	4	2009/12/12	00:15:12	5.00	230	0	646	71	931	123.48	3724	2.08	12.54
328	1	4	2009/12/12	00:15:14	5.10	230	0	646	70	934	121.74	3736	1.86	12.43
329	1	4	2009/12/12	00:15:17	5.20	230	0	646	71	937	123.48	3748	1.84	12.65
330	1	4	2009/12/12	00:15:20	5.30	224	0	646	69	940	123.21	3760	2.01	12.43
331	1	4	2009/12/12	00:15:22	5.40	230	0	646	69	944	120.00	3772	2.03	12.54
332	1	4	2009/12/12	00:15:31	5.30	224	0	646	68	953	121.43	3812	2.10	0.00
333	1	4	2009/12/12	00:15:33	5.20	230	0	646	68	956	118.26	3824	2.15	0.00
334	1	4	2009/12/12	00:15:36	5.10	230	0	646	68	959	118.26	3836	2.21	0.00
335	1	4	2009/12/12	00:15:38	5.00	230	0	646	67	962	116.52	3848	2.20	0.00
336	1	4	2009/12/12	00:15:41	4.90	230	0	646	68	965	118.26	3860	2.22	0.00
337	1	4	2009/12/12	00:15:44	4.80	230	0	646	67	968	116.52	3872	2.21	0.00
338	1	4	2009/12/12	00:15:46	4.70	230	0	646	67	971	116.52	3884	2.21	0.00
339	1	4	2009/12/12	00:15:49	4.60	230	0	646	67	974	116.52	3896	2.16	0.00
340	1	4	2009/12/12	00:15:51	4.50	224	0	646	67	977	119.64	3908	2.16	0.00
341	1	4	2009/12/12	00:15:54	4.40	230	0	646	69	980	120.00	3920	2.07	0.00
342	1	4	2009/12/12	00:15:57	4.30	230	0	646	68	983	118.26	3932	2.15	0.00
343	1	4	2009/12/12	00:15:59	4.20	230	0	646	69	986	120.00	3944	2.07	0.00
344	1	4	2009/12/12	00:16:02	4.10	230	0	646	69	989	120.00	3956	2.03	0.00
345	1	4	2009/12/12	00:16:04	4.00	230	0	646	69	992	120.00	3968	1.96	0.00
346	1	4	2009/12/12	00:16:07	3.90	230	0	646	70	995	121.74	3980	1.94	0.00
347	1	4	2009/12/12	00:16:10	3.80	230	0	646	69	998	120.00	3992	1.95	0.00
348	1	4	2009/12/12	00:16:12	3.70	230	0	646	69	1001	120.00	4004	2.02	0.00
349	1	4	2009/12/12	00:16:15	3.60	224	0	646	69	1004	123.21	4016	2.07	0.00
350	1	4	2009/12/12	00:16:17	3.50	230	0	646	70	1007	121.74	4028	1.99	0.00
351	1	4	2009/12/12	00:16:20	3.40	230	0	646	69	1010	120.00	4040	2.04	0.00
352	1	4	2009/12/12	00:16:23	3.30	230	0	646	68	1013	118.26	4052	2.10	0.00
353	1	4	2009/12/12	00:16:25	3.20	230	0	646	68	1016	118.26	4064	2.14	0.00
354	1	4	2009/12/12	00:16:28	3.10	230	0	646	69	1019	120.00	4076	1.88	0.00
355	1	4	2009/12/12	00:16:30	3.00	230	0	646	71	1022	123.48	4088	1.93	0.00
356	1	4	2009/12/12	00:16:33	2.90	230	0	646	69	1025	120.00	4100	2.13	0.00
357	1	4	2009/12/12	00:16:36	2.80	230	0	646	67	1028	116.52	4112	2.22	0.00
358	1	4	2009/12/12	00:16:38	2.70	230	0	646	65	1031	113.04	4124	2.30	0.00
359														

施工データ

現場：唐津1st現場A
担当：唐津太郎

	号棟	杭番	日付	時間	深度 (m)	フィード 速度 (cm/min)	瞬時 流量 (L/min)	積算 流量 (L)	回転数 (min ⁻¹)	積算 回転数 (Rev)	羽根 切回転数 (min ⁻¹)	羽根 切回数 (Rev)	回転 トルク (kN・m)	圧入力 (kN)
361	1	4	2009/12/12	00:16:46	2.40	230	0	646	57	1039	99.13	4156	3.83	0.00
362	1	4	2009/12/12	00:16:49	2.30	224	0	646	59	1041	105.36	4164	3.60	0.00
363	1	4	2009/12/12	00:16:51	2.20	230	0	646	59	1044	102.61	4176	3.60	0.00
364	1	4	2009/12/12	00:16:54	2.10	230	0	646	59	1046	102.61	4184	2.48	0.00
365	1	4	2009/12/12	00:16:57	2.00	230	0	646	62	1049	107.83	4196	2.39	0.00
366	1	4	2009/12/12	00:16:59	1.90	230	0	646	64	1052	111.30	4208	2.31	0.00
367	1	4	2009/12/12	00:17:02	1.80	230	0	646	62	1055	107.83	4220	2.14	0.00
368	1	4	2009/12/12	00:17:04	1.70	230	0	646	68	1058	118.26	4232	2.12	0.00
369	1	4	2009/12/12	00:17:07	1.60	230	0	646	69	1061	120.00	4244	2.12	0.00
370	1	4	2009/12/12	00:17:10	1.50	230	0	646	67	1064	116.52	4256	2.18	0.00
371	1	4	2009/12/12	00:17:12	1.40	230	0	646	69	1067	120.00	4268	2.17	0.00
372	1	4	2009/12/12	00:17:15	1.30	230	0	646	68	1070	118.26	4280	1.97	0.00
373	1	4	2009/12/12	00:17:17	1.20	224	0	646	65	1073	116.07	4292	2.22	0.00
374	1	4	2009/12/12	00:17:20	1.10	224	0	646	67	1075	119.64	4300	1.85	0.00
375	1	4	2009/12/12	00:17:23	1.00	237	0	646	72	1078	121.52	4312	1.55	0.00
376	1	4	2009/12/12	00:17:25	0.90	230	0	646	72	1082	125.22	4328	1.33	0.00
377	1	4	2009/12/12	00:17:28	0.80	230	0	646	72	1085	125.22	4340	1.28	0.00
378	1	4	2009/12/12	00:17:30	0.70	230	0	646	72	1088	125.22	4352	1.38	0.00
379	1	4	2009/12/12	00:17:33	0.60	230	0	646	71	1091	123.48	4364	1.29	0.00
380	1	4	2009/12/12	00:17:36	0.50	230	0	646	72	1094	125.22	4376	1.43	0.00
381	1	4	2009/12/12	00:17:36	0.49	230	0	646	72	1094	125.22	4376	1.44	0.00
382	1	4	2009/12/12	00:17:38	0.50	0	0	646	74	1097	999.99	4388	1.20	12.54
383	1	4	2009/12/12	00:17:40	0.60	277	0	646	63	1099	90.97	4396	1.25	12.21
384	1	4	2009/12/12	00:17:41	0.70	475	0	646	72	1101	60.63	4404	1.22	12.43
385	1	4	2009/12/12	00:17:42	0.80	515	0	646	74	1102	57.48	4408	1.23	12.65
386	1	4	2009/12/12	00:17:43	0.90	506	0	646	73	1104	57.71	4416	1.43	12.54
387	1	4	2009/12/12	00:17:45	1.00	500	0	646	72	1105	57.60	4420	1.32	12.76
388	1	4	2009/12/12	00:17:46	1.10	500	0	646	72	1106	57.60	4424	1.82	12.43
389	1	4	2009/12/12	00:17:47	1.20	493	0	646	71	1108	57.61	4432	1.65	12.65
390	1	4	2009/12/12	00:17:48	1.30	493	0	646	71	1109	57.61	4436	1.87	12.43
391	1	4	2009/12/12	00:17:50	1.40	493	0	646	70	1111	56.80	4444	2.11	12.76
392	1	4	2009/12/12	00:17:51	1.50	493	0	646	69	1112	55.98	4448	2.33	12.43
393	1	4	2009/12/12	00:17:56	1.40	448	0	646	65	1117	58.04	4468	2.16	0.00
394	1	4	2009/12/12	00:17:57	1.30	510	0	646	65	1119	50.98	4476	2.03	0.00
395	1	4	2009/12/12	00:17:58	1.20	510	0	646	68	1120	53.33	4480	1.82	0.00
396	1	4	2009/12/12	00:17:59	1.10	506	0	646	69	1121	54.55	4484	1.55	0.00
397	1	4	2009/12/12	00:18:00	1.00	510	0	646	71	1123	55.69	4492	1.48	0.00
398	1	4	2009/12/12	00:18:01	0.90	506	0	646	71	1124	56.13	4496	1.32	0.00
399	1	4	2009/12/12	00:18:03	0.80	500	0	646	72	1126	57.60	4504	1.16	0.00
400	1	4	2009/12/12	00:18:04	0.70	506	0	646	72	1127	56.92	4508	1.20	0.00
401	1	4	2009/12/12	00:18:05	0.60	500	0	646	72	1128	57.60	4512	1.21	0.00
402	1	4	2009/12/12	00:18:06	0.50	510	0	646	73	1130	57.25	4520	1.26	0.00
403	1	4	2009/12/12	00:18:06	0.49	510	0	646	73	1130	57.25	4520	1.40	0.00
404	1	4	2009/12/12	00:18:09	0.40	116	0	646	69	1133	237.93	4532	3.03	0.00
405	1	4	2009/12/12	00:18:10	0.30	703	0	646	41	1133	23.33	4532	2.52	0.00
406	1	4	2009/12/12	00:18:11	0.20	703	0	646	28	1134	15.93	4536	2.19	0.00
407	1	4	2009/12/12	00:18:11	0.10	717	0	646	24	1134	13.39	4536	2.21	0.00
408	1	4	2009/12/12	00:18:43	-0.20	0	0	646	0	1138	0.00	4552	0.00	12.54

施工データ

現場：唐津1st現場A
担当：唐津太郎

	号棟	杭番	日付	時間	深度(m)	フィード速度(cm/min)	瞬時流量(L/min)	積算流量(L)	回転数(min ⁻¹)	積算回転数(Rev)	羽根切回転数(min ⁻¹)	羽根切回数(Rev)	回転トルク(kN・m)	圧入力(kN)
1	1	14	2009/12/11	15:27:57	0.00	412	0	0	22	0	21.36	0	3.09	12.76
2	1	14	2009/12/11	00:00:08	0.10	44	64	3	25	3	227.27	12	2.55	12.65
3	1	14	2009/12/11	00:00:11	0.20	210	70	7	31	5	59.05	20	1.08	12.65
4	1	14	2009/12/11	00:00:13	0.30	210	73	10	68	7	129.52	28	1.59	13.09
5	1	14	2009/12/11	00:00:16	0.40	220	76	13	73	11	132.73	44	1.98	12.76
6	1	14	2009/12/11	00:00:19	0.50	220	75	17	71	14	129.09	56	1.82	12.98
7	1	14	2009/12/11	00:00:22	0.60	210	75	21	69	17	131.43	68	2.46	12.87
8	1	14	2009/12/11	00:00:25	0.70	220	75	24	61	20	110.91	80	3.37	12.65
9	1	14	2009/12/11	00:00:27	0.80	220	77	28	69	23	125.45	92	2.44	12.98
10	1	14	2009/12/11	00:00:30	0.90	210	76	31	59	26	112.38	104	3.60	12.54
11	1	14	2009/12/11	00:00:34	1.00	165	75	36	35	28	84.85	112	1.86	12.87
12	1	14	2009/12/11	00:00:37	1.10	210	74	39	62	31	118.10	124	3.26	12.98
13	1	14	2009/12/11	00:00:39	1.20	220	77	43	67	34	121.82	136	2.32	12.87
14	1	14	2009/12/11	00:00:42	1.30	210	77	46	66	37	125.71	148	10.02	12.43
15	1	14	2009/12/11	00:00:45	1.40	220	75	50	49	40	89.09	160	4.74	12.87
16	1	14	2009/12/11	00:00:48	1.50	220	75	53	52	42	94.55	168	4.40	12.87
17	1	14	2009/12/11	00:00:50	1.60	220	75	57	44	44	80.00	176	4.97	12.76
18	1	14	2009/12/11	00:00:53	1.70	220	76	60	42	46	76.36	184	5.54	12.87
19	1	14	2009/12/11	00:00:56	1.80	220	76	64	37	48	67.27	192	6.11	12.98
20	1	14	2009/12/11	00:00:59	1.90	220	75	67	38	50	69.09	200	6.00	12.87
21	1	14	2009/12/11	00:01:01	2.00	220	74	70	39	51	70.91	204	5.88	12.87
22	1	14	2009/12/11	00:01:04	2.10	220	75	74	37	53	67.27	212	6.11	12.76
23	1	14	2009/12/11	00:01:07	2.20	220	76	77	32	55	58.18	220	6.68	12.87
24	1	14	2009/12/11	00:01:09	2.30	220	77	81	29	56	52.73	224	6.91	12.87
25	1	14	2009/12/11	00:01:12	2.40	220	75	84	28	57	50.91	228	7.14	12.76
26	1	14	2009/12/11	00:01:15	2.50	220	74	88	28	59	50.91	236	7.14	12.76
27	1	14	2009/12/11	00:01:18	2.60	220	73	91	27	60	49.09	240	7.25	12.76
28	1	14	2009/12/11	00:01:20	2.70	220	75	95	28	61	50.91	244	7.25	12.76
29	1	14	2009/12/11	00:01:23	2.80	220	76	98	29	63	52.73	252	7.02	12.87
30	1	14	2009/12/11	00:01:26	2.90	220	77	101	34	64	61.82	256	6.45	12.76
31	1	14	2009/12/11	00:01:29	3.00	220	75	105	38	66	69.09	264	6.00	12.87
32	1	14	2009/12/11	00:01:31	3.10	220	74	108	42	68	76.36	272	5.54	12.65
33	1	14	2009/12/11	00:01:34	3.20	220	73	112	44	70	80.00	280	5.31	12.87
34	1	14	2009/12/11	00:01:37	3.30	220	75	115	49	72	89.09	288	4.74	12.98
35	1	14	2009/12/11	00:01:40	3.40	220	77	119	55	74	100.00	296	4.06	12.76
36	1	14	2009/12/11	00:01:42	3.50	220	77	122	59	77	107.27	308	3.60	12.87
37	1	14	2009/12/11	00:01:45	3.60	220	75	126	69	80	125.45	320	2.46	12.54
38	1	14	2009/12/11	00:01:48	3.70	220	73	129	68	83	123.64	332	2.58	12.76
39	1	14	2009/12/11	00:01:50	3.80	220	74	132	67	87	121.82	348	2.58	12.76
40	1	14	2009/12/11	00:01:53	3.90	220	75	136	67	90	121.82	360	2.69	12.87
41	1	14	2009/12/11	00:01:56	4.00	220	76	139	68	93	123.64	372	2.58	12.87
42	1	14	2009/12/11	00:01:59	4.10	220	75	143	69	96	125.45	384	2.46	12.87
43	1	14	2009/12/11	00:02:01	4.20	220	75	146	67	99	121.82	396	2.58	12.76
44	1	14	2009/12/11	00:02:04	4.30	220	74	150	68	102	123.64	408	2.58	12.87
45	1	14	2009/12/11	00:02:07	4.40	220	75	153	67	105	121.82	420	2.69	12.76
46	1	14	2009/12/11	00:02:10	4.50	220	75	157	67	108	121.82	432	2.69	12.87
47	1	14	2009/12/11	00:02:12	4.60	220	76	160	68	111	123.64	444	2.58	12.76
48	1	14	2009/12/11	00:02:15	4.70	220	75	163	67	114	121.82	456	2.69	12.87
49	1	14	2009/12/11	00:02:18	4.80	220	74	167	66	117	120.00	468	2.80	12.65
50	1	14	2009/12/11	00:02:21	4.90	220	74	170	66	120	120.00	480	2.80	12.76
51	1	14	2009/12/11	00:02:23	5.00	220	76	174	64	123	116.36	492	3.03	12.54
52	1	14	2009/12/11	00:02:26	5.10	220	76	177	64	126	116.36	504	3.03	12.65
53	1	14	2009/12/11	00:02:29	5.20	220	76	181	65	129	118.18	516	2.92	12.76
54	1	14	2009/12/11	00:02:31	5.30	220	74	184	64	132	116.36	528	3.03	12.76
55	1	14	2009/12/11	00:02:34	5.40	220	73	187	65	135	118.18	540	2.92	12.54
56	1	14	2009/12/11	00:02:47	5.48	0	0	197	0	139	0.00	556	0.00	12.76
57	1	14	2009/12/11	00:03:26	5.50	4	74	206	70	146	999.99	584	2.38	12.76
58	1	14	2009/12/11	00:03:28	5.60	220	75	209	66	149	120.00	596	2.69	12.87
59	1	14	2009/12/11	00:03:31	5.70	220	75	213	68	152	123.64	608	2.58	12.87
60	1	14	2009/12/11	00:03:34	5.80	220	75	216	65	155	118.18	620	2.92	13.09
61	1	14	2009/12/11	00:03:37	5.90	220	73	220	64	158	116.36	632	3.03	12.87
62	1	14	2009/12/11	00:03:39	6.00	220	73	223	62	161	112.73	644	3.26	12.76
63	1	14	2009/12/11	00:03:42	6.10	220	75	226	60	163	109.09	652	3.49	12.76
64	1	14	2009/12/11	00:03:45	6.20	220	77	230	60	166	109.09	664	3.49	12.76
65	1	14	2009/12/11	00:03:47	6.30	220	77	233	62	169	112.73	676	3.26	12.87
66	1	14	2009/12/11	00:03:50	6.40	220	75	237	63	172	114.55	688	3.15	12.76
67	1	14	2009/12/11	00:03:53	6.50	220	72	240	62	175	112.73	700	3.26	12.87
68	1	14	2009/12/11	00:03:56	6.60	220	73	244	61	178	110.91	712	3.37	12.87
69	1	14	2009/12/11	00:03:58	6.70	220	76	247	64	181	116.36	724	3.15	12.98
70	1	14	2009/12/11	00:04:01	6.80	220	77	250	65	183	118.18	732	2.92	12.98
71	1	14	2009/12/11	00:04:04	6.90	220	77	254	66	186	120.00	744	2.80	12.98
72	1	14	2009/12/11	00:04:07	7.00	220	75	257	66	189	120.00	756	2.80	12.76
73	1	14	2009/12/11	00:04:09	7.10	220	73	261	65	192	118.18	768	2.80	12.76
74	1	14	2009/12/11	00:04:12	7.20	220	73	264	67	196	121.82	784	2.69	12.87
75	1	14	2009/12/11	00:04:15	7.30	220	76	268	67	199	121.82	796	2.69	12.54
76	1	14	2009/12/11	00:04:18	7.40	220	76	271	65	202	118.18	808	2.92	12.65
77	1	14	2009/12/11	00:04:20	7.50	220	77	274	65	205	118.18	820	2.92	12.76
78	1	14	2009/12/11	00:04:23	7.60	220	74	278	63	207	114.55	828	3.15	12.76
79	1	14	2009/12/11	00:04:26	7.70	220	74	281	64	210	116.36	840	3.03	12.98
80	1	14	2009/12/11	00:04:28	7.80	220	74	285	64	213	116.36	852	3.03	13.09
81	1	14	2009/12/11	00:04:31	7.90	220	76	288	64	216	116.36	864	3.03	12.98
82	1	14	2009/12/11	00:04:34	8.00	220	75	292	64	219	116.36	876	3.03	12.76
83	1	14	2009/12/11	00:04:37	8.10	220	74	295	62	222	112.73	888	3.26	12.76
84	1	14	2009/12/11	00:04:39	8.20	220	73	298	62	225	112.73	900	3.37	12.87
85	1	14	2009/12/11	00:04:42	8.30	220	75	302	60	228	109.09	912	3.49	12.76
86	1	14	2009/12/11	00:04:45	8.40	220	76	305	60	230	109.09	920	3.49	12.87
87	1	14	2009/12/11	00:04:48	8.50	220	76	309	53	233	96.36	932	4.29	12.76
88	1	14	2009/12/11	00:04:50	8.60	220	74	312	51	235	92.73	940	4.51	12.54
89	1	14	2009/12/11											

施工データ

現場：唐津1現場A
担当：唐津太郎

	号棟	杭番	日付	時間	深度 (m)	フィード 速度 (cm/min)	瞬時 流量 (L/min)	積算 流量 (L)	回転数 (min ⁻¹)	積算 回転数 (Rev)	羽根 切回転数 (min ⁻¹)	羽根 切回数 (Rev)	回転 トルク (kN・m)	圧入力 (kN)
361	1	14	2009/12/11	00:17:00	3.50	224	0	645	64	1002	114.29	4008	3.03	0.00
362	1	14	2009/12/11	00:17:02	3.40	230	0	645	63	1005	109.57	4020	3.15	0.00
363	1	14	2009/12/11	00:17:05	3.30	230	0	645	63	1007	109.57	4028	3.15	0.00
364	1	14	2009/12/11	00:17:08	3.20	230	0	645	61	1010	106.09	4040	3.37	0.00
365	1	14	2009/12/11	00:17:10	3.10	230	0	645	62	1013	107.83	4052	3.26	0.00
366	1	14	2009/12/11	00:17:13	3.00	230	0	645	63	1016	109.57	4064	3.15	0.00
367	1	14	2009/12/11	00:17:16	2.90	230	0	645	58	1018	100.87	4072	3.72	0.00
368	1	14	2009/12/11	00:17:18	2.80	230	0	645	57	1021	99.13	4084	3.83	0.00
369	1	14	2009/12/11	00:17:21	2.70	230	0	645	53	1023	92.17	4092	4.29	0.00
370	1	14	2009/12/11	00:17:23	2.60	230	0	645	49	1025	85.22	4100	4.51	0.00
371	1	14	2009/12/11	00:17:26	2.50	230	0	645	48	1027	83.48	4108	4.86	0.00
372	1	14	2009/12/11	00:17:28	2.40	230	0	645	47	1029	81.74	4116	4.97	0.00
373	1	14	2009/12/11	00:17:31	2.30	230	0	645	51	1032	88.70	4128	4.51	0.00
374	1	14	2009/12/11	00:17:34	2.20	230	0	645	51	1034	88.70	4136	4.51	0.00
375	1	14	2009/12/11	00:17:36	2.10	230	0	645	53	1036	92.17	4144	2.46	0.00
376	1	14	2009/12/11	00:17:39	2.00	230	0	645	55	1038	95.65	4152	4.06	0.00
377	1	14	2009/12/11	00:17:42	1.90	230	0	645	52	1041	90.43	4164	4.40	0.00
378	1	14	2009/12/11	00:17:44	1.80	230	0	645	52	1043	90.43	4172	4.40	0.00
379	1	14	2009/12/11	00:17:47	1.70	230	0	645	53	1045	92.17	4180	4.29	0.00
380	1	14	2009/12/11	00:17:49	1.60	230	0	645	58	1048	100.87	4192	3.94	0.00
381	1	14	2009/12/11	00:17:52	1.50	230	0	645	58	1050	100.87	4200	3.72	0.00
382	1	14	2009/12/11	00:17:55	1.40	230	0	645	59	1053	102.61	4212	3.60	0.00
383	1	14	2009/12/11	00:17:57	1.30	230	0	645	57	1055	99.13	4220	3.83	0.00
384	1	14	2009/12/11	00:18:00	1.20	224	0	645	54	1058	96.43	4232	4.17	0.00
385	1	14	2009/12/11	00:18:02	1.10	230	0	645	65	1060	113.04	4240	2.36	0.00
386	1	14	2009/12/11	00:18:05	1.00	230	0	645	64	1063	111.30	4252	3.03	0.00
387	1	14	2009/12/11	00:19:00	0.90	282	0	645	59	1108	83.69	4432	3.60	0.00
388	1	14	2009/12/11	00:19:16	0.80	89	0	645	47	1123	211.24	4492	2.18	0.00
389	1	14	2009/12/11	00:19:17	0.70	587	0	645	65	1124	44.29	4496	1.96	0.00
390	1	14	2009/12/11	00:19:21	0.60	264	0	645	70	1128	106.06	4512	1.48	0.00
391	1	14	2009/12/11	00:19:23	0.50	230	0	645	72	1131	125.22	4524	1.63	0.00
392	1	14	2009/12/11	00:19:24	0.49	230	0	645	72	1132	125.22	4528	1.54	0.00
393	1	14	2009/12/11	00:19:25	0.50	116	0	645	73	1133	251.72	4532	1.41	12.43
394	1	14	2009/12/11	00:19:27	0.60	259	0	645	62	1136	95.75	4544	1.61	12.65
395	1	14	2009/12/11	00:19:29	0.70	403	0	645	71	1137	70.47	4548	2.03	12.87
396	1	14	2009/12/11	00:19:30	0.80	500	0	645	73	1139	58.40	4556	1.68	12.76
397	1	14	2009/12/11	00:19:31	0.90	500	0	645	71	1140	56.80	4560	2.12	12.76
398	1	14	2009/12/11	00:19:32	1.00	500	0	645	72	1142	57.60	4568	2.07	12.76
399	1	14	2009/12/11	00:19:33	1.10	493	0	645	69	1143	55.98	4572	2.35	12.76
400	1	14	2009/12/11	00:19:35	1.20	488	0	645	67	1145	54.92	4580	2.69	12.76
401	1	14	2009/12/11	00:19:36	1.30	500	0	645	65	1146	52.00	4584	2.92	12.87
402	1	14	2009/12/11	00:19:37	1.40	493	0	645	64	1147	51.93	4588	3.03	12.76
403	1	14	2009/12/11	00:19:38	1.50	506	0	645	62	1148	49.01	4592	3.26	12.87
404	1	14	2009/12/11	00:19:43	1.40	309	0	645	49	1152	63.43	4608	4.74	0.00
405	1	14	2009/12/11	00:19:44	1.30	488	0	645	53	1153	43.44	4612	2.44	0.00
406	1	14	2009/12/11	00:19:45	1.20	488	0	645	56	1155	45.90	4620	10.06	0.00
407	1	14	2009/12/11	00:19:47	1.10	500	0	645	56	1156	44.80	4624	3.94	0.00
408	1	14	2009/12/11	00:19:48	1.00	493	0	645	60	1157	48.68	4628	2.03	0.00
409	1	14	2009/12/11	00:19:49	0.90	506	0	645	64	1158	50.59	4632	1.92	0.00
410	1	14	2009/12/11	00:19:50	0.80	510	0	645	70	1160	54.90	4640	1.74	0.00
411	1	14	2009/12/11	00:19:51	0.70	500	0	645	70	1161	56.00	4644	1.89	0.00
412	1	14	2009/12/11	00:19:53	0.60	510	0	645	71	1163	55.69	4652	1.57	0.00
413	1	14	2009/12/11	00:19:54	0.50	500	0	645	71	1164	56.80	4656	1.48	0.00
414	1	14	2009/12/11	00:19:54	0.49	500	0	645	71	1164	56.80	4656	1.60	0.00
415	1	14	2009/12/11	00:19:58	0.40	192	0	645	58	1168	120.83	4672	2.85	0.00
416	1	14	2009/12/11	00:19:59	0.30	591	0	645	34	1169	23.01	4676	2.54	0.00
417	1	14	2009/12/11	00:20:00	0.20	614	0	645	26	1169	16.94	4676	2.45	0.00
418	1	14	2009/12/11	00:20:01	0.10	622	0	645	25	1170	16.08	4680	2.36	0.00
419	1	14	2009/12/11	00:20:13	-0.14	0	0	645	0	1175	0.00	4700	0.00	12.87